

# Farbrezepte LINIEN-EFFEKT

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
5.3	09.12.2024	6006083	Date of first issue: 29.10.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Farbrezepte LINIEN-EFFEKT
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone Telefax	:	+498001238887 +4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH
SECTION 2: Hazards identific	atio	on

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard	pictograms
--------	------------

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.





# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
Preca	autionary Statements	: P101	If medical advice is needed, have product con- tainer or label at hand.
		P102	Keep out of reach of children.
		Prevention	:
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		Response:	
		P302 + P35	2 IF ON SKIN: Wash with plenty of water.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

#### **Additional Labeling**

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : E

Emulsion paint, aqueous

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10



# Farbrezepte LINIEN-EFFEKT

ersion 3	Revision Date: 09.12.2024		Number: 6083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
cles v 10 µn	ining 1 % or more of pa vith aerodynamic diame n] enzisothiazol-3(2H)-one	ter ≤	236-675-5 022-006-00-2 01-2119489379- 2634-33-5 220-120-9 613-088-00-6 01-2120761540-	Acute Tox. 4; H302 >= 0,0025 Skin Irrit. 2; H315 0,025 Eye Dam. 1; H318
2-me	thylisothiazol-3(2H)-one		2682-20-4 220-239-6 613-326-00-9 01-2120764690-	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 50 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %
methy	on mass of 5-chloro-2- yl-2H-isothiazol-3-one a yl-2H-isothiazol-3-one (3		55965-84-9 613-167-00-5 01-2120764691-	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 2; H310 48 Skin Corr. 1C; H314

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
			Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= $0,6\%$ Skin Irrit. 2; H315 0,06 - < 0,6% Eye Irrit. 2; H319 0,06 - < 0,6% Skin Sens. 1A; H317 >= $0,0015\%$ Eye Dam. 1; H318 >= $0,6\%$

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.



# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019	
lf swal	lowed		dvice. In water and drink afterwards plenty of water. O NOT induce vomiting.	
4.2 Most important symptoms and effects, both acute and delayed				
Risks		: May cause an a	llergic skin reaction.	
<b>4.3 Indication of any immediate</b>		medical attention ar : No information a	•	

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	a :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	m the	e substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipmer for fire-fighters	nt :	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

### **SECTION 6:** Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use protective shoes or boots with rough rubber sole.
	Material can create slippery conditions.
	Do not get in eyes, on skin, or on clothing.



# Farbrezepte LINIEN-EFFEKT

5.3	Revision Date: 09.12.2024	SDS 6006	Number: 083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
6.2 Enviro	onmental precautions			
Enviro	onmental precautions	lf re	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains infor respective authorities. Do not flush into surface water or sanitary sewer system.	
6.3 Metho	ds and material for co	ontainn	nent and clea	aning up
Metho	ods for cleaning up	S	loak up with in	le, closed containers for disposal. nert absorbent material (e.g. sand, silica gel, iversal binder, sawdust).
6.4 Refere	ence to other sections			
	r information see Sectio onal protection see sect			a sheet. considerations see section 13.
SECTION	N 7: Handling and st	orage		
7 1 Drees	utiona far aafa handlin			
	utions for safe handlin e on safe handling	-	or personal p	rotection see section 8.
	utions for safe handlir e on safe handling	- : F		rotection see section 8. nnical protective measures required.
		: F N	lo special tecl	
Advic		: F N P : V d	lo special tech lease follow t Vash hands b rink or smoke	nnical protective measures required.
Advic Hygie	e on safe handling	: F N P : V d e a	lo special tech lease follow t Vash hands b rink or smoke d clothing and reas.	nnical protective measures required. he technical information. efore eating, drinking, or smoking. Do not eat, when using this product. Remove contaminat- d protective equipment before entering eating
Advic Hygie <b>7.2 Condi</b> Requ	e on safe handling ene measures	: F N P : V d e a , <b>incluc</b> : F ir o	lo special tech Please follow t Vash hands b rink or smoke d clothing and reas. <b>ling any inco</b> Perishable if fr n heat or direct original contain	nnical protective measures required. he technical information. efore eating, drinking, or smoking. Do not eat, when using this product. Remove contaminat- d protective equipment before entering eating
Advic Hygie <b>7.2 Condi</b> Requ areas	e on safe handling ene measures tions for safe storage, irements for storage	: F N P : V d e a , <b>incluc</b> : F ir o fi : K	lo special tech Please follow t Vash hands b rink or smoke d clothing and reas. <b>ling any inco</b> Perishable if fr h heat or direct original contain ully resealed a	nnical protective measures required. he technical information. efore eating, drinking, or smoking. Do not eat, when using this product. Remove contaminat- d protective equipment before entering eating <b>ompatibilities</b> ozen. To maintain product quality, do not store ct sunlight. Store at room temperature in the ner. Containers which are opened must be care-
Advic Hygie <b>7.2 Condi</b> Requ areas Advic	e on safe handling ene measures tions for safe storage, irements for storage and containers	: F N P : V d e a a , incluc : F ir o f i	lo special tech lease follow t Vash hands b rink or smoke d clothing and reas. <b>ling any inco</b> Perishable if fr h heat or direct original contain ully resealed a Keep away fro	he technical information. efore eating, drinking, or smoking. Do not eat, when using this product. Remove contaminat- d protective equipment before entering eating <b>ompatibilities</b> ozen. To maintain product quality, do not store ct sunlight. Store at room temperature in the her. Containers which are opened must be care- and kept upright to prevent leakage.
Advic Hygie 7.2 Condi Requ areas Advic Stora	e on safe handling ene measures tions for safe storage, irements for storage and containers se on common storage	: F N P : V d e a a , incluc : F ir o f i	lo special tech lease follow t Vash hands b rink or smoke d clothing and reas. <b>ling any inco</b> Perishable if fr n heat or direc original contain ully resealed a Keep away fro naterials.	he technical information. efore eating, drinking, or smoking. Do not eat, when using this product. Remove contaminat- d protective equipment before entering eating <b>ompatibilities</b> ozen. To maintain product quality, do not store ct sunlight. Store at room temperature in the her. Containers which are opened must be care- and kept upright to prevent leakage.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### **Occupational Exposure Limits**



# Farbrezepte LINIEN-EFFEKT

Vers 5.3	Version Revision Date: 5.3 09.12.2024			ate of last issue: 22.10.2024 ate of first issue: 29.10.2019					
	Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis				
-	titanium dioxide powder form co taining 1 % or more of particle with aerodynar diameter $\leq$ 10 p	on- es nic	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK				
		Peak-limit ca	ategory: 8; II						
			Further information: Substances that cause cancer in humans or animals or						
			that are considered to be carcinogenic for humans and for which a MAK value						
			can be derived., Damage to the embryo or foetus is unlikely when the MAK						
_		value or the	value or the BAT value is observed						
			AGW (Inhalable	10 mg/m3	DE TRGS				
_			fraction)	(Titanium dioxide)	900				
			Peak-limit category: 2;(II)						
			Further information: When there is compliance with the OEL and biological						
_		tolerance va	tolerance values, there is no risk of harming the unborn child						
			AGW (Alveolate	1,25 mg/m3	DE TRGS				
_			fraction) (Titanium dioxide) 900						
			ategory: 2;(II)						
			Further information: When there is compliance with the OEL and biological						
		tolerance va		of harming the unborn child					
			BM (Alveolar	0,5 mg/m3	DE TRGS				
			dust fraction)		527				

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter $\leq$ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
calcium carbonate	Sewage treatment plant	100 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti-	Sewage treatment plant	100 mg/l



# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: Date of first issue	
cles v 10 µn	vith aerodynamic dian n]	neter ≤		
		Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dry weight (d.w.)
		Sea sedime	nt	100 mg/kg dry weight (d.w.)
		Intermittent	use/release	0,193 mg/l

#### 8.2 Exposure controls

Personal protective equipment						
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection				
		Goggles				
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3				
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin and body protection	:	Safety shoes Long sleeved clothing				
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
		Skin should be washed after contact.				
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing				
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.				
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.				
		DGUV Regulation 112-190 - Use of breathing equipment				

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties



# Farbrezepte LINIEN-EFFEKT

Ver 5.3	sion	Revision Date: 09.12.2024		S Number: )6083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
	Physica	al state	:	liquid	
	Color		:	white	
	Odor		:	characteristic	
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	point	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8,5 (20 °C) Concentration: 1 Method: DIN EN	00 % ISO 19396-1:2020-05
	Viscosi Visc	ty cosity, dynamic	:	not determined	
	Viso	cosity, kinematic	:	not determined	
	Flow tir	ne	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partitio	n coefficient: n-	:	Not applicable	



# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024		S Number: 06083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
octan	nol/water			
Vapo	or pressure	:	ca. 23,4 hPa (20	°C)
Relat	tive density	:	not determined	
Dens	ity	:	1,67 g/cm3 (20 ° Method: DIN EN	
Bulk	density	:	Not applicable	
Relat	tive vapor density	:	Not applicable	
9.2 Other	information			
	osives	:	Not applicable	
Oxidi	zing properties	:	Not applicable	
Flam	mability (liquids)	:	The product is no	ot flammable.

### **SECTION 10: Stability and reactivity**

<b>10.1 Reactivity</b> No decomposition if stored at	nd applied as directed.
<b>10.2 Chemical stability</b> No decomposition if stored at	nd applied as directed.
10.3 Possibility of hazardous re	eactions
Hazardous reactions	: No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	: Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid	: Incompatible with acids and bases. Incompatible with oxidizing agents.

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



# Farbrezepte LINIEN-EFFEKT

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
5.3	09.12.2024	6006083	Date of first issue: 29.10.2019

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

#### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one	e:	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg

Acute inhalation toxicity	: LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist
	rest atmosphere. adot/mist

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.



# Farbrezepte LINIEN-EFFEKT

Version	Revision Date:	SDS Number:
5.3	09.12.2024	6006083

Date of last issue: 22.10.2024 Date of first issue: 29.10.2019

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

:

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

### 12.1 Toxicity

**Components:** 

1,2-benzisothiazol-3(2H)-one:	:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox-	:	1



# Farbrezepte LINIEN-EFFEKT

icity) M-Factor (Chronic aquatic : 1 toxicity) 2-methylisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : 10 icity) M-Factor (Chronic aquatic : 1 toxicity) M-Factor (Chronic aquatic : 100 icity) M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) M-Factor (Chronic aquatic : 100 toxicity) 12.2 Persistence and degradability No data available 13.3 Bioaccumulative potential Components: 1,2-benzisothiazol-3(2H)-one: Partition coefficient: n- : log Pow: 0,63 - 0,76 octanol/water : pH: 7 2-methylisothiazol-3(2H)-one: Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water : pH: 7 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water : pH: 7 12.4 Mobility in soil No data available 13.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (V-VB) at levels of	Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
toxicity)  2-methylisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : 10 ioty)  M-Factor (Chronic aquatic : 1 toxicity)  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): M-Factor (Acute aquatic tox- : 100 ioty)  M-Factor (Chronic aquatic : 100 toxicity)  12.2 Persistence and degradability No data available  12.3 Bioaccumulative potential  Components: 1,2-benzisothiazol-3(2H)-one: Paritition coefficient: n- : log Pow: 0,63 - 0,76 octanol/water : pH: 7  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Paritition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water : Method: OECD Test Guideline 117  12.4 Mobility in soil No data available  12.5 Results of PBT and vPvB assessment  Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative (vPvB) at levels of	icity)			
M-Factor (Acute aquatic tox- : 10 icity)         M-Factor (Chronic aquatic : 1 toxicity)         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         M-Factor (Acute aquatic tox- : 100 icity)         M-Factor (Chronic aquatic : 100 toxicity)         M-Factor (Chronic aquatic : 100 toxicity)         M-Factor (Chronic aquatic : 100 toxicity)         12.2 Persistence and degradability No data available         12.3 Bioaccumulative potential         Components: 1,2-benzisothiazol-3(2H)-one: Partition coefficient: n- octanol/water         Partition coefficient: n- octanol/water         Partition coefficient: n- octanol/water         In Big Pow: -0,486 (25 °C) pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Partition coefficient: n- octanol/water         Partition coefficient: n- octanol/water       Iog Pow: <= 0,75 Method: OECD Test Guideline 117         12.4 Mobility in soil No data available       Method: OECD Test Guideline 117         12.4 Rosbility in soil No data available       This substance/mixture contains no components considered to be either persistent, bioaccumulative (PVB), at levels of very persistent and very bioaccumulative (PVB), at levels of			: 1	
icity) M-Factor (Chronic aquatic : 1 toxicity) reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity) M-Factor (Chronic aquatic : 100 toxicity) Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water : pH: 7 reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Partition coefficient: n- : log Pow: -2,75 octanol/water : Method: OECD Test Guideline 117 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment <u>Product:</u> Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative (vPvB) at levels of very persistent and very bioaccumulative (vPvB) at levels of	2-m	ethylisothiazol-3(2H)-oi	ne:	
toxicity)  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100 toxicity)  12.2 Persistence and degradability No data available  12.3 Bioaccumulative potential Components: 1,2-benzisothiazol-3(2H)-one: Partition coefficient: n- : log Pow: 0,63 - 0,76 octanol/water pH: 7  2-methylisothiazol-3(2H)-one: Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water pH: 7  reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water pH: 7  12.4 Mobility in soil No data available  12.5 Results of PBT and vPvB assessment Product: Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative and toxic (PBT), or very pe		· ·	: 10	
(3:1):       M-Factor (Acute aquatic tox- : 100 icity)         M-Factor (Chronic aquatic : 100 toxicity)         M-Factor (Chronic aquatic : 100 toxicity)         12.2 Persistence and degradability No data available         13.3 Bioaccumulative potential         Components:         1,2-benzisothiazol-3(2H)-one:         Partition coefficient: n- : log Pow: 0,63 - 0,76 octanol/water : pH: 7         2-methylisothiazol-3(2H)-one:         Partition coefficient: n- : log Pow: -0,486 (25 °C) octanol/water : pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         Partition coefficient: n- : log Pow: <= 0,75 octanol/water : Method: OECD Test Guideline 117			: 1	
M-Factor (Acute aquatic tox-       100         icity)       M-Factor (Chronic aquatic       100         M-Factor (Chronic aquatic       100         toxicity)       12.2 Persistence and degradability         No data available       12.3 Bioaccumulative potential         Components:       1,2-benzisothiazol-3(2H)-one:         Partition coefficient: n-       iog Pow: 0,63 - 0,76         octanol/water       pH: 7         2-methylisothiazol-3(2H)-one:       Partition coefficient: n-         Partition coefficient: n-       iog Pow: -0,486 (25 °C)         octanol/water       pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         Partition coefficient: n-       iog Pow: <= 0,75			2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
toxicity)  12.2 Persistence and degradability No data available  12.3 Bioaccumulative potential  Components:  1,2-benzisothiazol-3(2H)-one: Partition coefficient: n- octanol/water Partition coefficient: n- isog Pow: -0,486 (25 °C) octanol/water Partition coefficient: n- isog Pow: -0,486 (25 °C) octanol/water Partition coefficient: n- isog Pow: <= 0,75 isothalauel Partition coefficient: n- isog Pow: <= 0,75 isothalauel Distribution Table Partition coefficient: n- isog Pow: <= 0,75 isothalauel Table Partition coefficient: n- isou pressent	M-Fa	actor (Acute aquatic tox-	: 100	
No data available         12.3 Bioaccumulative potential         Components:         1,2-benzisothiazol-3(2H)-one:         Partition coefficient: n-         octanol/water         Partition coefficient: n-         octanol/water         Partition coefficient: n-         octanol/water         Partition coefficient: n-         octanol/water         pH: 7         Partition coefficient: n-         octanol/water         pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         Partition coefficient: n-         octanol/water         log Pow: <= 0,75			: 100	
Components:         1,2-benzisothiazol-3(2H)-one:         Partition coefficient: n-       iog Pow: 0,63 - 0,76         octanol/water       pH: 7         2-methylisothiazol-3(2H)-one:         Partition coefficient: n-       iog Pow: -0,486 (25 °C)         octanol/water       pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         Partition coefficient: n-       iog Pow: <= 0,75		-	lity	
1,2-benzisothiazol-3(2H)-one:         Partition coefficient: n-       :       log Pow: 0,63 - 0,76         octanol/water       pH: 7         2-methylisothiazol-3(2H)-one:       Partition coefficient: n-       :         Partition coefficient: n-       :       log Pow: -0,486 (25 °C)         octanol/water       pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):         Partition coefficient: n-       :       log Pow: <= 0,75	12.3 Bioa	accumulative potential		
Partition coefficient: n- octanol/water       :       log Pow: 0,63 - 0,76 pH: 7         2-methylisothiazol-3(2H)-one: Partition coefficient: n- octanol/water       :       log Pow: -0,486 (25 °C) pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1): Partition coefficient: n- octanol/water       :       log Pow: <= 0,75 Method: OECD Test Guideline 117         12.4 Mobility in soil No data available       :       No data available         12.5 Results of PBT and vPvB assessment       :         Product: Assessment       :       This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	Con	ponents:		
Partition coefficient: n- octanol/water       :       log Pow: -0,486 (25 °C) pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):       .         Partition coefficient: n- octanol/water       :       log Pow: <= 0,75 Method: OECD Test Guideline 117         12.4 Mobility in soil No data available       .       .         12.5 Results of PBT and vPvB assessment       .         Product: Assessment       :       This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	Part	tion coefficient: n-	: log Pow: 0,63	- 0,76
Partition coefficient: n- octanol/water       :       log Pow: -0,486 (25 °C) pH: 7         reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):       .         Partition coefficient: n- octanol/water       :       log Pow: <= 0,75 Method: OECD Test Guideline 117         12.4 Mobility in soil No data available       .       .         12.5 Results of PBT and vPvB assessment       .         Product: Assessment       :       This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	2-m	ethvlisothiazol-3(2H)-oi	ne:	
(3:1):       Partition coefficient: n- octanol/water       : log Pow: <= 0,75 Method: OECD Test Guideline 117	Part	tion coefficient: n-	: log Pow: -0,48	6 (25 °C)
octanol/water       Method: OECD Test Guideline 117         12.4 Mobility in soil       No data available         12.5 Results of PBT and vPvB assessment       Product:         Assessment       : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of			2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
No data available <b>12.5 Results of PBT and vPvB assessment</b> <u>Product:</u> Assessment         : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of				
No data available <b>12.5 Results of PBT and vPvB assessment</b> <u>Product:</u> Assessment         : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	12.4 Mot	ility in soil		
Product:       Assessment       : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of		•		
Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	12.5 Res	ults of PBT and vPvB a	issessment	
to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of	Proc	luct:		
13/18	Asse	essment	to be either pe	rsistent, bioaccumulative and toxic (PBT), or
			13 / 18	3



# Farbrezepte LINIEN-EFFEKT

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
5.3	09.12.2024	6006083	Date of first issue: 29.10.2019

0.1% or higher.

#### 12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

Product:		
Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
.2 UN proper shipping name		

### 14.2 UN proper shipping name

: Not regulated as a dangerous good



# Farbrezepte LINIEN-EFFEKT

Vers 5.3	sion	Revision Date: 09.12.2024		DS Number: )06083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
	ADR		:	Not regulated as	a dangerous good
	RID		:	Not regulated as	a dangerous good
	IMDG		:	Not regulated as	a dangerous good
	ΙΑΤΑ		:	Not regulated as	a dangerous good
14.3	Trans	port hazard class(es)			
	ADN		:	Not regulated as	a dangerous good
	ADR		:	Not regulated as	a dangerous good
	RID		:	Not regulated as	a dangerous good
	IMDG		:	Not regulated as	a dangerous good
	ΙΑΤΑ		:	Not regulated as	a dangerous good
14.4	Packi	ng group			
	ADN		:	Not regulated as	a dangerous good
	ADR		:	Not regulated as	a dangerous good
	RID		:	Not regulated as	a dangerous good
	IMDG		:	Not regulated as	a dangerous good
	IATA (	Cargo)	:	Not regulated as	a dangerous good
	ΙΑΤΑ (	Passenger)	:	Not regulated as	a dangerous good
14.5	Enviro	onmental hazards			
	Not reg	gulated as a dangerous	s go	od	
14.6	Specia	al precautions for use	er		
	Remar	ks	:	Not classified as lations.	dangerous in the meaning of transport regu-

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture						
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3					
		If you intend to use this product as tattoo ink, please contact your ven- dor.				
REACH - Candidate List of Substances of Very High	:	None				



# Farbrezepte LINIEN-EFFEKT

Versio 5.3	n	Revision Date: 09.12.2024		9S Number: 06083			last issue: 22.10.2024 first issue: 29.10.2019
С	Concern for Authorization (Article 59).						
	Regulation (EC) on substances that deplete the ozone : Not applicable layer						
	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)						
	REACH - List of substances subject to authorisation : None (Annex XIV)						
p C	ean Pa ontrol	III: Directive 2012/18/ arliament and of the Co of major-accident haza ous substances.	oune	cil on the		Not	applicable
	Vater h y)	azard class (Germa-	:	WGK 1 slightly wa Classification acco			angering AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	M-DF01 Water-ba	ase	ed pair	nts, solvent-free
			:	BSW20 Coating m	nat	terials	, water-based
V	olatile	organic compounds	:	emissions (integra	ate	d poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,05 %
V	'olatile	organic compounds	:	Directive 2004/42/ < 0.1 % < 1 g/l	2/E0	С	

#### Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

#### Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024		0S Number: 06083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH07	1		Causes skin irritat May cause an alle Causes serious e Fatal if inhaled. Suspected of cau Very toxic to aqua Very toxic to aqua	ergic skin reaction. ye damage. sing cancer if inhaled. atic life. atic life with long lasting effects. fe with long lasting effects.
Full te	xt of other abbreviat	ions		
Aquatio Carc. Eye Da Skin C Skin S DE DF DE TR DE TR DE DF DE TR	c Acute c Chronic am. orr. rit.			age AT Annex IIa 527 - Activities with nanomaterials 900 - Occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GIS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restr

#### Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological



# Farbrezepte LINIEN-EFFEKT

Version 5.3	Revision Date: 09.12.2024	SDS Number: 6006083	Date of last issue: 22.10.2024 Date of first issue: 29.10.2019
		2014 ACGIH, 0 NIOSH - Regis ECDIN - Enviro work - Joint Re Communities SAX'S - Dange GESTIS - Data Arbeitsschutz o (IFA, Institute f man Social Ac	ces (BEIs) with Seventh Edition documentation. Cincinnati OH stry of toxic effects of chemical substances onmental Chemicals Data and Information Net- esearch Centre, Commission of the European erous properties of industrial materials abase on hazardous substances - Institut für der Deutschen Gesetzlichen Unfallversicherung for Occupational Safety and Health of the Ger- cident Insurance) ology Data Network
Clas	ssification of the mixture	e:	Classification procedure:

		•
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN