

Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
2.3	09.12.2024	6005855	Date of first issue: 06.06.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Farbrezepte KREATIV-PUTZ Weiss
1.2 Relevant identified uses of the	ne s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone Telefax	:	+498001238887 +4961547170632
Website	:	www.alpina-farben.de
E-mail address Responsi- ble/issuing person	:	•
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH
SECTION 2: Hazards identific	atio	on

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard picto	grams
--------------	-------

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
Preca	autionary Statements	: P101	If medical advice is needed, have product con- tainer or label at hand.
·		P102	Keep out of reach of children.
		Prevention	:
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		Response: P302 + P35	
		Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Synthetic resin plaster, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 0,1 - < 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Farbrezepte KREATIV-PUTZ Weiss

rsion 3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019	
1,2-b	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 - 0,025
2-met	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 50 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - 0,025
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
methy	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one an yl-2H-isothiazol-3-one (3:		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1;	>= 0,0002 - 0,0015

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	sion Revision Date: SDS 1 09.12.2024 60058		Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
			H400 Aquatic Chronic 1; H410 EUH071
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water.



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
		If swallowed, [OO NOT induce vomiting.
4.2 Most i	mportant symptoms a	nd effects, both ac	ute and delayed
Risks		: May cause an	allergic skin reaction.
4.3 Indica	tion of any immediate	medical attention	and special treatment needed
Treatr	ment	: No information	available.
SECTION	I 5: Firefighting mea	sures	
5.1 Exting	uishing media		
Suitat	ble extinguishing media	bon dioxide. Use extinguish cumstances ai	ay, alcohol-resistant foam, dry chemical or car- ning measures that are appropriate to local cir- nd the surrounding environment. olid water stream as it may scatter and spread
Unsui media	table extinguishing a	: None known.	
5.2 Specia	al hazards arising from	the substance or	mixture
Speci fightin	fic hazards during fire Ig	produced such	kide, carbon dioxide and unburned hydrocar-
5.3 Advice	e for firefighters		
	al protective equipment e-fighters	: Wear self-cont essary.	ained breathing apparatus for firefighting if nec
Furthe	er information		edure for chemical fires. self does not burn.

6.1 Personal precautions, protec Personal precautions	tive :	e equipment and emergency procedures Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019			
		Do not flush in	to surface water or sanitary sewer system.			
6.3 Methods and material for containment and cleaning up						
Methods for cleaning up		Soak up with i	le, closed containers for disposal. hert absorbent material (e.g. sand, silica gel, iversal binder, sawdust).			

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling						
Advice on safe handling :	:	For personal protection see section 8. No special technical protective measures required.				
		Please follow the technical information.				
Hygiene measures :	•	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.				
7.2 Conditions for safe storage, including any incompatibilities						
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.				
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.				
Storage class (TRGS 510) :	:	12				
7.3 Specific end use(s)						
Specific use(s) :	:	This information is not available.				

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide; [in powder form con-	13463-67-7	MAK (measured as the alveolate	0,3 mg/m3	DE DFG MAK

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Farbrezepte KREATIV-PUTZ Weiss

Version 2.3				Date of last issue: 22.10.2024 Date of first issue: 06.06.2019			
more with a	g 1 % or of particles aerodynamic eter ≤ 10 µm]		fraction)				
		that are consi	ans or animals or which a MAK value y when the MAK				
			AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
		Peak-limit category: 2;(II)					
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
			AGW (Alveolate fraction)		DE TRGS 900		
		Peak-limit category: 2;(II)					
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
calcium carbonate	Consumers	Ingestion	Long-term systemic effects	6,10 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Acute systemic ef- fects	6,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name



Farbrezepte KREATIV-PUTZ Weiss

/ersion 2.3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: Date of first issue:	
calciu	ım carbonate	Sewage trea	tment plant	100 mg/l
Kaolir	n, calcined	Intermittent u	ise/release	25 mg/l
		Fresh water		4,1 mg/l
		Sea water		0,41 mg/l
		Sewage trea	tment plant	1400 mg/l
conta cles v	titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 μm]		tment plant	100 mg/l
		Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
			sediment	1000 mg/kg dry weight (d.w.)
		Sea sedimer	t	100 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment Eye/face protection DGUV Regulation 112-192 - Use of eye and face protection : Goggles Hand protection Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3 Remarks Before removing gloves clean them with soap and water. : Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves Skin and body protection : Safety shoes Long sleeved clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Skin should be washed after contact. Remove and wash contaminated clothing before re-use. During spray application: impervious clothing Respiratory protection No personal respiratory protective equipment normally re-2 quired. DGUV Regulation 112-190 - Use of breathing equipment



Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
2.3	09.12.2024	6005855	Date of first issue: 06.06.2019

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

. 1	Physical state	an :	
	Color	:	white
	Odor	:	characteristic
	Melting point/freezing point	:	ca. 0 °C
	Boiling point/boiling range	:	ca. 100 °C
	Upper explosion limit / Upper flammability limit	:	not determined
	Lower explosion limit / Lower flammability limit	:	not determined
	Flash point	:	Not applicable
	Autoignition temperature	:	not determined
	Decomposition temperature	:	Not applicable
	рН	:	8,5 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05
	Viscosity Viscosity, dynamic	:	not determined
	Viscosity, kinematic	:	not determined
	Flow time	:	not determined



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024	SDS 60058	Number: 355	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
	ubility(ies) Water solubility	: c	ompletely misc	sible
	tition coefficient: n- anol/water	: N	lot applicable	
Vap	oor pressure	: c	a. 23,4 hPa (20	0 °C)
Rela	ative density	: n	ot determined	
Der	nsity	: 1 N	,3 g/cm3 (20 °(lethod: DIN EN	C) N ISO 2811-4
Bull	< density	: N	lot applicable	
Rela	ative vapor density	: N	lot applicable	
	er information losives	: N	lot applicable	
Oxi	dizing properties	: N	lot applicable	
Flar	nmability (liquids)	: Т	he product is r	not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.



Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
2.3	09.12.2024	6005855	Date of first issue: 06.06.2019

10.5 Incompatible materials Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity :	LD50 (Rat): 532 mg/kg				
Acute inhalation toxicity :	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg				
2-methylisothiazol-3(2H)-one:					
Acute oral toxicity :	LD50 (Rat): 120 mg/kg				
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist				
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):					
Acute oral toxicity :	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401				

Acute inhalation toxicity		LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403				
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402				

Skin corrosion/irritation

Not classified based on available information.



Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:
2.3	09.12.2024	6005855

Date of last issue: 22.10.2024 Date of first issue: 06.06.2019

Serious eye damage/eye irritation Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other	:	EC50 (Daphnia): 3,27 mg/l



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024		0S Number: 05855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
aquatic invertebrates			Exposure time: 4 Method: OECD T	8 h est Guideline 202
	Toxicity to algae/aquatic plants		Exposure time: 7	um capricornutum (green algae)): 0,11 mg/l 2 h est Guideline 201
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
2-me	thylisothiazol-3(2H)-or	ne:		
M-Fa icity)	ctor (Acute aquatic tox-	:	10	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		2-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
M-Fa icity)	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	istence and degradabi	lity		
	ata available ccumulative potential			
	ponents:			
	enzisothiazol-3(2H)-on	Δ.		
Partit	ion coefficient: n- ol/water	:	log Pow: 0,63 - 0 pH: 7	,76
2-me	thylisothiazol-3(2H)-or	ne:		
Partit	ion coefficient: n- ol/water	:	log Pow: -0,486 (pH: 7	25 °C)
react (3:1):		?-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	:		est Guideline 117



Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
2.3	09.12.2024	6005855	Date of first issue: 06.06.2019

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
		· · · · · · · · · · · · · · · · · · ·

12.7 Other adverse effects

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

:	Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.			
	Waste should not be disposed of via wastewater.			
:	Only completely emptied containers should be given for recy- cling.			
:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*			
	:			

SECTION 14: Transport information

14.1 UN number or ID number

ADN

: Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Farbrezepte KREATIV-PUTZ Weiss

2.3	Revision Date: 09.12.2024	6005	Number: 5855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
ADR			lat regulated as	
			-	a dangerous good
RID			-	a dangerous good
IMDG			•	a dangerous good
IATA			Not regulated as	a dangerous good
14.2 UN pr	roper shipping name	•		
ADN		: N	Not regulated as	a dangerous good
ADR		: N	Not regulated as	a dangerous good
RID		: N	Not regulated as	a dangerous good
IMDG		: N	Not regulated as	a dangerous good
ΙΑΤΑ		: N	Not regulated as	a dangerous good
14.3 Trans	sport hazard class(es	5)		
ADN		: N	Not regulated as	a dangerous good
ADR		: N	Not regulated as	a dangerous good
RID		: N	Not regulated as	a dangerous good
IMDG		: N	Not regulated as	a dangerous good
ΙΑΤΑ		: N	Not regulated as	a dangerous good
14.4 Packi	ing group			
ADN		: N	Not regulated as	a dangerous good
ADR		: N	Not regulated as	a dangerous good
RID		: N	Not regulated as	a dangerous good
IMDG		: N	Not regulated as	a dangerous good
ΙΑΤΑ	(Cargo)	: N	Not regulated as	a dangerous good
ΙΑΤΑ	(Passenger)	: N	Not regulated as	a dangerous good
	onmental hazards	us good		
14.6 Speci	ial precautions for us	ser		
Rema	rks		Not classified as ations.	dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



Farbrezepte KREATIV-PUTZ Weiss

Vers 2.3	sion	Revision Date: 09.12.2024		05 Number: 05855			last issue: 22.10.2024 first issue: 06.06.2019
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)						Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
							If you intend to use this product as tattoo ink, please contact your ven- dor.
		I - Candidate List of Sunning of Authorization (Art			Ì	:	None
	Regula layer	tion (EC) on substance	s th	at deplete the ozor	ne	:	Not applicable
	Regula tants (r	tion (EU) 2019/1021 or ecast)	n pe	ersistent organic po	llu-	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)						None
	pean P control	III: Directive 2012/18/ arliament and of the Co of major-accident haza ous substances.	oun	cil on the		Not	applicable
	Water I ny)	nazard class (Germa-	:	WGK 1 slightly wa Classification acco			angering AwSV, Annex 1 (5.2)
		t code for laquers and Giscode	:	M-DF01 Water-ba	ised	d pair	nts, solvent-free
			:	BSW20 Coating m	nate	erials	, water-based
	Volatile	organic compounds	:	emissions (integra	ateo	d polli	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,01 %
	Volatile	organic compounds	:	Directive 2004/42/ < 0.1 % < 1 g/l	/EC	;	

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878

DE / EN



Farbrezepte KREATIV-PUTZ Weiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
2.3	09.12.2024	6005855	Date of first issue: 06.06.2019

SECTION 16: Other information

Full text of H-Statements

H301		Toxic if swallowed.
H302		Harmful if swallowed.
H310		Fatal in contact with skin.
H311	:	Toxic in contact with skin.
	•	
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Irrit. Skin Sens. DE DFG MAK DE TRGS 527 DE TRGS 900 DE DFG MAK / MAK DE TRGS 527 / BM		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. MAK value Assessment scale
DE DFG MAK / MAK DE TRGS 527 / BM	-	MAK value Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Covil Aviation Organization; ISCC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50% of a test population; ID50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Covention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NJCLA - Ne resistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Lether Loading Rate; NJCLA - New Zealand Inventory of Chemicals; GECD - Organizati

Further information

Other information

: No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with



Farbrezepte KREATIV-PUTZ Weiss

Version 2.3	Revision Date: 09.12.2024	SDS Number: 6005855	Date of last issue: 22.10.2024 Date of first issue: 06.06.2019
		not meet the cr	31(1)(a) - registered substances / mixtures do iteria for classification as hazardous in accord- ulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet		gienists). 2014 for chemical su Exposure Indic 2014 ACGIH, (NIOSH - Regis ECDIN - Enviro work - Joint Re Communities SAX'S - Dange GESTIS - Data Arbeitsschutz o (IFA, Institute f man Social Ace	can Conference of Government Industrial Hy- TLVs and BEIs. Threshold Limit Values (TLVs) ubstances and physical agents and Biological res (BEIs) with Seventh Edition documentation.

Classification of the mixtur	e:	Classification procedure:
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN