



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product ide Trade name			Klarlack für Parkett & Treppen seidenm.		
1.2 Relevant ide	entified uses of the s	รเ	ubstance or mixture and uses advised against		
Use of the S stance/Mixte			Water-borne coatings		
Recommen on use	ded restrictions :		within adequate application - none		
1.3 Details of th	1.3 Details of the supplier of the safety data sheet				
Company	:		Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT		
Telephone	:		+498001238887		
Telefax	:		+4961547170632		
Website	:		www.alpina-farben.de		
E-mail addr ble/issuing p			msds@dr-rmi.com		

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208

Contains adipohydrazide, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.



Concentration (% w/w)

>= 0,25 - < 1

>= 0,025 - <

0,05

>= 0,0002 - <

0,0015

specific concentration

Skin Sens. 1; H317

Acute Tox. 3; H301

Acute Tox. 2; H330

Acute Tox. 2; H310

limit

>= 0.05 %

DE / EN

Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

reaction mass of 5-chloro-2-

methyl-2H-isothiazol-3-one and 2-

methyl-2H-isothiazol-3-one (3:1)

Polyacrylate-based lacquer, aqueous

Chemical name	CAS-No.	Classification
	EC-No.	
	Index-No.	
	Registration number	
adipohydrazide	1071-93-8	Skin Sens. 1; H317
	213-999-5	Aquatic Chronic 2;
	01-2119962900-36	H411
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302
	220-120-9	Skin Irrit. 2; H315
	613-088-00-6	Eye Dam. 1; H318
	01-2120761540-60	Skin Sens. 1; H317
		Aquatic Acute 1;
		H400
		Aquatic Chronic 2;
		H411
		Acute Tox. 2; H330
		M-Factor (Acute
		aquatic toxicity): 1
		M-Factor (Chronic
		aquatic toxicity): 1

Components

55965-84-9

613-167-00-5

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Klarlack für Parkett & Treppen seidenm.

rsion		SDS Number: 6004458	Date of last issue: 12.06.2024 Date of first issue: 09.07.2019
		01-212076469	91-48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
	ances with a workplace e thoxymethylethoxy)propa		>= 1 - < 10
Silica free	, amorphous, fumed, crys		99-16,

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	 Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	: Move to fresh air.



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024	SDS Number: 6004458	Date of last issue: 12.06.2024 Date of first issue: 09.07.2019
In cas	se of skin contact		solvents or thinners. ntact, immediately flush skin with soap and plenty
In cas	se of eye contact	IF IN EYES:	n persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue
lf swa	allowed		l advice. with water and drink afterwards plenty of water. DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

••••	Exangaioning moula		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	ı the	substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.





Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.			
6.2 Environmental precautions			
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.		
6.3 Methods and material for containment and cleaning up			
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).		

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling :	Use only with adequate ventilation. For personal protection see section 8.				
	No special technical protective measures required.				
	Please follow the technical information.				
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.				
7.2 Conditions for safe storage, incl	7.2 Conditions for safe storage, including any incompatibilities				
Requirements for storage : areas and containers	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.				
Advice on common storage :	Keep away from oxidizing agents and strongly acid or alkaline materials.				
Storage class (TRGS 510) :	12				



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

7.3 Specific end use(s)

Specific use(s)

: This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
(2- methoxymeth- ylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC			
	Further inform skin, Indicative		possibility of significant uptak	e through the			
		MAK	50 ppm 310 mg/m3	DE DFG MAK			
	re no data for an assessmen velopmental neurotoxicity, or r classification in one of the g	the currently					
		AGW (Vapour and aerosols)	50 ppm 310 mg/m3	DE TRGS 900			
	Peak-limit category: 1;(I)						
Silica, amorphous, fumed, crystfree	112945-52- 5	AGW (Inhalable fraction)	4 mg/m3 (Silica)	DE TRGS 900			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child						
		MAK (measured as the alveolate fraction)	0,02 mg/m3	DE DFG MAK			
Further information: Damage to the embryo or foetus is unlikely w MAK value or the BAT value is observed							

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
(2- methoxymethyleth- oxy)propanol	Consumers	Ingestion	Long-term systemic effects	0,33 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	475,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	202,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	36,00 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	121,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37,20 mg/m3

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Klarlack für Parkett & Treppen seidenm.

ersion 1	Revision Date: 02.09.2024			Date of last issue: 12.06.2024 Date of first issue: 09.07.2019	
		Workers	Inhalation	Long-term systemic effects	308,00 mg/m3
		Workers	Inhalation	Long-term systemic effects	404,00 mg/m3
		Workers	Skin contact	Long-term systemic effects	283,00 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	950,00 mg/kg bw/day
propa	ne-1,2-diol	Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	10,00 mg/m3
		Workers	Inhalation	Long-term systemic effects	168,00 mg/m
		Workers	Inhalation	Long-term systemic effects	168,00 mg/m
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
		Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
		Consumers	Inhalation	Long-term local ef- fects	10,00 mg/m3
adipo	hydrazide	Workers	Inhalation	Long-term systemic effects	8,60 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
(2-	Soil	2,2 mg/kg dry
methoxymethylethoxy)propanol		weight (d.w.)
	Intermittent use/release	192 mg/l
	Fresh water	19,2 mg/l
	Sewage treatment plant	4168 mg/l
	Sea water	1,92 mg/l
	Intermittent use/release	190 mg/l
	Fresh water sediment	70,2 mg/kg dry
		weight (d.w.)
	Sea water	1,9 mg/l
	Soil	2,74 mg/kg dry
		weight (d.w.)
	Sea sediment	7,02 mg/kg dry
		weight (d.w.)
	Fresh water	19 mg/l
3-methoxybutan-1-ol	Soil	0,018 mg/kg dry
-		weight (d.w.)
	Fresh water	0,1 mg/l
	Sewage treatment plant	15,5 mg/l
	Sea sediment	0,039 mg/kg dry
		weight (d.w.)
	Intermittent use/release	1 mg/l



Klarlack für Parkett & Treppen seidenm.

rsion I	Revision Date: 02.09.2024	SDS Number: 6004458	Date of last issue Date of first issue	
	02.09.2024	0004430	Date of first issue	. 09.07.2019
		Sea water		0,01 mg/l
		Fresh water	sediment	0,386 mg/kg o weight (d.w.)
propane-1,2-diol		Sea sedimer	nt	57,2 mg/kg dr weight (d.w.)
		Soil		50 mg/kg dry weight (d.w.)
		Sea water		26 mg/l
		Fresh water	sediment	572 mg/kg dry weight (d.w.)
		Fresh water		260 mg/l
		Intermittent u	use/release	183 mg/l
		Sewage trea	tment plant	20000 mg/l
adipo	hydrazide	Sea sedimer	nt	5,2
		Sewage trea	tment plant	1000 mg/l
		Soil		13 μg/kg dry weight (d.w.)
		Intermittent u	92 µg/l	
		Fresh water	sediment	52
		Sea water		6,2 μg/l
		Fresh water	62 µg/l	

8.2 Exposure controls

Personal protective equipment						
Eye/face protection :	DGUV Regulation 112-192 - Use of eye and face protection					
	Goggles					
Glove thickness :	Nitrile rubber 0,2 mm Class 3					
Remarks :	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves					
Skin and body protection :	Long sleeved clothing					
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.					
	Skin should be washed after contact.					
	Safety shoes					
Respiratory protection :	No personal respiratory protective equipment normally re- quired.					
	During spray application: Do not breathe spray dust. Use					



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024	SDS Numbe 6004458	er: Date of last issue: 12.06.2024 Date of first issue: 09.07.2019
		A2/P2 c	ombination filter for paint spraying.
		DGUV F	Regulation 112-190 - Use of breathing equipment
SECTIO	N 9: Physical and che	mical prop	erties
	nation on basic physica		
	ical state	: liquid	
Colo	r	: colorles	S
Odor		: charact	eristic
Melti	ng point/freezing point	: ca.0°C	
Boilir	ng point/boiling range	: ca. 100	°C
	er explosion limit / Upper mability limit	: not dete	ermined
	er explosion limit / Lower nability limit	: not dete	ermined
Flash	n point	: Not app	licable
Auto	ignition temperature	: not dete	ermined
Deco	omposition temperature	: Not app	licable
рН			0 °C) tration: 100 % : DIN EN ISO 19396-1:2020-05
Visco V	osity iscosity, dynamic		nPa.s (20 °C) : ISO 3219
V	iscosity, kinematic	: not dete	ermined
Flow	time	: not dete	ermined



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024		S Number:)4458	Date of last issue: 12.06.2024 Date of first issue: 09.07.2019		
	Solubility(ies) Water solubility				completely mis	cible
	Partition coefficient: n- octanol/water		not determined	1		
Vap	or pressure	:	ca. 23,4 hPa (2	20 °C)		
Rela	ative density	:	not determined	ł		
Den	Density		1,032 g/cm3 (2 Method: DIN E			
Bulk	density	:	Not applicable			
Rela	tive vapor density	:	not determinec	i		
	9.2 Other information Explosives		Not applicable			
Oxic	Oxidizing properties		Not applicable			
Flan	Flammability (liquids)		The product is	not flammable.		

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-on	e:				
Acute oral toxicity	:	LD50 (Rat): 532 mg/kg			
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg			
reaction mass of 5-chloro-2 (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one			
Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401			
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403			
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402			
Skin corrosion/irritation					
Not classified based on availa	ble	information.			

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:	:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox-	:	1



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024		DS Number: 04458	Date of last issue: 12.06.2024 Date of first issue: 09.07.2019
icity)			
M-F toxic	actor (Chronic aquatic city)	:	1	
read (3:1)		?-m€	ethyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
M-Faicity)	actor (Acute aquatic tox-)	:	100	
M-Fa	actor (Chronic aquatic city)	:	100	
	sistence and degradabi data available	lity		
12.3 Bio	accumulative potential			
<u>Con</u>	nponents:			
Part	oohydrazide: ition coefficient: n- nol/water	:	log Pow: -2,41	
1,2-	benzisothiazol-3(2H)-on	e:		
	ition coefficient: n- nol/water	:	log Pow: 0,63 - (pH: 7	,76
read (3:1)		2-me	ethyl-2H-isothiazo	ol-3-one and 2-methyl-2H-isothiazol-3-one
	ition coefficient: n- nol/water	:	log Pow: <= 0,75 Method: OECD	est Guideline 117
(2-m	nethoxymethylethoxy)pi	ropa	anol:	
	ition coefficient: n- nol/water	:	Pow: 1,01 (25 °C	;)
	bility in soil data available			
12.5 Res	ults of PBT and vPvB a	sse	ssment	
Pro	duct:			
Asse	essment	:	to be either pers	nixture contains no components considered stent, bioaccumulative and toxic (PBT), or nd very bioaccumulative (vPvB) at levels of



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.
		· · · · · · · · · · · · · · · · · · ·

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024	SDS Number:Date of last issue: 12.06.20246004458Date of first issue: 09.07.2019	
DI		N	
RI		: Not regulated as a dangerous good	
IM	DG	: Not regulated as a dangerous good	
IAI	Γ Α	: Not regulated as a dangerous good	
14.3 Tra	ansport hazard class(es)		
AD	N	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RI)	: Not regulated as a dangerous good	
IM	DG	: Not regulated as a dangerous good	
IAI	A	: Not regulated as a dangerous good	
14.4 Pa	cking group		
AD	N	: Not regulated as a dangerous good	
AD	R	: Not regulated as a dangerous good	
RI)	: Not regulated as a dangerous good	
IM	DG	: Not regulated as a dangerous good	
IAI	ſA (Cargo)	: Not regulated as a dangerous good	
IAI	TA (Passenger)	: Not regulated as a dangerous good	
-	vironmental hazards t regulated as a dangerou	s good	
14.6 Sp	ecial precautions for us	۶r	
Re	marks	: Not classified as dangerous in the meaning of tran lations.	sport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024	SDS 6004	Number: 458		of last issue: 12.06.2024 of first issue: 09.07.2019
Regul layer	ation (EC) on substanc	es that	deplete the ozor	ne :	Not applicable
	ation (EU) 2019/1021 c recast)	n persi	stent organic po	llu- :	Not applicable
REAC (Anne	H - List of substances x XIV)	subject	to authorisation	:	None
pean l contro	o III: Directive 2012/18 Parliament and of the C I of major-accident haz rous substances.	ouncil	on the	No	ot applicable
Water ny)	hazard class (Germa-		/GK 1 slightly wa lassification acc		langering o AwSV, Annex 1 (5.2)
		: B	SW30 Coating n	naterials	s, water-based, containing solvents
Volatil	e organic compounds	e	missions (integra	ated pol	24 November 2010 on industrial llution prevention and control) nds (VOC) content: 10,29 %
Volatil	e organic compounds	<	irective 2004/42 11 % 110 g/l	/EC	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	: Toxic if swallowed.
H302 :	: Harmful if swallowed.
H310 :	: Fatal in contact with skin.
H314 :	: Causes severe skin burns and eye damage.
H315 :	: Causes skin irritation.
H317 :	: May cause an allergic skin reaction.
H318 :	: Causes serious eye damage.
H330 :	: Fatal if inhaled.
H400 :	: Very toxic to aquatic life.



Klarlack für Parkett & Treppen seidenm.

Version 4.1	Revision Date: 02.09.2024	-	DS Number: 004458	Date of last issue: 12.06.2024 Date of first issue: 09.07.2019			
H410 H411 EUH07	71			atic life with long lasting effects. fe with long lasting effects. espiratory tract.			
Full text of other abbreviations							
Aquation Eye Da Skin C Skin In Skin So 2000/3 DE DF DE TR 2000/3 DE DF	c Acute c Chronic am. orr. rit. ens.	:	Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Skin corrosion Skin irritation Skin sensitization Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values Germany. MAK BAT Annex IIa Germany. TRGS 900 - Occupational exposure limit values. Limit Value - eight hours MAK value Time Weighted Average				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with %' response; ELX - Loading rate associated with %' response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with %' growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equiptory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IESC - Inventory of Lixiting Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - NPilippines Inventory of Chemicals and Chemical Substances; (O)XAR - (Qua

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials



Klarlack für Parkett & Treppen seidenm.

Version	Revision Date:	SDS Number:	Date of last issue: 12.06.2024
4.1	02.09.2024	6004458	Date of first issue: 09.07.2019
		Arbeitsschutz o (IFA, Institute fo man Social Aco	base on hazardous substances - Institut für ler Deutschen Gesetzlichen Unfallversicherung or Occupational Safety and Health of the Ger- cident Insurance) ology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN