

Holz Isoliergrund

Version	Revision Date:	SDS Number:	Date of last issue: 22.07.2024
6.1	08.05.2025	6004522	Date of first issue: 29.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Holz Isoliergrund
1.2 Relevant identified uses of the	ne s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208 Contains dipotassium bis[µ-[tartrato(4-)-O1,O2:O3,O4]]diantimonate(2-), stereoisomer, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1). May produce an allergic reaction.



Holz Isoliergrund

Version	Revision Date: 08.05.2025	SDS Number:	Date of last issue: 22.07.2024
6.1		6004522	Date of first issue: 29.10.2019

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
sodium benzoate	532-32-1	Eye Irrit. 2; H319	>= 1 - < 10
	208-534-8		
	01-2119460683-35		
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6		
	603-096-00-8		
	01-2119475104-44		
dipotassium bis[µ-[tartrato(4-)-	11071-15-1	Acute Tox. 4; H302	>= 0,25 - < 1
O1,O2:O3,O4]]diantimonate(2-),	234-293-3	Acute Tox. 4; H332	
stereoisomer	051-003-00-9	Skin Irrit. 2; H315	
	01-2120767962-40	Eye Irrit. 2; H319	
		Skin Sens. 1; H317	
		Aquatic Chronic 2;	
		H411	
2,4,7,9-tetramethyldec-5-yne-4,7-	126-86-3	Skin Sens. 1B; H317	>= 0,1 - < 0,25
diol	204-809-1	Eye Dam. 1; H318	
	01-2119954390-39	Aquatic Chronic 3;	
		H412	
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Version 6.1		DS Number: 004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019	
		01-212076154	20-60Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1Specific concentration limit 	
methy	on mass of 5-chloro-2- /I-2H-isothiazol-3-one and /I-2H-isothiazol-3-one (3:1		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 %	>= 0,0002 - < 0,0015



Holz Isoliergrund

Version	Revision Date:	SDS Number:	Date of last issue: 22.07.2024
6.1	08.05.2025	6004522	Date of first issue: 29.10.2019
			Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	Never give anything by mouth to an unconscious perso If you feel unwell, seek medical advice (show the label possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	Move to fresh air.	
In case of skin contact	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and of water.	1 plenty
In case of eye contact	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several mir Remove contact lenses, if present and easy to do. Con rinsing.	
If swallowed	Seek medical advice. Clean mouth with water and drink afterwards plenty of v If swallowed, DO NOT induce vomiting.	water.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread

Alpina

DE / EN

Holz Isoliergrund

Versi 6.1	ion	Revision Date: 08.05.2025		0S Number: 04522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
				fire.	
	Unsuita media	ble extinguishing	:	None known.	
5.2 S	Special	hazards arising from	the	substance or mix	xture
	Specific hazards during fire fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).	
5.3 A	dvice f	or firefighters			
	Special protective equipment for fire-fighters		:	Wear self-contained breathing apparatus for firefighting if necessary.	
I	Further	information	:		o cool unopened containers. Ire for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for co	ntaiı	

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Use o

Use only with adequate ventilation. For personal protection see section 8.



Holz Isoliergrund

Versior 6.1	n Revision Date: 08.05.2025)S Number: 04522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019	
			No special techni	cal protective measures required.	
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.		
7.2 Co	nditions for safe storage,	incl	uding any incom	patibilities	
Requirements for storage areas and containers		:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.		
Ad	Advice on common storage		Keep away from oxidizing agents and strongly acid or alka materials.		
Storage class (TRGS 510)		:	12		
•	ecific end use(s) becific use(s)		This information is	s not available	
OF		•			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
	Peak-limit cat	egory: 8; II					
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
	AGW (Inhalable 10 mg/m3 DE TRGS fraction) (Titanium dioxide) 900						
	Peak-limit cat	egory: 2;(II)	· · · · · ·				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child						
		AGW (Alveolate 1,25 mg/m3 DE TRGS fraction) (Titanium dioxide) 900					
	Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biological						



Holz Isoliergrund

	08.05.2025	600)4522 D	Date of first issue: 29.10	.2019					
		Ι.								
		tolerance va	tolerance values, there is no risk of harming the unborn child							
			BM (Alveolar	0,5 mg/m3	DE TRGS					
			dust fraction)		527					
sodium	benzoate	532-32-1	AGW (Inhalable	10 mg/m3	DE TRGS					
			fraction)	(benzoate)	900					
		Peak-limit ca	ategory: 2;(II)							
		Further infor	mation: Skin absorp	tion, When there is com	pliance with the OI					
		and biologic	and biological tolerance values, there is no risk of harming the unborn child							
			MAK (inhalable	10 mg/m3	DE DFG N					
			fraction)	(benzoate)						
		Further information: Danger of absorption through the skin, Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed								
2-(2- butoxye oxy)etha		112-34-5	TWA	10 ppm 67,5 mg/m3	2006/15/E					
• /		Further information: Indicative								
			STEL	15 ppm	2006/15/E					
				101,2 mg/m3						
		Further information: Indicative								
			AGW (Vapour	10 ppm	DE TRGS					
			and aerosols)	67 mg/m3	900					
		Peak-limit category: 1.5;(I)								
		Further information: When there is compliance with the OEL and biological								
		tolerance va	lues, there is no risk	of harming the unborn						
			MAK	10 ppm	DE DFG M					
				67 mg/m3						
				he embryo or foetus is	unlikely when the					
			or the BAT value is o	hearvad						

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
· -	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
1-(2-butoxy-1- methylethoxy)propan- 2-ol	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3
	Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic	10,00 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

sion	Revision Date: 08.05.2025	: SDS Number: 6004522		Date of last issue: 22.07.2024 Date of first issue: 29.10.2019		
				effects		
		Workers	Skin contact	Long-term systemic effects	3,00 mg/kg bw/day	
sodiur	n benzoate	Consumers	Skin contact	Long-term systemic effects	31,25 mg/ł bw/day	
		Consumers	Inhalation	Long-term systemic effects	1,50 mg/m	
		Consumers	Ingestion	Long-term systemic effects	16,60 mg/k bw/day	
		Consumers	Inhalation	Long-term local ef- fects	0,06 mg/m	
		Workers	Inhalation	Long-term systemic effects	3,00 mg/m	
		Workers	Inhalation	Long-term local ef- fects	0,10 mg/m	
		Workers	Skin contact	Long-term systemic effects	62,50 mg/k bw/day	
2-(2- butoxy	yethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/r	
		Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day	
		Consumers	Inhalation	Long-term local ef- fects	40,50 mg/r	
		Consumers	Skin contact	Long-term systemic effects	50,00 mg/k bw/day	
		Consumers	Inhalation	Long-term systemic effects	40,50 mg/r	
		Workers	Inhalation	Acute local effects	101,20 mg	
		Workers	Inhalation	Long-term systemic effects	67,50 mg/r	
		Workers	Inhalation	Long-term local ef- fects	67,50 mg/r	
		Workers	Skin contact	Long-term systemic effects	83,00 mg/k bw/day	
2,4,7,9 tetram 4,7-die	ethyldec-5-yne-	Consumers	Skin contact	Acute systemic ef- fects	0,75 mg/kg bw/day	
		Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day	
		Consumers	Ingestion	Acute systemic ef- fects	0,75 mg/kg bw/day	
		Consumers	Inhalation	Acute systemic ef- fects	1,29 mg/m	
		Consumers	Inhalation	Long-term systemic effects	0,43 mg/m	
		Consumers	Skin contact	Long-term systemic effects	0,25 mg/kg bw/day	
		Workers	Inhalation	Acute systemic ef- fects	5,28 mg/m	
		Workers	Inhalation	Long-term systemic effects	1,76 mg/m	



sion	Revision Date: SDS 08.05.2025 600		Number: 522		f last issue: 22.07.20 f first issue: 29.10.20	
		Workers	Skin co	ntact	Acute systemic ef- fects	bw/day
		Workers	Skin co	ntact	Long-term systemi effects	c 0,50 mg/kg bw/day
Predie	cted No Effect Co	oncentration	(PNEC) acc	ording to	Regulation (EC) No	. 1907/2006:
Subst	ance name	I	Environmenta	I Compart	ment	Value
contai	וm dioxide; [in pow ining 1 % or more vith aerodynamic c ז]	of parti-	Sewage treat	ment plant	t	100 mg/l
			Fresh water			0,184 mg/l
			Soil			100 mg/kg dry weight (d.w.)
			Sea water			0,0184 mg/l
		F	Fresh water s	ediment		1000 mg/kg di weight (d.w.)
		5	Sea sediment	100 mg/kg dry weight (d.w.)		
			ntermittent us	se/release		0,193 mg/l
3-met	hoxybutan-1-ol		Soil			0,018 mg/kg c weight (d.w.)
		F	Fresh water			0,1 mg/l
			Sewage treat			15,5 mg/l
			Sea sediment			0,039 mg/kg c weight (d.w.)
			ntermittent us	se/release		1 mg/l
			Sea water			0,01 mg/l
			Fresh water s			0,386 mg/kg c weight (d.w.)
	outoxy-1- /lethoxy)propan-2-	ol	Sewage treat	ment plant		100 mg/l
			-resh water			0,519 mg/l
			Soil			0,287 mg/kg c weight (d.w.)
			ntermittent us			5,19 mg/l
			Fresh water s	ediment		2,96 mg/kg dr weight (d.w.)
			Sea water			0,0519 mg/l
			Sea sediment			0,296 mg/kg d weight (d.w.)
sodiur	m benzoate		ntermittent us			305 µg/l
			-resh water s	ediment		1,76 mg/kg dr weight (d.w.)
		\$	Soil			0,276 mg/kg d weight (d.w.)
			Sea water			0,013 mg/l
		\$	Sea sediment			0,176 mg/kg c weight (d.w.)
			Sewage treat Fresh water	ment plant		10 mg/l 0,13 mg/l



Holz Isoliergrund

ersion		SDS Number:	Date of last issue: 2	
1	08.05.2025	6004522	Date of first issue: 2	29.10.2019
		Secondary F	Poisoning	300 mg/kg food
2-(2-k	outoxyethoxy)ethanol	Fresh water		1,1 mg/l
	• •	Fresh water	sediment	4,4 mg/kg dry weight (d.w.)
		Intermittent	use/release	11 mg/l
		Sea water		0,11 mg/l
		Sea sedime	nt	0,44 mg/kg dry weight (d.w.)
		Sewage trea	atment plant	200 mg/l
		Soil		0,32 mg/kg dry weight (d.w.)
		Secondary F	Poisoning	56 mg/kg food
2,4,7, diol	9-tetramethyldec-5-yne-4	7- Sea water	-	0,004 mg/l
		Sewage trea	atment plant	7 mg/l
		Sea sedime	nt	0,032 mg/kg dry weight (d.w.)
		Fresh water		0,04 mg/l
		Fresh water	sediment	0,32 mg/kg dry weight (d.w.)
		Soil		0,028 mg/kg dry weight (d.w.)
		Intermittent	use/release	0,4 mg/l

8.2 Exposure controls

Personal protective equipment						
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection				
		Goggles				
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3				
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin and body protection	:	Long sleeved clothing				
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
		Skin should be washed after contact.				
		Safety shoes				
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.				



ersion .1	Revision Date: 08.05.2025		S Number:)4522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
				application: Do not breathe spray dust. Use ation filter for paint spraying.
			DGUV Regula	ation 112-190 - Use of breathing equipment
ECTION	I 9: Physical and che	emic	al properties	3
.1 Inform	ation on basic physica	al an	d chemical pi	operties
Physi	cal state	:	liquid	
Color		:	white	
Odor		:	characteristic	
Meltin	g point/freezing point	:	ca. 0 °C	
Boilin	g point/boiling range	:	ca. 100 °C	
	r explosion limit / Upper nability limit	:	not determine	ed
	r explosion limit / Lower nability limit	:	not determine	ed
Flash	point	:	Not applicabl	e
Autoiç	gnition temperature	:	not determine	ed
Decor	mposition temperature	:	Not applicabl	e
рН		:	8,9 (20 °C) Concentration Method: DIN	n: 100 % EN ISO 19396-1:2020-05
Visco: Vis	sity scosity, dynamic	:	> 200 mPa.s Method: ISO	
Vis	scosity, kinematic	:	not determine	ed



Holz Isoliergrund

Vers 6.1	sion	Revision Date: 08.05.2025		S Number:)4522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
	Flow time		:	not determined	
	Solubility(ies) Water solubility		:	completely misci	ble
	Partition coefficient: n- octanol/water		:	not determined	
	Vapor pressure		:	ca. 23,4 hPa (20	°C)
	Relative density		:	not determined	
	Density		:	1,25 g/cm3 (20 ° Method: DIN EN	C) ISO 2811-1
	Bulk density		:	Not applicable	
	Relative vapor density		:	not determined	
9.2	Other ir	nformation			
	Explos	ives	:	Not applicable	
	Oxidizi	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

10.4 Conditions to avoid



Version 6.1	Revision Date: 08.05.2025	SDS Number 6004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
Cond	itions to avoid	: Protect f	rom frost, heat and sunlight.
10.5 Inco	mpatible materials		
Mate	rials to avoid		tible with acids and bases. tible with oxidizing agents.
10.6 Haza	rdous decompositio	n products	
No de	ecomposition if stored	and applied as d	irected.
SECTION	N 11: Toxicological	information	
11.1 Infor	mation on hazard cla	isses as defined	in Regulation (EC) No 1272/2008
	e toxicity lassified based on ava	ilable information	٦.
Com	ponents:		
2-(2-l	butoxyethoxy)ethanc	d:	
Acute	e oral toxicity	: LD50 (Mo	ouse): 2.410 mg/kg
Acute	e dermal toxicity	: LD50 (Ra	bbit): 2.764 mg/kg
dipot	assium bis[µ-[tartrat	o(4-)-O1,O2:O3	O4]]diantimonate(2-) , stereoisomer:
Acute	e oral toxicity	: LD50 (Mo	buse): 600 mg/kg
2,4,7	,9-tetramethyldec-5-y	vne-4,7-diol:	
	e oral toxicity		ıl (Rat): 4.600 mg/kg
1,2-b	enzisothiazol-3(2H)-o	one:	
Acute	e oral toxicity		icity estimate: 450 mg/kg Acute toxicity estimate according to Regulation (EC) /2008
Acute	e inhalation toxicity	Test atmo	icity estimate: 0,21 mg/l osphere: dust/mist Acute toxicity estimate according to Regulation (EC) /2008
Acute	e dermal toxicity		t): > 2.000 mg/kg
react (3:1):		-2-methyl-2H-is	othiazol-3-one and 2-methyl-2H-isothiazol-3-one
. ,	e oral toxicity	: LD50 (Ra Method: (it): 66 mg/kg DECD Test Guideline 401
Acute	e inhalation toxicity	: LC50 (Ra	t): 0,17 mg/l

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Vers 6.1	sion	Revision Date: 08.05.2025	SDS N 600452		Date of last issue: 22.07.2024 Date of first issue: 29.10.2019			
			Tes	oosure time: 4 atmosphere hod: OECD T				
	Acute	dermal toxicity		LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402				
	Skin c	orrosion/irritation						
	Not cla	assified based on avail	able infor	mation.				
		is eye damage/eye ir assified based on avail		mation.				
	Respi	ratory or skin sensiti	zation					
		ensitization assified based on avail	able infor	mation.				
	Respiratory sensitization Not classified based on available information.							
	Germ cell mutagenicity Not classified based on available information.							
		nogenicity assified based on avail	able infor	mation.				
	-	ductive toxicity assified based on avai	able infor	mation.				
	STOT-single exposure Not classified based on available information.							
		-repeated exposure assified based on avail	able infor	mation.				
	-	ation toxicity assified based on avail	able infor	mation.				
11.2	2 Inform	nation on other haza	ds					
		crine disrupting prop assified based on avail		mation.				
	<u>Produ</u>	<u>ct:</u>						
	Asses	sment	ere RE/ (EU	d to have end ACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.			

Holz Isoliergrund

Version	Revision Date:	SDS Number:	Date of last issue: 22.07.2024
6.1	08.05.2025	6004522	Date of first issue: 29.10.2019

Alpina

SECTION 12: Ecological information

12.1 Toxicity

Components:							
1,2-benzisothiazol-3(2H)-on	e:						
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203					
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202					
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201					
M-Factor (Acute aquatic tox- icity)	:	1					
M-Factor (Chronic aquatic toxicity)	:	1					
reaction mass of 5-chloro-2 (3:1):	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):						
M-Factor (Acute aquatic tox- icity)	:	100					
M-Factor (Chronic aquatic toxicity)	:	100					
12.2 Persistence and degradabil	ity						
No data available							
12.3 Bioaccumulative potential							
Components:							
sodium benzoate: Partition coefficient: n- octanol/water	:	log Pow: -2,27					
2-(2-butoxyethoxy)ethanol: Partition coefficient: n- octanol/water	:	log Pow: 0,56					
dipotassium bis[µ-[tartrato(dipotassium bis[µ-[tartrato(4-)-O1,O2:O3,O4]]diantimonate(2-),stereoisomer:						



Holz Isoliergrund

Version 6.1	Revision Date: 08.05.2025	SDS Number: 6004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
	on coefficient: n- ol/water	: log Pow: ca.	-7,28
2,4,7,	9-tetramethyldec-5-	yne-4,7-diol:	
	on coefficient: n- ol/water	: log Pow: 2,8	(22 °C)
1,2-be	enzisothiazol-3(2H)-	one:	
Partiti	on coefficient: n- ol/water	: log Pow: 0,6 pH: 7	3 - 0,76
reacti (3:1):		o-2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one
	on coefficient: n- ol/water	: log Pow: <= Method: OE0	0,75 CD Test Guideline 117
12.4 Mobil No da	lity in soil Ita available		
12.5 Resu	Its of PBT and vPvB	assessment	
<u>Produ</u>	uct:		
Asses	ssment	to be either p	ce/mixture contains no components considered persistent, bioaccumulative and toxic (PBT), or nt and very bioaccumulative (vPvB) at levels of er.
12.6 Endo	crine disrupting pro	perties	
<u>Produ</u>	uct:		
Asses	ssment	ered to have REACH Artic	ce/mixture does not contain components consid- endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 at % or higher.
12.7 Other	r adverse effects		
<u>Produ</u>	uct:		
	onal ecological infor-		ental hazard cannot be excluded in the event of all handling or disposal.

Product

Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local,

:



Holz Isoliergrund

Version 6.1	Revision Date: 08.05.2025		DS Number: 004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
			regional, nationa	I and international authorities.
			Washing water m tem or the enviro	nust not be discharged into the sewage sys- nment.
Conta	aminated packaging	:	Only completely of cling.	emptied containers should be given for recy-
Wast	e Code	:	used product 080112, waste pa in 08 01 11*	aint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good



Holz Isoliergrund

Version 6.1	Revision Date: 08.05.2025	SDS Number: 6004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019			
IATA (Passenger)		: Not regulated as	a dangerous good			
14.5 Environmental hazards						
Not regulated as a dangerous good						

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	langerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.			
REACH - Candidate List of Sub Concern for Authorization (Artic	, .	:	None			
Regulation (EU) No 2024/590 of plete the ozone layer	on substances that de-	:	Not applicable			
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu-	:	Not applicable			
REACH - List of substances su (Annex XIV)	bject to authorisation	:	None			
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Water hazard class (Germa- ny)WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)						
Product code for laquers and : M-LW01 Water-based varnishes paints / Giscode						
	: Coating materials, wat	ter-b	based, containing solvents			
Labeling according to Regu-	: Treated article, contain	ins	a biocidal product. In-can preserva-			
	40/04					



Holz Isoliergrund

Version 6.1	Revision Date: 08.05.2025	SDS Number: 6004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
lation (EU) 528/2012		tive: CIT/MIT (3:1), BIT.
Volatile organic compounds		livestock rearing and control)	0/75/EU of 24 November 2010 on industrial and ng emissions (integrated pollution prevention ic compounds (VOC) content: 2,87 %
Volatile organic compounds		: Directive 2004 < 6 % < 80 g/l	I/42/EC

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H332 :	Harmful if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.

Full text of other abbreviations

Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitization

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Holz Isoliergrund

Version 6.1	Revision Date: 08.05.2025	 DS Number: 004522	Date of last issue: 22.07.2024 Date of first issue: 29.10.2019
DE TR DE TR 2006/1 2006/1 DE DF DE TR	5/EC G MAK GS 527 GS 900 5/EC / TWA 5/EC / STEL G MAK / MAK GS 527 / BM GS 900 / AGW	 Germany. MAK B Germany. TRGS Germany. TRGS Limit Value - eigh Short term expose MAK value Assessment scale	527 - Activities with nanomaterials 900 - Occupational exposure limit values. t hours ure limit

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Concentration; ISCL - Industrial Safe-ty and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration to 50% of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observed (Adverse) Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Ofice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Qu

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network



Holz Isoliergrund

Version	Revision Date:	SDS Number:	Date of last issue: 22.07.2024
6.1	08.05.2025	6004522	Date of first issue: 29.10.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN