



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Buntlack Innen Außen Anthrazitgr seiden.
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person		www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Polyacrylate-based lacquer, aqueous
-----------------	---	-------------------------------------

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		```'
	Registration number		
2-methylpentane-2,4-diol	107-41-5	Skin Irrit. 2; H315	>= 1 - < 3
	203-489-0	Eye Irrit. 2; H319	
	603-053-00-3	Repr. 2; H361d	
	01-2119539582-35		
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6		
	603-096-00-8		
	01-2119475104-44		
titanium dioxide	13463-67-7		>= 1 - < 10
	236-675-5		
	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1A; H317	
		Acute Tox. 2; H330	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
		M Eactor (Acuto	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Buntlack Innen Außen Anthrazitgr seiden.

sion	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019
methy	on mass of 5-chloro-2 /l-2H-isothiazol-3-one /l-2H-isothiazol-3-one	and 2-	aquatic toxicity): 1specific concentrationlimitSkin Sens. 1A; H317>= 0,036 %Acute toxicity estimateAcute oral toxicity:450 mg/kgAcute inhalation toxicity:450 mg/kgAcute inhalation toxicity:(dust/mist): 0,21mg/lAcute Tox. 3; H301Acute Tox. 2; H330Acute Tox. 2; H310Acute Tox. 2; H310Acute Tox. 2; H310Acute Tox. 1C; H314Eye Dam. 1; H318Skin Sens. 1A; H317Aquatic Acute 1;H400Aquatic Chronic 1;H410EUH071M-Factor (Acuteaquatic toxicity): 100M-Factor (Chronicaquatic toxicity): 100Specific concentrationlimitSkin Corr. 1C; H314>= 0,6 %Skin Sens. 1A; H317>= 0,0015 %Eye Dam. 1; H318>= 0,6 %
	ances with a workpla		
mang	anese ferrite black sp	inel 68186-94-7 269-056-3	>= 1 - < 1



Buntlack Innen Außen Anthrazitgr seiden.

Version 2.3	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019	
		01-21194575	599-19	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.



Buntlack Innen Außen Anthrazitgr seiden.

Versior 2.3	n Revision Date: 10.07.2025		DS Number: 104944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019	
5.2 Special hazards arising from Specific hazards during fire fighting		the :			
5.3 Ad	5.3 Advice for firefighters				
	pecial protective equipment fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-	
Fu	irther information	:		o cool unopened containers. Ire for chemical fires. does not burn.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating



Buntlack Innen Außen Anthrazitgr seiden.

VersionRevision Date:SDS Number:Date of last issue: 30.09.20242.310.07.20256004944Date of first issue: 28.10.2019	
---	--

areas.

7.2 Conditions for safe storage, including any incompatibilities

· · · · · · · · · · · · · · · · · · ·	-	
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
manganese ferrite black spinel	68186-94-7	AGW (Inhalable fraction)	0,2 mg/m3 (Manganese)	DE TRGS 900		
	Peak-limit cat	/				
	Further inform When there is	ation: For Permanga	anates an excursion factor of OEL and biological tolerand hild			
		AGW (Alveolate fraction)	0,02 mg/m3 (Manganese)	DE TRGS 900		
	Peak-limit cat	egory: 8;(II)				
	Further information: For Permanganates an excursion factor of 1(II) applies., When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		MAK (measured as the alveolate fraction)	0,02 mg/m3	DE DFG MAK		
	Peak-limit category: 8; II Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed, Permanganates: Peak limitation category I(1)					
		MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK		
	Peak-limit cat	egory: 8; II		•		
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed, Permanganates: Peak limitation category I(1)					



Buntlack Innen Außen Anthrazitgr seiden.

sion Revision D 10.07.2025			ate of last issue: 30.09.20 ate of first issue: 28.10.20						
		TWA (inhalable fraction)	0,2 mg/m3 (Manganese)	2017/164/E					
	Further inforr	nation: Indicative							
		TWA (Respirable fraction)	0,05 mg/m3 (Manganese)	2017/164/E					
	Further inform	nation: Indicative							
2-methylpentane- 2,4-diol	107-41-5	MAK	10 ppm 49 mg/m3	DE DFG MA					
_,	Peak-limit ca	tegory: 2. I							
	Further inforr the embryo o	nation: Either there a r foetus, including de	are no data for an assess evelopmental neurotoxicit or classification in one of t	ty, or the currently					
2-(2- butoxyeth- oxy)ethanol	112-34-5	TWA	10 ppm 67,5 mg/m3	2006/15/EC					
	Further inform	nation: Indicative							
		STEL	15 ppm 101,2 mg/m3	2006/15/EC					
	Further inforr	Further information: Indicative							
		МАК	10 ppm 67 mg/m3	DE DFG MA					
	Peak-limit category: 1.5; I								
	Further inforr	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed							
		AGW (Vapour	10 ppm	DE TRGS					
		and aerosols)	67 mg/m3	900					
	Peak-limit category: 1.5;(I)								
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child								
titanium dioxide	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MA					
	Peak-limit ca	tegory: 8; II							
	Further inforr that are cons can be derive	nation: Substances t idered to be carcinog ed., Damage to the e BAT value is observe		which a MAK valu					
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900					
	Peak-limit ca								
			s compliance with the OE of harming the unborn ch						
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900					
	Peak-limit ca	/							
	Further inforr	nation: When there is	s compliance with the OE of harming the unborn ch						
		BM (Alveolar	0,5 mg/m3	DE TRGS					

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:



Buntlack Innen Außen Anthrazitgr seiden.

sion	Revision Date: 10.07.2025	SDS Nu 6004944		of last issue: 30.09.2024 of first issue: 28.10.2019	
Substa	nce name	End Use	Routes of expo- sure	Potential health ef- fects	Value
manga black s	nese ferrite pinel	Workers	Inhalation	Long-term systemic effects	10,00 mg/r
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/r
Silicic a sodium	acid, aluminum i salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m
2-meth diol	ylpentane-2,4-	Consumers	Inhalation	Long-term local ef- fects	25,00 mg/r
		Consumers	Inhalation	Long-term systemic effects	3,50 mg/m
		Consumers	Ingestion	Long-term systemic effects	1,00 mg/kg bw/day
		Consumers	Inhalation	Acute local effects	49,00 mg/r
		Consumers	Skin contact	Long-term systemic effects	1,00 mg/kg bw/day
		Workers	Inhalation	Acute local effects	98,00 mg/r
		Workers	Inhalation	Long-term systemic effects	14,00 mg/r
		Workers	Inhalation	Long-term local ef- fects	49,00 mg/r
		Workers	Skin contact	Long-term systemic effects	2,00 mg/kg bw/day
2-(2- butoxy	ethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/r
		Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day
		Consumers	Inhalation	Long-term local ef- fects	40,50 mg/r
		Consumers	Skin contact	Long-term systemic effects	50,00 mg/k bw/day
		Consumers	Inhalation	Long-term systemic effects	40,50 mg/r
		Workers	Inhalation	Acute local effects	101,20 mg
		Workers	Inhalation	Long-term systemic effects	67,50 mg/n
		Workers	Inhalation	Long-term local ef- fects	67,50 mg/n
		Workers	Skin contact	Long-term systemic effects	83,00 mg/k bw/day
titaniun	n dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg. bw/day
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/r

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2-methylpentane-2,4-diol	Soil	0,11 mg/kg dry weight (d.w.)
	Intermittent use/release	4,29 mg/l



Buntlack Innen Außen Anthrazitgr seiden.

ersion 3	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: Date of first issue:	
		Secondary P	oisoning	100 mg/kg food
		Fresh water		1,79 mg/kg dry weight (d.w.)
		Sea water		0,0429 mg/l
		Sewage treat	tment plant	20 mg/l
		Sea sedimer	t	0,179 mg/kg dr weight (d.w.)
		Fresh water		0,429 mg/l
2-(2-b	2-(2-butoxyethoxy)ethanol	Fresh water		1,1 mg/l
		Fresh water	sediment	4,4 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	11 mg/l
		Sea water		0,11 mg/l
		Sea sedimer	it	0,44 mg/kg dry weight (d.w.)
		Sewage treat	tment plant	200 mg/l
		Soil		0,32 mg/kg dry weight (d.w.)
		Secondary P	oisoning	56 mg/kg food
titaniu	ım dioxide	Sewage treat	tment plant	100 mg/l
		Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dry weight (d.w.)
		Sea sedimer	ıt	100 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Long sleeved clothing Choose body protection according to the amount and con- centration of the dangerous substance at the work place.





Buntlack Innen Außen Anthrazitgr seiden.

Version 2.3	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019			
		Skin should b	e washed after contact.			
		Safety shoes				
Respiratory protection :		: No personal r quired.				
		• • •	During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.			
		DGUV Regula	ation 112-190 - Use of breathing equipment			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	gray
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05



Buntlack Innen Außen Anthrazitgr seiden.

Ver 2.3	sion	Revision Date: 10.07.2025		9 S Number: 04944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019
	Viscosity Viscosity, dynamic		:	not determined	
	Vis	cosity, kinematic	:	not determined	
	Flow t	ime	:	not determined	
		ility(ies) ater solubility	:	completely misc	ible
		on coefficient: n- ol/water	:	not determined	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	ve density	:	not determined	
	Densit	ty	:	1,1 g/cm3 (20 °C Method: DIN EN	
	Bulk d	lensity	:	Not applicable	
	Relativ	ve vapor density	:	not determined	
9.2	Other i Explos	nformation sives	:	Not applicable	
	Oxidiz	ing properties	:	Not applicable	
	Flamn	nability (liquids)	:	The product is n	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



Buntlack Innen Außen Anthrazitgr seiden.

Version 2.3	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019
10.2 Chen	nical stability		
No de	ecomposition if stored a	ind applied as di	rected.
10.3 Poss	ibility of hazardous re	eactions	
Hazai	rdous reactions	: No decon	nposition if stored and applied as directed.
10.4 Cond	litions to avoid		
Condi	itions to avoid	: Protect fr	om frost, heat and sunlight.
10.5 Incor	npatible materials		
Mater	ials to avoid		ble with acids and bases. ble with oxidizing agents.
	rdous decomposition ecomposition if stored a	-	rected.
SECTION	11: Toxicological i	information	
11.1 Infor	mation on hazard clas	sses as defined	in Regulation (EC) No 1272/2008
	e toxicity lassified based on avai	lable information	
Com	oonents:		
2-(2-k	outoxyethoxy)ethanol	:	
Acute	oral toxicity	: LD50 (Mo	use): 2.410 mg/kg
Acute	e dermal toxicity	: LD50 (Ral	bbit): 2.764 mg/kg
1,2-b	enzisothiazol-3(2H)-o	ne:	
Acute	oral toxicity		city estimate: 450 mg/kg cute toxicity estimate according to Regulation (EC) 2008
Acute	inhalation toxicity	Test atmo	city estimate: 0,21 mg/l sphere: dust/mist cute toxicity estimate according to Regulation (EC) 2008
Acute	e dermal toxicity	: LD50 (Rat): > 2.000 mg/kg
react (3:1):		2-methyl-2H-isc	thiazol-3-one and 2-methyl-2H-isothiazol-3-one
	oral toxicity	: LD50 (Rat Method: C): 66 mg/kg ECD Test Guideline 401
Acute	inhalation toxicity	: LC50 (Rat): 0,17 mg/l



Buntlack Innen Außen Anthrazitgr seiden.

Versio 2.3	on	Revision Date: 10.07.2025	SDS Number: 6004944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019	
				ne: 4 h bhere: dust/mist CD Test Guideline 403	
Δ	Acute dermal toxicity :		: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402	
Skin corrosion/irritation Not classified based on available information.					
Ν	Not cla	s eye damage/eye irr ssified based on availa	able information.		
	-	atory or skin sensitiz	zation		
		ensitization ssified based on availa	able information.		
Respiratory sensitization Not classified based on available information.					
Germ cell mutagenicity Not classified based on available information.					
Carcinogenicity Not classified based on available i			able information.		
Reproductive toxicity Not classified based on available information.					
		single exposure ssified based on availa	able information.		
		repeated exposure ssified based on availa	able information.		
	Aspiration toxicity Not classified based on available information.				
11.2 I	nform	ation on other hazar	ds		
Endocrine disrupting properties Not classified based on available information.					
	Produc Assess		ered to have REACH Arti (EU) 2017/2	ace/mixture does not contain components consid- e endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 at % or higher.	



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

SECTION 12: Ecological information

12.1 Toxicity

	Components:		
	1,2-benzisothiazol-3(2H)-one Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l
		•	Exposure time: 96 h Method: OECD Test Guideline 203
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	reaction mass of 5-chloro-2- (3:1):	me	thyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
	M-Factor (Acute aquatic tox- icity)	:	100
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	Persistence and degradabili No data available	ty	
12.3	Bioaccumulative potential		
	Components:		
	2-(2-butoxyethoxy)ethanol: Partition coefficient: n- octanol/water	:	log Pow: 0,56
	1,2-benzisothiazol-3(2H)-one	: :	
	Partition coefficient: n- octanol/water	:	log Pow: 0,63 - 0,76 pH: 7



Buntlack Innen Außen Anthrazitgr seiden.

Version 2.3	Revision Date: 10.07.2025		0S Number: 04944	Date of last issue: 30.09.2024 Date of first issue: 28.10.2019
react (3:1):		2-me	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- nol/water	:	log Pow: <= 0, Method: OEC	75 D Test Guideline 117
	ility in soil ata available			
12.5 Resu	lts of PBT and vPvB a	asse	ssment	
<mark>Prod</mark> Asse	<u>uct:</u> ssment	:	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prop	ertie	S	
Prod	uct:			
Asse	ssment	:	ered to have e REACH Article	Mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	r adverse effects			
Prod	uct:			
Addit matic	ional ecological infor- on	:		ntal hazard cannot be excluded in the event of handling or disposal.
SECTIO	N 13: Disposal cons	idera	ations	
13.1 was Produ	te treatment methods uct	:	safe way in ac	all related packaging must be disposed of in a cordance with the full requirements of the local, and international authorities.
			Washing water tem or the env	r must not be discharged into the sewage sys- ironment.

Contaminated packaging : Only completely emptied containers should be given for recycling.

Waste Code	:	used product
		080112, waste paint and varnish other than those mentioned in 08 01 11*



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

SECTION 14: Transport information

14.1 UN number or ID number			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	; go	od	

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

SECTION 15: Regulatory information

15.1 Safety, health and environn ture	nental regulations/legislation specific for the substance o	r mix-
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex 2)	dangerous substances, lowing entries should be con-	sidered: uct as
REACH - Candidate List of Su Concern for Authorization (Art		
Regulation (EU) No 2024/590 plete the ozone layer	on substances that de- : Not applicable	
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu- : Not applicable	
REACH - List of substances s (Annex XIV)	ubject to authorisation : None	
Seveso III: Directive 2012/18/ pean Parliament and of the C control of major-accident haze dangerous substances.	ouncil on the	
Water hazard class (Germa- ny)	: WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)	
Product code for laquers and paints / Giscode	: M-LW01 Water-based varnishes	
	: Coating materials, water-based, containing solvents	
Labeling according to Regu- lation (EU) 528/2012	: Treated article, contains a biocidal product. In-can pre tive: CIT/MIT (3:1), BIT.	serva-
Volatile organic compounds	 Directive 2010/75/EU of 24 November 2010 on industria livestock rearing emissions (integrated pollution preventi and control) Volatile organic compounds (VOC) content: 0,18 % 	
Volatile organic compounds	: Directive 2004/42/EC < 5 % < 50 g/l	



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements		
H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H361d	:	Suspected of damaging the unborn child.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	าร	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
2006/15/EC	:	Europe. Indicative occupational exposure limit values
2017/164/EU	:	Europe. Commission Directive 2017/164/EU establishing a
		fourth list of indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit
2017/164/EU / TWA	:	Limit Value - eight hours
DE DFG MAK / MAK	:	MAK value
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight;



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Ar Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventive of Existing Chemicals Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50% of a test population; LD50 - Lethal Dose to 50% of a test population; MC(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemicals; RD - No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RD - Substance of Very High Concern; TCSI - Taiwan Chemical Substances (JUSA - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substances (Inventory; TECI - Thailan

Further information

Other information :	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Buntlack Innen Außen Anthrazitgr seiden.

Version	Revision Date:	SDS Number:	Date of last issue: 30.09.2024
2.3	10.07.2025	6004944	Date of first issue: 28.10.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN