

Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product	identifier		
Trade na	ame :		Magneto
Unique (UFI)	Formula Identifier :	:	G350-TRAC-2014-W38M
1.2 Relevant	t identified uses of the	S	ubstance or mixture and uses advised against
Use of the stance/N	he Sub-		Water-borne coatings
Recommon use	nended restrictions :		within adequate application - none
1.3 Details o	of the supplier of the sa	af	ety data sheet
Compar	iy :		Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telepho	ne :		+498001238887
Telefax	:		+4961547170632
Website	•		www.alpina-farben.de
	ddress Responsi- : ng person	:	msds@dr-rmi.com
1.4 Emerger	ncy telephone		
Emerger	ncy telephone 1	:	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.		

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :





DE / EN

Magneto

Version 3.3	Revision Date: 19.06.2025	-	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
Signa	l Word	:	Warning	
Hazar	d Statements	:	H317	May cause an allergic skin reaction.
Preca	utionary Statements	:	P101	If medical advice is needed, have product con- tainer or label at hand.
			P102	Keep out of reach of children.
			Prevention	:
			P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
			Response: P302 + P35	
			Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

2-methylisothiazol-3(2H)-one 1,2-benzisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

1 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ensure thorough ventilation during and after application. Do not allow to enter into surface water or drains.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

Components

Components			
Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
2-methylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 - < 0,025
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317	>= 0,0025 - < 0,025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Magneto

Version 3.3		S Number: 02470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019	
methy	on mass of 5-chloro-2- 1-2H-isothiazol-3-one and 2 1-2H-isothiazol-3-one (3:1)	55965-84-9 613-167-00-5 01-2120764691-	$ \begin{array}{c} >= 0,036 \% \\ \hline \\ \hline \\ \hline \\ \hline \\ Acute toxicity estimate \\ \hline \\ Acute oral toxicity: 450 mg/kg \\ Acute inhalation toxicity (dust/mist): 0,21 mg/l \\ \hline \\ \hline \\ \hline \\ Acute Tox. 3; H301 \\ Acute Tox. 2; H330 \\ Acute Tox. 2; H310 \\ Skin Corr. 1C; H314 \\ Eye Dam. 1; H318 \\ Skin Sens. 1A; H317 \\ Aquatic Acute 1; H400 \\ Aquatic Chronic 1; H410 \\ EUH071 \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \hline \\ \\ \hline \\ \\ \\ \\ $	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.



DE / EN

Magneto

Version 3.3	Revision Date: 19.06.2025	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
		possible). Move out of c	well, seek medical advice (show the label where langerous area. eds to protect himself.
lf inha	aled	: Move to fresh	air.
In cas	se of skin contact		solvents or thinners. ntact, immediately flush skin with soap and plenty
In cas	se of eye contact	IF IN EYES: I	n persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue
lf swa	llowed		advice. with water and drink afterwards plenty of water. DO NOT induce vomiting.
4.2 Most i	mportant symptoms a	and effects, both a	cute and delayed

Risks	•	May cause an allergic skin reaction
T (IOI(O	•	may badde an anergie skin readion

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as:
		Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

5.3 Advice for firefighters

Special protective equipment : Wear self-contained breathing apparatus for firefighting if nec-



Magneto



Version 3.3	Revision Date: 19.06.2025	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
for fire	e-fighters	essary.	
Further information		•	edure for chemical fires. self does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.	
6.2 Environmental precautions		

Environmental precautions	:	Prevent further leakage or spillage if safe to do so.
		If the product contaminates rivers and lakes or drains inform
		respective authorities.
		Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
-------------------------	---	--

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.



Magneto



Version 3.3	Revision Date: 19.06.2025	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
Storag	ge class (TRGS 510)	: 12	
-	i c end use(s) iic use(s)	: This information	on is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK	
I _	Peak-limit cat	egory: 8; II			
			nat cause cancer in humans	or animals or	
	that are consi	dered to be carcinog	enic for humans and for whi	ch a MAK value	
			nbryo or foetus is unlikely wl	nen the MAK	
	value or the B	AT value is observe			
		AGW (Inhalable	10 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit cat				
			compliance with the OEL ar f harming the unborn child	nd biological	
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit cat	egory: 2;(II)			
			compliance with the OEL are f harming the unborn child	nd biological	
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
reaction mass of 5- chloro-2-methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK	
	Peak-limit cat	egory: 2; I			
	Further information: Danger of sensitization of the skin, Damage to the em- bryo or foetus is unlikely when the MAK value or the BAT value is observed				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in	Consumers	Ingestion	Long-term systemic	700,00 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



100 mg/kg dry weight (d.w.) 0,0184 mg/l

1000 mg/kg dry

weight (d.w.)

100 mg/kg dry weight (d.w.) 0,193 mg/l

DE / EN

Magneto

Version 3.3	Revision Date: 19.06.2025	SDS Numb 6002470		oer:		f last issue: 17.10.202 f first issue: 14.11.201	-	
ing 1 partic	er form contain- % or more of les with aerody- c diameter ≤ 10					effects	bw/d	ay
		Workers		Inhalation		Long-term local ef- fects	10,0	0 mg/m3
Predi	cted No Effect Co	oncentratio	on (PN	EC) accord	ding to	Regulation (EC) No.	1907/20	06:
Subst	ance name		Envir	onmental C	omparti	ment	Value	
conta cles w	titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 μm]		Sewage treatment plant			100 mg/	(1	
			Fresh	n water			0,184 m	ıg/l

Soil

Sea water

Sea sediment

Fresh water sediment

Intermittent use/release

_	_		_	
8.2	Expo	sure	controls	

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing



Magneto

Version 3.3	Revision Date: 19.06.2025	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
Respiratory protection		: No personal re quired.	espiratory protective equipment normally re-
		DGUV Regula	tion 112-190 - Use of breathing equipment
			application: Do not breathe spray dust. Use ation filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	metallic
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	not determined



DE / EN

Magneto

Versi 3.3	ion	Revision Date: 19.06.2025		0S Number: 02470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
	Viso	cosity, kinematic	:	not determined	
ļ	Flow ti	me	:	not determined	
:		ity(ies) ter solubility	:	completely misc	ible
		n coefficient: n- I/water	:	Not applicable	
,	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
I	Relativ	e density	:	not determined	
I	Density	у	:	2,27 g/cm3 (20 ° Method: DIN EN	°C) ISO 2811-1
I	Bulk de	ensity	:	Not applicable	
I	Relativ	e vapor density	:	Not applicable	
9.2 C	Other in	nformation			
I	Explos	ives	:	Not applicable	
(Oxidizi	ng properties	:	Not applicable	
I	Flamm	ability (liquids)	:	The product is n	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.



Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2-methylisothiazol-3(2H)-on	e:		
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg	
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist	
1,2-benzisothiazol-3(2H)-on	e:		
Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg	 <i></i>

- Method: Acute toxicity estimate according to Regulation (EC)

 No. 1272/2008

 Acute inhalation toxicity
 : Acute toxicity estimate: 0,21 mg/l
- Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
- Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute of all toxicity	•	Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403

DE / EN

Magneto



Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

Acute dermal toxicity

: LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

May cause an allergic skin reaction.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

Alpina

SECTION 12: Ecological information

12. ⁻	I Toxicity		
	Components:		
	2-methylisothiazol-3(2H)-one	e:	
	M-Factor (Acute aquatic tox- icity)	:	10
	M-Factor (Chronic aquatic toxicity)	:	1
	1,2-benzisothiazol-3(2H)-one	:	
	Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
	Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
	Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
	M-Factor (Acute aquatic tox- icity)	:	1
	M-Factor (Chronic aquatic toxicity)	:	1
	reaction mass of 5-chloro-2- (3:1):	·me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
	M-Factor (Acute aquatic tox- icity)	:	100
	M-Factor (Chronic aquatic toxicity)	:	100
12.2	2 Persistence and degradabili No data available	ity	
12.3	Bioaccumulative potential		
	Components:		
	2-methylisothiazol-3(2H)-one	e:	
	Partition coefficient: n- octanol/water	:	log Pow: -0,486 (25 °C) pH: 7

Magneto



Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: 0,63 - 0,76
octanol/water		pH: 7

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,75
octanol/water		Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid-
	ered to have endocrine disrupting properties according to
	REACH Article 57(f) or Commission Delegated regulation
	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.	t of
--	------

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product :	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage sys- tem or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy-

DE / EN

Magneto



Version 3.3	Revision Date: 19.06.2025	SDS Number: 6002470	Date of last issue: 17.10.2024 Date of first issue: 14.11.2019
		cling.	
Waste Code		: used product 080112, waste in 08 01 11*	e paint and varnish other than those mentioned
SECTION	N 14: Transport inf	ormation	

14.1 UN number or ID number			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			

Not regulated as a dangerous good

14.6 Special precautions for user

Magneto



Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019
Rema	arks	: Not classified a lations.	as dangerous in the meaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, pl the market and use of certain dangerous sub mixtures and articles (Annex XVII)			
	If you intend to use this product as tattoo ink, please contact your ven- dor.		
REACH - Candidate List of Substances of Ve Concern for Authorization (Article 59) (SVHC	, ,		
Regulation (EU) No 2024/590 on substances plete the ozone layer	hat de- : Not applicable		
Regulation (EU) 2019/1021 on persistent org tants (recast)	nic pollu- : Not applicable		
REACH - List of substances subject to authorisation : None (Annex XIV)			
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.			
	htly water endangering on according to AwSV, Annex 1 (5.2)		
	icle, contains a biocidal product. In-can preserva- T (3:1), BIT, MIT.		
livestock r and contro	010/75/EU of 24 November 2010 on industrial and aring emissions (integrated pollution prevention) anic compounds (VOC) content: 0,09 %		
Volatile organic compounds : Directive 2 < 0.1 % < 10 g/l	004/42/EC		

Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

Alpina

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements	
H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.
Full text of other abbreviation	S
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Dam. :	Serious eye damage
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitization
DE DFG MAK :	Germany. MAK BAT Annex IIa
DE TRGS 527 :	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900 :	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK :	MAK value
DE TRGS 527 / BM : DE TRGS 900 / AGW :	Assessment scale Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous in Bulk; IC50 - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISCC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC1 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from

. .

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Magneto



.

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019
Ships	; n.o.s Not Otherwise Specified; NO	A)EC - No Observed (Adverse) Eff	ect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No

Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rai; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substances of Very High Concern; TCSI - Taiwan Chemical Slubstance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure: Calculation method

Skin Sens. 1 H317

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Magneto

Version	Revision Date:	SDS Number:	Date of last issue: 17.10.2024
3.3	19.06.2025	6002470	Date of first issue: 14.11.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN

