

Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Voll- und Abtönfarbe Color Cool Blue
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone Telefax	:	+498001238887 +4961547170632
Website		www.alpina-farben.de
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone		
Emergency telephone 1	:	+49613284463 GBK GmbH
SECTION 2: Hazards identified	catio	on

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	/2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard	pictograms
--------	------------

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.



Voll- und Abtönfarbe Color Cool Blue

Version 3.2	Revision Date: 28.10.2024	SDS Number: 6007795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019
Preca	autionary Statements	: P101	If medical advice is needed, have product con- tainer or label at hand.
		P102	Keep out of reach of children.
		Prevention	:
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		Response:	
	P302 + P352		IF ON SKIN: Wash with plenty of water.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : E

: Emulsion paint, aqueous

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amende



DE / EN

rsion	Revision Date: 28.10.2024	SDS Number: 6007795		of last issue: 29.07.2024 of first issue: 14.11.2019	
	ining 1 % or more of part with aerodynamic diamete		00-2		
	enzisothiazol-3(2H)-one	2634-33-5 220-120-5 613-088-0 01-21207	5 9)0-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330	>= 0,0025 - 0,025
				M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
				specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
2-met	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-0 01-21207	6 00-9	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 - 0,025
				M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %		
Pyridi salt	ine-2-thiol 1-oxide, sodiu	n 3811-73-2 223-296-5 613-344-0 01-21194	5)0-7	Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Irrit. 2; H315	>= 0,0002 - 0,0025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one (3:1) 55965-84-9 613-167-00-5 01-2120764691-48 Keye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 M-Factor (Acute aquatic toxicity): 100 Acute toxicity esti- mate M-Factor (Acute aquatic toxicity): 100 Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 0,5 mg/l Acute Tox. 2; H301 Acute Tox. 2; H301 Acute Tox. 2; H303 Acute Tox. 2; H303 Acute Tox. 2; H304 Acute Tox. 2; H304 Acute Tox. 2; H304 Acute Tox. 2; H305 Acute Tox. 2; H306 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic	Version 3.2	Revision Date: 28.10.2024	SDS Number: 6007795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019	
Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100	3.2	28.10.2024	6007795	Date of first issue: 14.11.2019 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 M-Factor (Acute aquatic toxicity): 100 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 0,5 mg/l Acute Tox. 3; H301 Acute Tox. 2; H310 5 Sel Acute Tox. 2; H314) >= 0,0002 - <
EUH071 M-Factor (Acute aquatic toxicity): 100	methy	/l-2H-isothiazol-3-one		S91-48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	
				EUH071 M-Factor (Acute aquatic toxicity): 100	
				>= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317	



Voll- und Abtönfarbe Color Cool Blue

ersion 2	Revision Date: 28.10.2024	SDS Number: 6007795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019
			>= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst	tances with a workpla	ce exposure limit :	
	m sulfate	7727-43-7 231-784-4 01-21194912	274-35
kaolir	1	1332-58-7 310-194-1	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

	General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
	If inhaled	:	Move to fresh air.
	In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
	In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.
4.2	Most important symptoms an	d e	ffects, both acute and delayed
	Risks	:	May cause an allergic skin reaction.
4.3	Indication of any immediate n	nec	lical attention and special treatment needed
	Treatment	:	No information available.



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform
		respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	Please follow the technical information.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, include the storage of the storag	luding any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
barium sulfate	7727-43-7	AGW (Inhalable	10 mg/m3	DE TRGS	
		fraction)		900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				
	AGW (Alveolate 1,25 mg/m3 DE TRGS				
	fraction) 900				
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

28.10.2024	6007	795 Da	ate of first issue: 14.11.20)19	
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
		MAK (measured	0,3 mg/m3	DE DFG M	
		as the alveolate	0,3 mg/m3		
		fraction)			
	Further inform	1	hat cause cancer in hum	ans or animals o	
			genic for humans and for		
			mbryo or foetus is unlikel		
		AT value is observe		,	
		MAK (inhalable	4 mg/m3	DE DFG M	
		fraction)	1g,e	52 51 0	
	Further inform	<i>,</i>	hat cause cancer in hum	ans or animals o	
			genic for humans and for		
			mbryo or foetus is unlikel		
		AT value is observe		,	
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/E	
		dust)	-, 3		
	Further inform	ation: Carcinogens	or mutagens	I	
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG M	
powder form con-		as the alveolate	-,		
taining 1 % or		fraction)			
more of particles		,			
with aerodynamic					
diameter ≤ 10 µm]					
	Peak-limit cat	egory: 8; II			
	Further inform	nation: Substances t	hat cause cancer in hum	ans or animals o	
	that are consi	dered to be carcinog	genic for humans and for	which a MAK va	
			mbryo or foetus is unlikel	ly when the MAK	
	value or the B	AT value is observe			
		AGW (Inhalable	10 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit cat				
			s compliance with the OE		
	tolerance valu		of harming the unborn ch		
		AGW (Alveolate	1,25 mg/m3	DE TRGS	
		fraction)	(Titanium dioxide)	900	
	Peak-limit cat				
			s compliance with the OE		
	tolerance valu		of harming the unborn ch		
		BM (Alveolar	0,5 mg/m3	DE TRGS	
	<u> </u>	dust fraction)		527	
Pyridine-2-thiol 1-	3811-73-2	AGW (Inhalable	0,2 mg/m3	DE TRGS	
oxide, sodium salt	<u> </u>	fraction)		900	
	Peak-limit category: 2;(II)				
			on, When there is compli		
	and biological		nere is no risk of harming		
		MAK (inhalable	0,2 mg/m3	DE DFG M	
		fraction)			
			sorption through the skin		
	embryo or foe	tus is unlikely when	the MAK value or the BA	AT value is ob-	



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
· · ·	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection	
Material	: Nitrile rubber
Glove thickness	: 0,2 mm



Voll- und Abtönfarbe Color Cool Blue

SDS Number: 6007795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019
: Class 3	
Wear suitable glo	gloves clean them with soap and water. oves tested to EN374. n 112-195 - Use of protective gloves
: Safety shoes Long sleeved clo	thing
	tection according to the amount and con- dangerous substance at the work place.
Skin should be w	vashed after contact.
	sh contaminated clothing before re-use. Dication: impervious clothing
: No personal resp quired.	piratory protective equipment normally re-
	blication: Do not breathe spray dust. Use on filter for paint spraying.
DGUV Regulatio	n 112-190 - Use of breathing equipment
	 6007795 Class 3 Before removing Wear suitable glo DGUV Regulatio Safety shoes Long sleeved clo Choose body procentration of the Skin should be w Remove and was During spray app No personal resp quired. During spray app A2/P2 combination

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	blue
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined





Ver 3.2	sion	Revision Date: 28.10.2024		S Number: 07795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019
	Flash	point	:	Not applicable	
	Autoig	nition temperature	:	not determined	
	Decon	nposition temperature	:	Not applicable	
	рН		:	8 Concentration: 1	00 %
	Viscos Vis	ity cosity, dynamic	:	No data availabl	e
		lity(ies) ter solubility	:	completely misci	ble
		on coefficient: n- I/water	:	Not applicable	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	ve density	:	not determined	
	Densit	у	:	1,3100 g/cm3	
	Relativ	ve vapor density	:	Not applicable	
9.2	Other i Explos	nformation sives	:	Not applicable	
	Oxidiz	ing properties	:	Not applicable	
	Flamm	nability (liquids)	:	The product is n	ot flammable.





Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

DE / EN

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one):	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg

Pyridine-2-thiol 1-oxide, sodium salt:





Vers 3.2	ion	Revision Date: 28.10.2024		9S Number: 07795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019	
	Acute c	oral toxicity	:	Acute toxicity esti Method: Acute to: No. 1272/2008	mate: 500 mg/kg kicity estimate according to Regulation (EC)	
	Acute ii	nhalation toxicity	:	Acute toxicity esti Test atmosphere: Method: Acute tox No. 1272/2008		
	Acute c	lermal toxicity	:	Acute toxicity esti Method: Acute tox No. 1272/2008	mate: 790 mg/kg kicity estimate according to Regulation (EC)	
	reactio (3:1):	n mass of 5-chloro-2	-me	thyl-2H-isothiazo	I-3-one and 2-methyI-2H-isothiazoI-3-one	
	. ,	oral toxicity	:	LD50 (Rat): 66 m Method: OECD T		
	Acute ii	nhalation toxicity	:	LC50 (Rat): 0,17 Exposure time: 4 Test atmosphere: Method: OECD T	h dust/mist	
	Acute c	lermal toxicity	:	LD50 (Rat): > 141 Method: OECD T		
		orrosion/irritation ssified based on availa	able	information.		
	Serious eye damage/eye irritation Not classified based on available information.					
	Respiratory or skin sensitization					
	Skin sensitization May cause an allergic skin reaction.					
	Respiratory sensitization Not classified based on available information.					
	Germ cell mutagenicity Not classified based on available information.					
	Carcinogenicity Not classified based on available information.					
	-	luctive toxicity ssified based on availa	able	information.		
	STOT-single exposure Not classified based on available information.					



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:	:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
2-methylisothiazol-3(2H)-one:	:	
M-Factor (Acute aquatic tox- icity)		10
M-Factor (Chronic aquatic toxicity)	:	1



Vers 3.2	sion	Revision Date: 28.10.2024	-	9S Number: 07795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019
	Pyridine-2-thiol 1-oxide, sodium			n salt:	
	M-Factor (Acute aquatic tox- : icity)				
	reaction mass of 5-chloro-2-ma (3:1): M-Factor (Acute aquatic tox- : icity) M-Factor (Chronic aquatic : toxicity)			thyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one
				100	
				100	
	bariun	n sulfate:			
	Toxicit	y to fish	:	Remarks: No	toxicity at the limit of solubility.
	 Toxicity to daphnia and other aquatic invertebrates Toxicity to algae/aquatic plants Toxicity to fish (Chronic toxicity) Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) 		:	Remarks: No	toxicity at the limit of solubility.
			:	Remarks: No	toxicity at the limit of solubility.
			:	Remarks: No	toxicity at the limit of solubility.
			:	Remarks: No	toxicity at the limit of solubility.
12.2		stence and degradabil a available	ity		
12.3	Bioac	cumulative potential			
	<u>Comp</u>	onents:			
	1,2-be	nzisothiazol-3(2H)-one	e:		
	Partition coefficient: n- : octanol/water 2-methylisothiazol-3(2H)-one: Partition coefficient: n- : octanol/water		:	log Pow: 0,63 pH: 7	- 0,76
			e:		
			:	log Pow: -0,48 pH: 7	36 (25 °C)
	Pyridi	ne-2-thiol 1-oxide, soc	liun	n salt:	
	Partitic	on coefficient: n- I/water		Pow: 0,002 (2	0 °C)



Voll- und Abtönfarbe Color Cool Blue

Version 3.2	Revision Date: 28.10.2024		DS Number: 007795	Date of last issue: 29.07.2024 Date of first issue: 14.11.2019		
react (3:1):		2-me	ethyl-2H-isothiaz	ol-3-one and 2-methyl-2H-isothiazol-3-one		
	Partition coefficient: n- : octanol/water		log Pow: <= 0,75 Method: OECD Test Guideline 117			
	ility in soil ata available					
12.5 Resu	Its of PBT and vPvB	asse	ssment			
<mark>Prod</mark> Asse	<u>uct:</u> ssment	:	to be either pers	mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of		
12.6 Endo	ocrine disrupting prop	ertie	S			
Prod	uct:					
Asse	ssment	:	ered to have en REACH Article	mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at or higher.		
12.7 Othe	er adverse effects					
Prod	uct:					
Addit matic	ional ecological infor- on	:		al hazard cannot be excluded in the event of handling or disposal.		
SECTION	N 13: Disposal cons	ider	ations			
40.4						
13.1 Wast Produ	te treatment methods uct	:	old paints/varnis	d material residues at the collection point for shes, dispose of dried material residues as d demolition waste or as municipal waste or e.		
			Waste should n	ot be disposed of via wastewater.		

Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned

in 08 01 11*



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

SECTION 14: Transport information

14.1 UN number or ID number						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.2 UN proper shipping name						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.3 Transport hazard class(es)						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
ΙΑΤΑ	:	Not regulated as a dangerous good				
14.4 Packing group						
ADN	:	Not regulated as a dangerous good				
ADR	:	Not regulated as a dangerous good				
RID	:	Not regulated as a dangerous good				
IMDG	:	Not regulated as a dangerous good				
IATA (Cargo)	:	Not regulated as a dangerous good				
IATA (Passenger)	:	Not regulated as a dangerous good				
14.5 Environmental hazards						
Not regulated as a dangerous good						

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

Alpina

SECTION 15: Regulatory information

15.1 S ture	Safety, health and environme	ent	al regulations/legisla	ation	specific for the substance or mix-
F tl	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)				Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
					If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Sub Concern for Authorization (Artic		:	None	
	Regulation (EC) on substances ayer	s th	at deplete the ozone	:	Not applicable
	Regulation (EU) 2019/1021 on ants (recast)	pe	rsistent organic pollu-	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)				None
р с	Seveso III: Directive 2012/18/E bean Parliament and of the Con control of major-accident hazar dangerous substances.	uno	cil on the	Not	applicable
	Water hazard class (Germa- ny)	:	WGK 1 slightly water Classification accordi	enda	angering AwSV, Annex 1 (5.2)
		:	BSW20 Coating mate	erials	, water-based
V	/olatile organic compounds	:	emissions (integrated	d poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,02 %
V	/olatile organic compounds	:	Directive 2004/42/EC < 0.1 % < 1 g/l	;	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H311	:	Toxic in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H351	:	Suspected of causing cancer if inhaled.
H372	:	Causes damage to organs through prolonged or repeated
		exposure.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH070	:	Toxic by eye contact.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	ons	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic		Long-term (chronic) aquatic hazard
Carc.	÷	
	:	Carcinogenicity
Eye Dam.	:	Carcinogenicity Serious eye damage
	:	Carcinogenicity
Eye Dam. Eye Irrit.		Carcinogenicity Serious eye damage Eye irritation Skin corrosion
Eye Dam. Eye Irrit. Skin Corr.		Carcinogenicity Serious eye damage Eye irritation
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens.		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens.		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK DE TRGS 527 DE TRGS 900		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK DE TRGS 527 DE TRGS 900		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values.
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA DE DFG MAK / MAK		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit
Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA		Carcinogenicity Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit MAK value

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN

Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Docentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locel 3 Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation; CO- 0peration and Development; OPPT S - Office of Chemical Safety and Pollution Prev

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture:

Classification procedure:

Alpina

Skin Sens. 1

H317

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Voll- und Abtönfarbe Color Cool Blue

Version	Revision Date:	SDS Number:	Date of last issue: 29.07.2024
3.2	28.10.2024	6007795	Date of first issue: 14.11.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN