

Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	Voll- und Abtönfarbe Color Grass Green
Unique Formula Identifier (UFI)	:	D22C-SQCG-A01R-GQEE

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company Telephone Telefax	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT +498001238887 +4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 :	+49613284463 GBK GmbH
-------------------------	-----------------------

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)		
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.	

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :





Voll- und Abtönfarbe Color Grass Green

Version 4.3	Revision Date: 11.07.2025	-	DS Number: 007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
Signa	l Word	:	Warning	
Haza	rd Statements	:	H317	May cause an allergic skin reaction.
Preca	utionary Statements	:	P101	If medical advice is needed, have product con- tainer or label at hand.
			P102	Keep out of reach of children.
			Prevention	:
			P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
			Response: P302 + P35	
			Disposal:	
			P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature	:	Emulsion paint, aqueous
-----------------	---	-------------------------

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EC) No. 1907/2006, as amende



DE / EN

	11.07.2025	6007796 Date	of first issue: 14.11.2019)
		Index-No. Registration number		
titaniu	um dioxide	13463-67-7 236-675-5 01-2119489379-17		>= 1 - < 1
1,2-b	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate	>= 0,0025 0,025
			Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	
2-met	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071	>= 0,0025 0,025
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

/ersion .3	Revision Date: 11.07.2025	SDS 6007	Number: 796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
				specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %
Pyridi salt	ne-2-thiol 1-oxide, soc	lium	3811-73-2 223-296-5 613-344-00-7 01-2119493385	Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 M-Factor (Acute aquatic toxicity): 100 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 0,5 mg/l
methy	on mass of 5-chloro-2 yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691	Acute dermal toxicity: 790 mg/kg Acute Tox. 3; H301 >= 0,0002 - 0,0015 Acute Tox. 2; H330 0,0015 Acute Tox. 2; H310 0,0015 -48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071
				M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Voll- und Abtönfarbe Color Grass Green

		SDS Number: 6007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019		
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %		
Substanc barium su	<u>es with a workplac</u> Ilfate	e exposure limit : 7727-43-7 231-784-4 01-21194912	74-35		
kaolin		1332-58-7 310-194-1	>= 1 - < 1		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed



Voll- und Abtönfarbe Color Grass Green

Version 4.3	Revision Date: 11.07.2025		DS Number: 007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
Risks		:	May cause an all	ergic skin reaction.
4.3 Indica	tion of any immediate	me	dical attention and	d special treatment needed
Treat	-	:	No information av	-
SECTION	I 5: Firefighting mea	sur	es	
5.1 Exting	uishing media			
Suital	ble extinguishing media	:	bon dioxide. Use extinguishing cumstances and	alcohol-resistant foam, dry chemical or car- g measures that are appropriate to local cir- the surrounding environment. d water stream as it may scatter and spread
Unsui media	table extinguishing	:	None known.	
5.2 Specia	al hazards arising from	the	e substance or mi	xture
Speci fightir	fic hazards during fire Ig	:	produced such as	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-
5.3 Advice	e for firefighters			
Speci	al protective equipment e-fighters	:	Wear self-contair essary.	ed breathing apparatus for firefighting if nec-
Furth	er information	:	Standard proced	ure for chemical fires. does not burn.

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 6.2 Environmental precautions Environmental precautions Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

6.3 Methods and material for containment and cleaning up

	• •
Methods for cleaning up	: Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

0,		
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
barium sulfate	7727-43-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK
	Peak-limit category: 8; II			
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value			

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878



DE / EN

sion Revision Da 11.07.2025			ate of last issue: 20.02. ate of first issue: 14.11.	
			mbryo or foetus is unlik	ely when the MAK
	Value or the E	BAT value is observe		
		MAK (inhalable	4 mg/m3	DE DFG M
	Deels limit eet	fraction)		
	Peak-limit cat		hat cause cancer in hu	
			genic for humans and fo	
			mbryo or foetus is unlik	
		BAT value is observe		
		AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)	i o ilig/ilio	900
	Peak-limit cat			
			s compliance with the C)FL and biological
			of harming the unborn of	
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	, - 3, -	900
	Peak-limit cat	tegory: 2;(II)		•
			s compliance with the C	EL and biological
	tolerance valu	ues, there is no risk o	of harming the unborn o	child
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)		527
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC
		dust)		
		nation: Carcinogens		
titanium dioxide	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG M
		as the alveolate		
	Peak-limit cat	fraction)		
			hat cause cancer in hu	mone or onimale or
			genic for humans and for	
	can be derive	d Damage to the e	mbryo or foetus is unlik	elv when the MAK
		BAT value is observe		, , , , , , , , , , , , , , , , , , ,
		AGW (Inhalable	10 mg/m3	DE TRGS
			(Titanium dioxide)	900
	Peak-limit cat		., , ,	·
	Further inform	nation: When there is	s compliance with the C	EL and biological
	tolerance valu	ues, there is no risk o	of harming the unborn o	hild
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit cat			
			s compliance with the C	
	tolerance valu		of harming the unborn of	
		BM (Alveolar	0,5 mg/m3	DE TRGS
	1	dust fraction)		527
			0,2 mg/m3	DE DFG M
Pyridine-2-thiol 1-	3811-73-2	MAK (inhalable	-	
Pyridine-2-thiol 1- oxide, sodium salt		fraction)		
	Peak-limit cat	fraction) tegory: 2; II		in Domosta ta tha
	Peak-limit cat Further inforn	fraction) tegory: 2; II nation: Danger of ab	sorption through the sk	
	Peak-limit cat Further inforn embryo or foe	fraction) tegory: 2; II nation: Danger of ab	sorption through the sk the MAK value or the E	
	Peak-limit cat Further inforn	fraction) tegory: 2; II nation: Danger of ab		

Commission Regulation (EU) 2020/878

Alpina

DE / EN

Voll- und Abtönfarbe Color Grass Green

Version 4.3	Revision Date: 11.07.2025	SDS Number: 6007796	Date of last issue: 20 Date of first issue: 14	
		fraction)		900
	Pe	ak-limit category: 2;(II)		
			bsorption, When there is lues, there is no risk of ha	compliance with the OEL arming the unborn child

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	· · ·	0 0	、	
Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic	13000,00
			effects	mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection	
Material	: Nitrile rubber
Glove thickness	: 0,2 mm
Protective index	: Class 3



Voll- und Abtönfarbe Color Grass Green

Version 4.3	Revision Date: 11.07.2025	SDS Number: 6007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
Remarks		Wear suitable	ng gloves clean them with soap and water. gloves tested to EN374. tion 112-195 - Use of protective gloves
Skin and body protection		: Safety shoes Long sleeved	clothing
			protection according to the amount and con- ne dangerous substance at the work place.
		Skin should be	e washed after contact.
			vash contaminated clothing before re-use. pplication: impervious clothing
Resp	iratory protection	: No personal re quired.	espiratory protective equipment normally re-
		DGUV Regula	tion 112-190 - Use of breathing equipment
		• • •	pplication: Do not breathe spray dust. Use ation filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	: liquid	
Color	: green	
Odor	: No data available	
Melting point/freezing point	: ca. 0 °C	
Boiling point/boiling range	: ca. 100 °C	
Upper explosion limit / Upper flammability limit	: not determined	
Lower explosion limit / Lower flammability limit	: not determined	
Flash point	: Not applicable	



Voll- und Abtönfarbe Color Grass Green

Versi 4.3	ion	Revision Date: 11.07.2025		S Number:)7796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
	Autoign	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
l	рH		:	8 Concentration: 1	00 %
,	Viscosit Visc	y osity, dynamic	:	No data available	9
	Solubilit Wate	ty(ies) er solubility	:	completely misci	ble
	Partitior octanol/	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	
	Density		:	1,3100 g/cm3	
	Relative	e vapor density	:	Not applicable	
	Dther in Explosiv	formation ves	:	Not applicable	
	Oxidizin	ng properties	:	Not applicable	
	Flamma	ability (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



Version 4.3	Revision Date: 11.07.2025		S Number: 7796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
	cal stability			
No deco	omposition if stored	and ap	plied as directe	d.
	ility of hazardous	reactio		
Hazardo	ous reactions	:	No decomposi	tion if stored and applied as directed.
10.4 Condit	ions to avoid			
	ons to avoid	:	Protect from fr	ost, heat and sunlight.
0.5 Incomp	patible materials			
Materia	ls to avoid	:		vith acids and bases. vith oxidizing agents.
	lous decompositio	•		d.
	4. Taula da ala ala a			
SECTION	11: Toxicological	morn	nation	
11.1 Informa	ation on hazard cla	asses a	s defined in R	egulation (EC) No 1272/2008
Acute t	oxicity			egulation (EC) No 1272/2008
Acute t Not clas	oxicity ssified based on ava			egulation (EC) No 1272/2008
Acute t Not clas <u>Compo</u>	coxicity ssified based on ava pnents:	ailable ii		egulation (EC) No 1272/2008
Acute t Not clas <u>Compo</u> 1,2-ben	oxicity ssified based on ava	ailable ii one: :	nformation. Acute toxicity e	stimate: 450 mg/kg
Acute t Not clas <u>Compo</u> 1,2-ben Acute o	coxicity ssified based on ava <u>onents:</u> nzisothiazol-3(2H)- oral toxicity	ailable in one: :	nformation. Acute toxicity e Method: Acute No. 1272/2008	stimate: 450 mg/kg toxicity estimate according to Regulation (EC)
Acute t Not clas <u>Compo</u> 1,2-ben Acute o	oxicity ssified based on ava onents: nzisothiazol-3(2H)-	ailable in one: :	nformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe	stimate: 450 mg/kg toxicity estimate according to Regulation (EC) stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC)
Acute t Not class <u>Compo</u> 1,2-ben Acute o Acute in	coxicity ssified based on ava <u>onents:</u> nzisothiazol-3(2H)- oral toxicity	ailable in one: :	nformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe Method: Acute	stimate: 450 mg/kg toxicity estimate according to Regulation (EC) stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC)
Acute t Not class Compo 1,2-ben Acute o Acute in	poxicity ssified based on avainated on avainated based on avainated based on avainated by a second structure of the second s	ailable in one: : :	nformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe Method: Acute No. 1272/2008	stimate: 450 mg/kg toxicity estimate according to Regulation (EC) stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC)
Acute t Not class <u>Compo</u> 1,2-ben Acute o Acute in Acute d 2-meth	poxicity ssified based on ava pnents: nzisothiazol-3(2H)- oral toxicity nhalation toxicity	one: : : : one:	nformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe Method: Acute No. 1272/2008	stimate: 450 mg/kg toxicity estimate according to Regulation (EC) stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC) 2.000 mg/kg
Acute t Not class <u>Compo</u> 1,2-ben Acute o Acute in Acute d 2-meth Acute o	prents: prents: praisothiazol-3(2H)- oral toxicity halation toxicity lermal toxicity ylisothiazol-3(2H)-	ailable ii one: : one: :	hformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe Method: Acute No. 1272/2008 LD50 (Rat): > 2	stimate: 450 mg/kg toxicity estimate according to Regulation (EC) stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC) 2.000 mg/kg 0 mg/kg 45 mg/l 4 h
Acute t Not class <u>Compo</u> 1,2-ben Acute o Acute in Acute in Acute o Acute in	EXAMPLE 1 Society So	ailable ii one: : : one: :	hformation. Acute toxicity e Method: Acute No. 1272/2008 Acute toxicity e Test atmosphe Method: Acute No. 1272/2008 LD50 (Rat): > 2 LD50 (Rat): > 2 LD50 (Rat): 120 LC50 (Rat): 0,1 Exposure time: Test atmosphe	stimate: 450 mg/kg toxicity estimate according to Regulation (EC stimate: 0,21 mg/l re: dust/mist toxicity estimate according to Regulation (EC 2.000 mg/kg 0 mg/kg 45 mg/l 4 h

Acute oral toxicity	:	Acute toxicity estimate: 500 mg/kg
		Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
		NO. 1272/2000



Version 4.3	Revision Date: 11.07.2025	SDS Number: 6007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019		
Acute	inhalation toxicity	Test atmosp	y estimate: 0,5 mg/l where: dust/mist ute toxicity estimate according to Regulation (EC) 108		
Acute	dermal toxicity		y estimate: 790 mg/kg ute toxicity estimate according to Regulation (EC) 08		
reacti (3:1):	on mass of 5-chloro	2-methyl-2H-isoth	niazol-3-one and 2-methyl-2H-isothiazol-3-one		
	oral toxicity	: LD50 (Rat): Method: OE	66 mg/kg CD Test Guideline 401		
Acute	inhalation toxicity				
Acute	dermal toxicity	: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402		
	corrosion/irritation assified based on avai	lable information.			
	Serious eye damage/eye irritation Not classified based on available information.				
	ratory or skin sensit				
	sensitization ause an allergic skin r	eaction.			
	ratory sensitization assified based on avai	lable information.			
	Germ cell mutagenicity Not classified based on available information.				
	Carcinogenicity				
Repro	Not classified based on available information. Reproductive toxicity Not classified based on available information.				
	-single exposure assified based on ava	lable information			
STOT	-repeated exposure assified based on avai				



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:					
Toxicity to fish :	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203				
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202				
Toxicity to algae/aquatic : plants	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201				
M-Factor (Acute aquatic tox- : icity)	1				
M-Factor (Chronic aquatic : toxicity)	1				
2-methylisothiazol-3(2H)-one:					
M-Factor (Acute aquatic tox- : icity)	10				
M-Factor (Chronic aquatic : toxicity)	1				
Pyridine-2-thiol 1-oxide, sodium salt:					
M-Factor (Acute aquatic tox- : icity)					



Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):				
	M-Factor (Acute aquatic tox- icity)	:	100		
	M-Factor (Chronic aquatic toxicity)	:	100		
	barium sulfate:				
	Toxicity to fish	:	Remarks: No toxicity at the limit of solubility.		
	Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No toxicity at the limit of solubility.		
	Toxicity to algae/aquatic plants	:	Remarks: No toxicity at the limit of solubility.		
	Toxicity to fish (Chronic tox- icity)	:	Remarks: No toxicity at the limit of solubility.		
	Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	Remarks: No toxicity at the limit of solubility.		
12.	2 Persistence and degradabili	ity			
	No data available				
12.	3 Bioaccumulative potential				
	Components:				
	1,2-benzisothiazol-3(2H)-one	e:			
	Partition coefficient: n- octanol/water	:	log Pow: 0,63 - 0,76 pH: 7		
	2-methylisothiazol-3(2H)-on	e:			
	Partition coefficient: n- octanol/water	:	log Pow: -0,486 (25 °C) pH: 7		
	Pyridine-2-thiol 1-oxide, sod	liur	n salt:		
	Partition coefficient: n- octanol/water				
	reaction mass of 5-chloro-2- (3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one		
	Partition coefficient: n-		log Pow: <- 0.75		

Partition coefficient: n-	:	log Pow: <= 0,75
octanol/water		Method: OECD Test Guideline 117



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

n			4.
۲r	od	uc	t:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

REACH Article 57(f) or Commission Delegated regulation	Assessment	(EU) 2017/2100 or Commission Regulation (EU) 2018/605 a
--	------------	---

12.7 Other adverse effects

Ρ		~	ч.		~	4	
Г	19	υ	u	u	U	ι	

- I CUUCH	
Additional ecological infor- :	An environmental hazard cannot be excluded in the event of
mation	unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product		Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage system or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number



Voll- und Abtönfarbe Color Grass Green

Version 4.3	Revision Date: 11.07.2025	SDS Number: 6007796	Date of last issue: 20.02.2025 Date of first issue: 14.11.2019
ADN			ad as a departaus good
		-	ed as a dangerous good
ADR		-	ed as a dangerous good
RID		-	ed as a dangerous good
IMDG		-	ed as a dangerous good
ΙΑΤΑ		-	ed as a dangerous good
14.2 UN p	roper shipping name	•	
ADN		: Not regulat	ed as a dangerous good
ADR		: Not regulat	ed as a dangerous good
RID		: Not regulat	ed as a dangerous good
IMDG	6	: Not regulat	ed as a dangerous good
ΙΑΤΑ		: Not regulat	ed as a dangerous good
14.3 Trans	sport hazard class(e	s)	
ADN		: Not regulat	ed as a dangerous good
ADR		: Not regulat	ed as a dangerous good
RID		: Not regulat	ed as a dangerous good
IMDG	6	: Not regulat	ed as a dangerous good
ΙΑΤΑ		: Not regulat	ed as a dangerous good
14.4 Pack	ing group		
ADN		: Not regulat	ed as a dangerous good
ADR		-	ed as a dangerous good
RID		-	ed as a dangerous good
IMDG	6	-	ed as a dangerous good
ΙΑΤΑ	(Cargo)	-	ed as a dangerous good
	(Passenger)	-	ed as a dangerous good
	ronmental hazards		
	egulated as a dangero	us good	
14.6 Spec	ial precautions for u	ser	
Rema	-		ed as dangerous in the meaning of transport regu-

lations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmeture	ental regulations/legislation	specific for the substance or mix-
REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	langerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
		2-[(2-methoxy-4-nitrophenyl)azo]-N- (2-methoxyphenyl)-3-oxobutyramide (Number on list 75)
REACH - Candidate List of Sul Concern for Authorization (Arti		None
Regulation (EU) No 2024/590 of plete the ozone layer	on substances that de- :	Not applicable
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu- :	Not applicable
REACH - List of substances su (Annex XIV)	ubject to authorisation :	None
Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.	uncil on the	applicable
Water hazard class (Germa- ny)	: WGK 1 slightly water enda Classification according to	
	: Coating materials, water-b	ased
Labeling according to Regu- lation (EU) 528/2012	: Treated article, contains a tive: CIT/MIT (3:1), BIT, M	a biocidal product. In-can preserva- IT.
Volatile organic compounds		4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: 0,02 %
Volatile organic compounds	: Directive 2004/42/EC < 0.1 % < 1 g/l	





Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H319 H330 H331 H372 H400 H410 H411 EUH070 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye damage. Causes serious eye damage. Causes serious eye irritation. Fatal if inhaled. Toxic if inhaled. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Toxic by eye contact. Corrosive to the respiratory tract.
Full text of other abbreviatio	ns	
Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Eye Irrit. Skin Corr. Skin Irrit. Skin Sens. STOT RE 2004/37/EC		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Serious eye damage Eye irritation Skin corrosion Skin irritation Skin sensitization Specific target organ toxicity - repeated exposure Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens, mutagens or reprotoxic substances at work - Annex III
DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA	:	Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



Voll- und Abtönfarbe Color Grass Green

1

Version	Revision Date: 11.07.2025	SDS Number:	Date of last issue: 20.02.2025
4.3		6007796	Date of first issue: 14.11.2019
	FG MAK / MAK RGS 527 / BM	: MAK value : Assessment s	cale

DE TRGS 900 / AGW

Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Car-riage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-ber; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; FICS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Prac-tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equip-ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IESC - Inven-tory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; no.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of-fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemi-cal Substances; (Q)SA - (Quaritative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of th States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture: Classification procedure: Skin Sens. 1 H317 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.02.2025
4.3	11.07.2025	6007796	Date of first issue: 14.11.2019

material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN