

Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Voll- und Abtönfarbe Color Grass Green			
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against			
Use of the Sub- stance/Mixture	:	Water-borne coatings			
Recommended restrictions on use	:	within adequate application - none			
1.3 Details of the supplier of the	saf	ety data sheet			
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT			
Telephone Telefax		+498001238887 +4961547170632			
Website	:	www.alpina-farben.de			
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com			
1.4 Emergency telephone					
Emergency telephone 1	:	+49613284463 GBK GmbH			
SECTION 2: Hazards identific	ati	on			

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard	pictograms
--------	------------

Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.

· 🔨



Voll- und Abtönfarbe Color Grass Green

Version 4.1	Revision Date: 28.10.2024	SDS Number: 6007796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
Preca	autionary Statements	. P101	If medical advice is needed, have product con- tainer or label at hand.
		P102	Keep out of reach of children.
		Prevention	:
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		Response:	
		P302 + P35	2 IF ON SKIN: Wash with plenty of water.
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Er

: Emulsion paint, aqueous

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878



DE / EN

sion			e of last issue: 20.10.2023 e of first issue: 14.11.2019	
	ining 1 % or more of parti- ⁄ith aerodynamic diameter ≤ n	236-675-5 022-006-00-2 01-2119489379-17		
	enzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	>= 0,0025 0,025
2-met	hylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 Specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	>= 0,0025 0,025
Pyridi salt	ne-2-thiol 1-oxide, sodium	3811-73-2 223-296-5 613-344-00-7 01-2119493385-28	Acute Tox. 4; H302 Acute Tox. 3; H331 Acute Tox. 3; H311 Skin Irrit. 2; H315	>= 0,0025 0,025

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1) Acute Tox. 2; H330 0,0015 613-167-00-5 01-2120764691-48 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; Aquatic Chronic 1;	skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 M-Factor (Acute aquatic toxicity): 100 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 0,5 mg/l Acute dermal toxicity: 790 mg/kg reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1) 55965-84-9 613-167-00-5 01-2120764691-48 Acute Tox. 3; H301 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 >= 0,0002 - e 0,0015	/ersionRevision Date:128.10.2024	SDS Number: 6007796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019	
Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one an	6007796	Date of first issue: 14.11.2019 Eye Irrit. 2; H319 Skin Sens. 1; H317 STOT RE 1; H372 (Nervous system) Aquatic Acute 1; H400 Aquatic Chronic 2; H411 EUH070 M-Factor (Acute aquatic toxicity): 100 Acute toxicity esti- mate Acute oral toxicity: 500 mg/kg Acute inhalation tox- icity (dust/mist): 0,5 mg/l Acute Tox. 3; H301 Acute Tox. 2; H310 91-48 Skin Corr. 1C; H314	>= 0,0002 - < 0,0015
	EUH071 		1) 613-167-00-5	Acute Tox. 2; H310 91-48 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	



Voll- und Abtönfarbe Color Grass Green

ersion 1	Revision Date: 28.10.2024	SDS Number: 6007796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
			>= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst	tances with a workpla	ce exposure limit :	
	m sulfate	7727-43-7 231-784-4 01-21194912	274-35
kaolin	1	1332-58-7 310-194-1	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

	General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
	If inhaled	:	Move to fresh air.		
	In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
	In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
	If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed					
	Risks	:	May cause an allergic skin reaction.		
4.3	Indication of any immediate n	nec	lical attention and special treatment needed		
	Treatment	:	No information available.		



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.
5.2 Special hazards arising from	the	e substance or mixture
Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
		Do not nush into surface water of sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	Please follow the technical information.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.
7.2 Conditions for safe storage, incl	uding any incompatibilities
Pequirements for storage	Parishable if frazen. To maintain product quality, do not store

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis	
barium sulfate	7727-43-7	AGW (Inhalable	10 mg/m3	DE TRGS	
		fraction)	-	900	
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance valu	tolerance values, there is no risk of harming the unborn child			
	AGW (Alveolate 1,25 mg/m3 DE TRGS				
	fraction) 900				
	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological				
	tolerance values, there is no risk of harming the unborn child				

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

28.10.2024	6007		ate of last issue: 20.10.2 ate of first issue: 14.11.2	
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
		MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG M
	that are consi can be derive	nation: Substances tl dered to be carcinog	L nat cause cancer in hun Jenic for humans and fo mbryo or foetus is unlike d	r which a MAK val
		MAK (inhalable fraction)	4 mg/m3	DE DFG M
	that are consi can be derive	dered to be carcinog	hat cause cancer in hun jenic for humans and fo mbryo or foetus is unlike d	r which a MAK val
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC
	Further inform	nation: Carcinogens	or mutagens	
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter \leq 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG M
	Peak-limit cat	egory: 8; II	·	· ·
	that are consi can be derive	dered to be carcinog	hat cause cancer in hun jenic for humans and fo mbryo or foetus is unlike d	r which a MAK val
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900
	Peak-limit cat	egory: 2:(II)		
	Further inform	nation: When there is	s compliance with the O of harming the unborn cl	
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900
	Peak-limit cat	egory: 2;(II)	•••	·
			s compliance with the O of harming the unborn cl	
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
Pyridine-2-thiol 1- oxide, sodium salt	3811-73-2	AGW (Inhalable fraction)	0,2 mg/m3	DE TRGS 900
	Peak-limit cat Further inform		on, When there is comp	liance with the OE
			ere is no risk of harming	
		MAK (inhalable fraction)	0,2 mg/m3	DE DFG M
			sorption through the skir	



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

8.2 Exposure controls

Personal protective equipment

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection	
Material	: Nitrile rubber
Glove thickness	: 0,2 mm



Voll- und Abtönfarbe Color Grass Green

Version 4.1	Revision Date: 28.10.2024		DS Number: 007796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
Pr	otective index	:	Class 3	
Re	emarks	:	Wear suitable glo	gloves clean them with soap and water. oves tested to EN374. n 112-195 - Use of protective gloves
Skin a	and body protection	:	Safety shoes Long sleeved clo	thing
				tection according to the amount and con- dangerous substance at the work place.
			Skin should be w	ashed after contact.
				sh contaminated clothing before re-use. lication: impervious clothing
Resp	iratory protection	:	No personal resp quired.	iratory protective equipment normally re-
			DGUV Regulation	n 112-190 - Use of breathing equipment
				lication: Do not breathe spray dust. Use on filter for paint spraying.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	green
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined



Vers 4.1	sion	Revision Date: 28.10.2024		S Number: 07796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
	Flash p	point	:	Not applicable	
	Autoig	nition temperature	:	not determined	
	Decom	nposition temperature	:	Not applicable	
	рН		:	8 Concentration: 1	00 %
	Viscos Vis	ity cosity, dynamic	:	No data availabl	e
		lity(ies) ter solubility	:	completely misci	ble
		on coefficient: n- I/water	:	Not applicable	
	Vapor	pressure	:	ca. 23,4 hPa (20	°C)
	Relativ	e density	:	not determined	
	Densit	у	:	1,3100 g/cm3	
	Relativ	e vapor density	:	Not applicable	
9.2	Other i Explos	nformation ives	:	Not applicable	
	Oxidizi	ing properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is n	ot flammable.



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.
---------------------	---	---

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one	: :	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Pyridine-2-thiol 1-oxide, sodium salt:



ersion .1	Revision Date: 28.10.2024		9S Number: 07796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019	
Acute	oral toxicity	:		estimate: 500 mg/kg e toxicity estimate according to Regulation (EC) 3	
Acute	inhalation toxicity	:	Test atmosphe	e toxicity estimate according to Regulation (EC)	
Acute	dermal toxicity	:		estimate: 790 mg/kg toxicity estimate according to Regulation (EC 3	
reacti (3:1):	on mass of 5-chloro	-2-me	thyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one	
Acute	oral toxicity	:	LD50 (Rat): 66 Method: OEC	6 mg/kg D Test Guideline 401	
Acute	inhalation toxicity	:	LC50 (Rat): 0, Exposure time Test atmosphe Method: OECI	e: 4 h	
Acute	dermal toxicity	:	LD50 (Rat): > Method: OECI	141 mg/kg D Test Guideline 402	
_	corrosion/irritation assified based on ava	ilable	information.		
Serio	us eye damage/eye i	rritati	on		
Not cl	assified based on ava	ilable	information.		
Respi	ratory or skin sensi	tizatio	n		
	sensitization				
	ause an allergic skin	reactio	on.		
•	ratory sensitization assified based on ava	ilable	information.		
	cell mutagenicity assified based on ava	ilable	information.		
	Carcinogenicity Not classified based on available information.				
-	Reproductive toxicity Not classified based on available information.				
	-single exposure				
Not cl	assified based on ava	ilable	information.		



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish :	•	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- : icity)	:	1
M-Factor (Chronic aquatic : toxicity)	:	1
2 methylicethicsel 2(24) ency		
2-methylisothiazol-3(2H)-one: M-Factor (Acute aquatic tox- : icity)		10
M-Factor (Chronic aquatic : toxicity)	:	1



Vers 4.1	sion	Revision Date: 28.10.2024		9S Number: 07796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
	Pvridi	ne-2-thiol 1-oxide, sod	liun	n salt:	
	-		:	100	
	reaction mass of 5-chloro-2-m (3:1): M-Factor (Acute aquatic tox- : icity)			thyl-2H-isothiazo	I-3-one and 2-methyI-2H-isothiazoI-3-one
				100	
	M-Factor (Chronic aquatic toxicity)		:	100	
	bariur	n sulfate:			
	Toxici	ty to fish	:	Remarks: No toxi	city at the limit of solubility.
		ty to daphnia and other c invertebrates	:	Remarks: No toxi	city at the limit of solubility.
	plants Toxicity to fish (Chronic tox- icity)		:	Remarks: No toxi	city at the limit of solubility.
			:	Remarks: No toxi	city at the limit of solubility.
			:	Remarks: No toxi	city at the limit of solubility.
12.2		stence and degradabili ta available	ity		
12.3	Bioac	cumulative potential			
	<u>Comp</u>	onents:			
	1,2-be	enzisothiazol-3(2H)-one	e:		
		on coefficient: n- bl/water	:	log Pow: 0,63 - 0, pH: 7	76
	2-methylisothiazol-3(2H)-one:		e:		
		on coefficient: n- bl/water	:	log Pow: -0,486 (ź pH: 7	25 °C)
	Pyridi	ne-2-thiol 1-oxide, sod	liun	n salt:	
	Partiti	on coefficient: n- bl/water		Pow: 0,002 (20 °C	C)



Voll- und Abtönfarbe Color Grass Green

Version 4.1	Revision Date: 28.10.2024		DS Number: 007796	Date of last issue: 20.10.2023 Date of first issue: 14.11.2019
react (3:1)		2-me	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	tion coefficient: n- nol/water	:		75 9 Test Guideline 117
	ility in soil ata available			
12.5 Resu	ults of PBT and vPvB a	asse	ssment	
<mark>Prod</mark> Asse	uct: ssment	:	to be either per	/mixture contains no components considered sistent, bioaccumulative and toxic (PBT), or and very bioaccumulative (vPvB) at levels of
12.6 Endo	ocrine disrupting prop	ertie	es	
Prod	uct:			
Asse	ssment	:	ered to have er REACH Article	/mixture does not contain components consid- ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	er adverse effects			
Prod	uct:			
Addit matic	ional ecological infor- on	:		tal hazard cannot be excluded in the event of handling or disposal.
SECTIO	N 13: Disposal cons	ider	ations	
12 1 1000	to treatment matheda			
Prod	te treatment methods uct	:	old paints/varni	id material residues at the collection point for shes, dispose of dried material residues as ad demolition waste or as municipal waste or te.
			Waste should r	not be disposed of via wastewater.

Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112 waste paint and varnish other than those mentioned

080112, waste paint and varnish other than those mentioned in 08 01 11*



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

SECTION 14: Transport information

14.1 UN number or ID number			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	go	od	

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmeture	ental regulations/legislation	specific for the substance or mix-
REACH - Restrictions on the m the market and use of certain of mixtures and articles (Annex X	dangerous substances,	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
		2-[(2-methoxy-4-nitrophenyl)azo]-N- (2-methoxyphenyl)-3-oxobutyramide (Number on list 75)
REACH - Candidate List of Sul Concern for Authorization (Arti		None
Regulation (EC) on substances layer	s that deplete the ozone :	Not applicable
Regulation (EU) 2019/1021 on tants (recast)	persistent organic pollu- :	Not applicable
REACH - List of substances su (Annex XIV)	ubject to authorisation :	None
Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.	uncil on the	t applicable
Water hazard class (Germa- ny)	: WGK 1 slightly water end Classification according to	
	: BSW20 Coating materials	, water-based
Volatile organic compounds		4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,02 %
Volatile organic compounds	: Directive 2004/42/EC < 0.1 % < 1 g/l	

Other regulations:





Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements	
H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H311 :	Toxic in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H331 :	Toxic if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H372 :	Causes damage to organs through prolonged or repeated exposure.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
EUH070 :	Toxic by eye contact.
EUH071 :	Corrosive to the respiratory tract.
Full text of other abbreviations	5
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Dam. :	Serious eye damage
Eye Irrit.	Eye irritation
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitization
STOT RE :	Specific target organ toxicity - repeated exposure
2004/37/EC :	Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE DFG MAK :	Germany. MAK BAT Annex IIa
DE TRGS 527	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	Germany. TRGS 900 - Occupational exposure limit values.



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date: 28.10.2024	SDS Number:	Date of last issue: 20.10.2023
4.1		6007796	Date of first issue: 14.11.2019
DE D DE T	/37/EC / TWA FG MAK / MAK RGS 527 / BM RGS 900 / AGW	: Long term exp : MAK value : Assessment s : Time Weighte	scale

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with %^k response; ELx - Loading rate associated with x^k growth rate response; EMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization for Standardization; KEC1 - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; IL50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPAL - International Coventin of POllution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Phi

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixture:

H317

Skin Sens. 1

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not



Voll- und Abtönfarbe Color Grass Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
4.1	28.10.2024	6007796	Date of first issue: 14.11.2019

to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN