

## Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Voll- und Abtönfarbe Color Sunny Yellow
1.2 Relevant identified u	ises of the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restr on use	ictions :	within adequate application - none
1.3 Details of the suppli	er of the safe	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone Telefax	:	+498001238887 +4961547170632
Website E-mail address Resp ble/issuing person		www.alpina-farben.de msds@dr-rmi.com
1.4 Emergency telephor	ne	
Emergency telephone	e1 :	+49613284463 GBK GmbH
SECTION 2: Hazards i	dentificatio	on

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	/2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard	pictograms
--------	------------

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.



### Voll- und Abtönfarbe Color Sunny Yellow

Version 3.1	Revision Date: 28.10.2024	SDS Number: 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019	
Preca	autionary Statements	. P101	If medical advice is needed, have product con- tainer or label at hand.	
		P102	Keep out of reach of children.	
		Prevention	:	
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.	
		<b>Response:</b> P302 + P35		
		Disposal:		
		P501	Dispose of contents/ container to an approved waste disposal plant.	

### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Chemical nature

: Emulsion paint, aqueous

### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 0,1 - < 1
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

ersion 1		SDS Number: 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
		220-120-9 613-088-00- 01-21207615	
2-met	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-21207646	
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1 
			Skin Sens. 1A; H317 >= 0,0015 %
methy	on mass of 5-chloro-2- yl-2H-isothiazol-3-one and yl-2H-isothiazol-3-one (3:		· · · · · · · · · · · · · · · · · · ·

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Voll- und Abtönfarbe Color Sunny Yellow

sion	Revision Date: 28.10.2024	SDS Number: 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
			Aquatic Chronic 1; H410 EUH071
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %
Subst	ances with a workpla	ce exposure limit :	I
bariun	n sulfate	7727-43-7 231-784-4 01-21194912	74-35
kaolin		1332-58-7 310-194-1	>= 1 - < 1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

4.1 Description of first-aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention.		



# Voll- und Abtönfarbe Color Sunny Yellow

Version 3.1	Revision Date: 28.10.2024	SDS Numb 6007788	er: Date of last issue: 20.10.2023 Date of first issue: 10.12.2019			
			YES: Rinse cautiously with water for several minutes. e contact lenses, if present and easy to do. Continue			
If swallowed		Clean m	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.			
4.2 Most	important symptoms a	nd effects, b	oth acute and delayed			
Risk	S	: May cau	ise an allergic skin reaction.			
12 India	ation of any immodiate	modical atta	ntion and special treatment needed			
	tment		mation available.			
SECTIO	SECTION 5: Firefighting measures					
E 4 Futin	auiahina madia					
	guishing media					
Suita	able extinguishing media	: Use wat bon diox	er spray, alcohol-resistant foam, dry chemical or car-			
		Use ext	nguishing measures that are appropriate to local cir-			
			nces and the surrounding environment.			
		fire.	ise a solid water stream as it may scatter and spread			
Unsi	uitable extinguishing	: None kr	IOWD.			
medi						
E O Omooi	ial hazarda ariaina fram					
-	ial hazards arising from					
	cific hazards during fire		of fire hazardous decomposition products may be d such as:			
fighti	ng		monoxide, carbon dioxide and unburned hydrocar-			

### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole.
		Material can create slippery conditions.
		Do not get in eyes, on skin, or on clothing.



## Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### 6.2 Environmental precautions

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		Please follow the technical information.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.



# Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
	Peak-limit cat	egory: 2;(II)				
			compliance with the OEL a	and biological		
			of harming the unborn child	-		
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)		900		
	Peak-limit cat					
	Further inform	nation: When there is	s compliance with the OEL a	and biological		
	tolerance valu		of harming the unborn child			
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)		527		
		MAK (measured	0,3 mg/m3	DE DFG MAK		
		as the alveolate				
		fraction)				
			hat cause cancer in humans			
			enic for humans and for wh			
			mbryo or foetus is unlikely v ما	vnen the MAK		
	value of the B	AT value is observe	-			
		MAK (inhalable fraction)	4 mg/m3	DE DFG MAK		
	Further information: Substances that cause cancer in humans or animals or					
	that are considered to be carcinogenic for humans and for which a MAK value					
			mbryo or foetus is unlikely v			
		AT value is observe				
kaolin	1332-58-7	TWA (Respirable	0,1 mg/m3	2004/37/EC		
		dust)	-,····g.····			
	Further inform	nation: Carcinogens	or mutagens			
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK		
powder form con-		as the alveolate	, 3			
taining 1 % or		fraction)				
more of particles						
with aerodynamic						
diameter ≤ 10 µm]						
	Peak-limit category: 8; II					
	Further information: Substances that cause cancer in humans or animals or					
			enic for humans and for wh			
	can be derived., Damage to the embryo or foetus is unlikely when					
	value or the B	AT value is observe				
		AGW (Inhalable	10 mg/m3	DE TRGS		
	<b></b>	fraction)	(Titanium dioxide)	900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date: 28.10.2024	SDS Number:	Date of last issue: 20.10.2023
3.1		6007788	Date of first issue: 10.12.2019
i			

to	tolerance values, there is no risk of harming the unborn child				
	AGW (Alveolate	1,25 mg/m3	DE TRGS		
	fraction)	(Titanium dioxide)	900		
Pe	Peak-limit category: 2;(II)				
Fu	Further information: When there is compliance with the OEL and biological				
to	tolerance values, there is no risk of harming the unborn child				
	BM (Alveolar	0,5 mg/m3	DE TRGS		
	dust fraction)	-	527		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
barium sulfate	Consumers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	13000,00 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry
		weight (d.w.)
	Soil	207,7 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	62,2 mg/l
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l
containing 1 % or more of parti-		
cles with aerodynamic diameter ≤		
10 μm]		
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Sea sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l



# Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### 8.2 Exposure controls

Personal protective equipment				
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection		
		Goggles		
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3		
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves		
Skin and body protection	:	Safety shoes Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing		
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.		
		DGUV Regulation 112-190 - Use of breathing equipment		
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.		

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	yellow
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C



Ver 3.1	sion	Revision Date: 28.10.2024		S Number: 07788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoign	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	8 Concentration: 10	00 %
	Viscosi Visc	ty osity, dynamic	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	completely miscil	ble
	Partition octanol	n coefficient: n- /water	:	Not applicable	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Relative	e density	:	not determined	
	Density	,	:	1,2800 g/cm3	
	Relative	e vapor density	:	Not applicable	
9.2	Other in	formation			
	Explosi	ves	:	Not applicable	



# Voll- und Abtönfarbe Color Sunny Yellow

Version 3.1	Revision Date: 28.10.2024	SDS Number: 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
Oxidi	zing properties	: Not applicabl	e
Flam	mability (liquids)	: The product i	s not flammable.
SECTIO	N 10: Stability and	reactivity	
10.1 Read	ctivity		
	ecomposition if stored	and applied as direct	ed.
	nical stability ecomposition if stored	and applied as direct	ed.
10.3 Poss	sibility of hazardous	reactions	
Haza	rdous reactions	: No decompos	sition if stored and applied as directed.
10.4 Cond	ditions to avoid		
	litions to avoid	: Protect from	frost, heat and sunlight.
10.5 Inco	mpatible materials		
	rials to avoid		with acids and bases. with oxidizing agents.
	ardous decomposition ecomposition if stored	-	ed.
SECTION	N 11: Toxicologica	information	
11 1 Infor	mation on hazard cl	asses as defined in F	Regulation (EC) No 1272/2008
Acut	e toxicity		

Not classified based on available information.

### Components:

### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

### 2-methylisothiazol-3(2H)-one:



Version 3.1	Revision Date: 28.10.2024	SDS Number: 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019			
Acute	e oral toxicity	: LD50 (Rat): 1	20 mg/kg			
Acute	e inhalation toxicity	Exposure tim	LC50 (Rat): 0,145 mg/l Exposure time: 4 h Test atmosphere: dust/mist			
reac (3:1)		2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one			
• •	e oral toxicity	: LD50 (Rat): 6 Method: OEC	66 mg/kg CD Test Guideline 401			
Acute	e inhalation toxicity					
Acute	e dermal toxicity	: LD50 (Rat): > Method: OEC	• 141 mg/kg D Test Guideline 402			
-	corrosion/irritation	lable information.				
	ous eye damage/eye ir classified based on avai					
Resp	piratory or skin sensiti	zation				
-	sensitization cause an allergic skin re	eaction.				
•	Respiratory sensitization Not classified based on available information.					
	n cell mutagenicity classified based on avai	lable information.				
	<b>inogenicity</b> classified based on avai	lable information.				
•	roductive toxicity classified based on avai	lable information.				
	T-single exposure classified based on avai	lable information.				
	T-repeated exposure classified based on avai	lable information.				
-	ration toxicity classified based on avai	lable information.				



## Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

### Components:

1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish :		LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other : aquatic invertebrates		EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic : plants		EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- : icity)		1
M-Factor (Chronic aquatic : toxicity)		1
2-methylisothiazol-3(2H)-one:		
M-Factor (Acute aquatic tox- : icity)		10
M-Factor (Chronic aquatic : toxicity)		1
reaction mass of 5-chloro-2-m (3:1):	1e	thyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Factor (Acute aquatic tox- : icity)		100
M-Factor (Chronic aquatic :		100



Versior 3.1	n	Revision Date: 28.10.2024		9S Number: 07788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
to	xicity)				
ba	arium	sulfate:			
To	oxicity	to fish	:	Remarks: No toxi	city at the limit of solubility.
		to daphnia and other invertebrates	:	Remarks: No toxi	city at the limit of solubility.
	oxicity ants	to algae/aquatic	:	Remarks: No toxi	city at the limit of solubility.
	oxicity ity)	to fish (Chronic tox-	:	Remarks: No toxi	city at the limit of solubility.
aq		invertebrates (Chron-	:	Remarks: No toxi	city at the limit of solubility.
		ence and degradabil	ity		
12.3 Bi	ioacc	umulative potential			
<u>Co</u>	ompo	nents:			
Pa		zisothiazol-3(2H)-one n coefficient: n- /water	<b>e:</b> :	log Pow: 0,63 - 0, pH: 7	76
2-	·meth	ylisothiazol-3(2H)-on	e:		
Pa		n coefficient: n-	:	log Pow: -0,486 (2 pH: 7	25 °C)
	eaction 3:1):	n mass of 5-chloro-2	-me	thyl-2H-isothiazo	I-3-one and 2-methyI-2H-isothiazol-3-one
	artitior ctanol/	n coefficient: n- /water	:	log Pow: <= 0,75 Method: OECD T	est Guideline 117
		<b>y in soil</b> available			
12.5 R	esults	s of PBT and vPvB as	ses	ssment	
Pr	roduc	<u>t:</u>			
	ssessi		:	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or id very bioaccumulative (vPvB) at levels of



# Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### **12.6 Endocrine disrupting properties**

### Product:

ered to have endocrine disrupting properties according REACH Article 57(f) or Commission Delegated regula	Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	------------	---

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product :		Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

### **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good



## Voll- und Abtönfarbe Color Sunny Yellow

Version 3.1	Revision Date: 28.10.2024	SDS Number 6007788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019
RID		· Not roquic	ited as a dangerous good
		•	
IMC		-	ited as a dangerous good
IAT		-	ited as a dangerous good
14.3 Tra	nsport hazard class(es	)	
ADI	N	: Not regula	ited as a dangerous good
ADI	र	: Not regula	ited as a dangerous good
RID		: Not regula	ited as a dangerous good
IMC	G	: Not regula	ited as a dangerous good
IAT	A	: Not regula	ited as a dangerous good
14.4 Pac	king group		
ADI	N	: Not regula	ited as a dangerous good
ADI	र	: Not regula	ited as a dangerous good
RID		: Not regula	ited as a dangerous good
IMC	G	: Not regula	ited as a dangerous good
ΙΑΤ	A (Cargo)	: Not regula	ited as a dangerous good
IAT	A (Passenger)	: Not regula	ited as a dangerous good
-	rironmental hazards regulated as a dangerou	s good	
14.6 Spe	ecial precautions for us	er	
Rer	narks	: Not classi lations.	fied as dangerous in the meaning of transport regu

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered:
mixtures and articles (Annex XVII)		Number on list 75, 3

If you intend to use this product as tattoo ink, please contact your vendor.

N-(4-chloro-2,5-dimethoxyphenyl)-2-[[2,5-dimethoxy-4-



## Voll- und Abtönfarbe Color Sunny Yellow

Vers 3.1	sion	Revision Date: 28.10.2024		DS Number: 07788			f last issue: 20.10.2023 f first issue: 10.12.2019
							[(phenyla- mino)sulphonyl]phenyl]azo]-3- oxobutyramide (Number on list 75)
	REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).						None
	Regulation (EC) on substances that deplete the ozon layer						Not applicable
	Regulation (EU) 2019/1021 on persistent organic p tants (recast)					- :	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)						None
	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					Not	t applicable
	Water I ny)	hazard class (Germa-	:	WGK 1 slightly wa Classification acc			angering AwSV, Annex 1 (5.2)
	•		:	BSW20 Coating n	nat	erials	, water-based
	Volatile	organic compounds	:	emissions (integra	ate	d poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: 0,02 %
	Volatile	e organic compounds	:	Directive 2004/42 < 0.1 % < 1 g/l	2/E0	C	

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.



### Voll- und Abtönfarbe Color Sunny Yellow

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	28.10.2024	6007788	Date of first issue: 10.12.2019

### **SECTION 16: Other information**

#### Full text of H-Statements

H301 H302 H310 H311 H314 H315 H317 H318 H330 H351 H400 H410 H411 EUH071		Toxic if swallowed. Harmful if swallowed. Fatal in contact with skin. Toxic in contact with skin. Causes severe skin burns and eye damage. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Fatal if inhaled. Suspected of causing cancer if inhaled. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.
Full text of other abbreviatio	ons	
Acute Tox. Aquatic Acute Aquatic Chronic Carc. Eye Dam. Skin Corr. Skin Corr. Skin Irrit. Skin Sens. 2004/37/EC		Acute toxicity Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Carcinogenicity Serious eye damage Skin corrosion Skin irritation Skin sensitization Europe. Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
DE DFG MAK DE TRGS 527 DE TRGS 900 2004/37/EC / TWA DE DFG MAK / MAK DE TRGS 527 / BM DE TRGS 900 / AGW	· · · · · · · · · · · · · · · · · · ·	Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. Long term exposure limit MAK value Assessment scale Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Covention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse); Effect Concentration; NO(A)EL - No Observed (Adverse); Effect Loading Rate; NZIcO - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REAC

#### **Further information**





## Voll- und Abtönfarbe Color Sunny Yellow

Versio 3.1	n Revision Date: 28.10.2024		DS Number: )07788	Date of last issue: 20.10.2023 Date of first issue: 10.12.2019		
C	Other information		No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.			
C	ources of key data used to ompile the Material Safety ata Sheet	:	gienists). 2014 TL for chemical subs Exposure Indices 2014 ACGIH, Cin NIOSH - Registry ECDIN - Environr work - Joint Rese Communities SAX'S - Dangero GESTIS - Databa Arbeitsschutz der	of toxic effects of chemical substances nental Chemicals Data and Information Net- arch Centre, Commission of the European us properties of industrial materials se on hazardous substances - Institut für Deutschen Gesetzlichen Unfallversicherung Occupational Safety and Health of the Ger- ent Insurance)		
с	lassification of the mixtu	re:		Classification procedure:		
0	kin Sono 1	Ца	47	Coloulation mathed		

Skin Sens. 1 H317 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN