

## Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Voll- und Abtönfarbe Color Deep Green		
1.2 Relevant identified uses of the	ne s	substance or mixture and uses advised against		
Use of the Sub- stance/Mixture	:	Water-borne coatings		
Recommended restrictions on use	:	within adequate application - none		
1.3 Details of the supplier of the	saf	ety data sheet		
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT		
Telephone Telefax	:	+498001238887 +4961547170632		
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com		
1.4 Emergency telephone				
Emergency telephone 1	:	+49613284463 GBK GmbH		
SECTION 2: Hazards identification				

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	/2/2008)
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard picto	grams
--------------	-------

Hazard pictograms	:		
Signal Word	:	Warning	
Hazard Statements	:	H317	May cause an allergic skin reaction.



### Voll- und Abtönfarbe Color Deep Green

Version 3.1	Revision Date: 15.10.2024	SDS Number: 6000109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019
Preca	autionary Statements	. P101	If medical advice is needed, have product con- tainer or label at hand.
			Keep out of reach of children.
		Prevention	:
		P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
		<b>Response:</b> P302 + P35	
		Disposal:	
		P501	Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Color

#### Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 0,1 - < 1
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Voll- und Abtönfarbe Color Deep Green

rsion I		SDS Number: 6000109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019	
		220-120-9 613-088-00-6 01-21207615		0,025
2-met	thylisothiazol-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-21207646		>= 0,0025 - < 0,025
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %	
methy	on mass of 5-chloro-2- /l-2H-isothiazol-3-one and /l-2H-isothiazol-3-one (3:′		· · · · · · · · · · · · · · · · · · ·	>= 0,0002 - < 0,0015

### SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Voll- und Abtönfarbe Color Deep Green

		SDS Number: 6000109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019		
			Aquatic Chronic 1; H410 EUH071		
			M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100		
			specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %		
Subst	ances with a workpla	ce exposure limit :			
	n sulfate	7727-43-7 231-784-4 01-21194912	74-35		
kaolin		1332-58-7 310-194-1	>= 1 - < 1		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

4.1 Description of first-aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention.		



# Voll- und Abtönfarbe Color Deep Green

Versior 3.1	n Revision Date: 15.10.2024	SDS 6000	Number: )109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019	
		F		e cautiously with water for several minutes. enses, if present and easy to do. Continue	
If swallowed		C	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Mo	st important symptoms a	nd eff	ects, both acute	and delayed	
Ri	sks	: N	/lay cause an alle	ergic skin reaction.	
4 3 Ind	ication of any immediate	medic	al attention and	special treatment needed	
	eatment		lo information av	-	
SECTI	ON 5: Firefighting mea	sures	5		
5.1 Ext	inguishing media				
	iitable extinguishing media	b L C	on dioxide. Jse extinguishing sumstances and t	alcohol-resistant foam, dry chemical or car- measures that are appropriate to local cir- he surrounding environment. water stream as it may scatter and spread	
	Unsuitable extinguishing : media		None known.		
5.2 Spe	ecial hazards arising from	1 the s	ubstance or mix	xture	
Specific hazards during fire : fighting		p C	oroduced such as	ardous decomposition products may be :: , carbon dioxide and unburned hydrocar-	

#### 5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole.
		Material can create slippery conditions.
		Do not get in eyes, on skin, or on clothing.



## Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### 6.2 Environmental precautions

Do not flush into surface water or sanitary sewer system.		Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
---	--	---------------------------	---	--

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Keep in suitable, closed containers for disposal.
0.1		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling		For personal protection see section 8. No special technical protective measures required.
		Please follow the technical information.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.



# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
barium sulfate	7727-43-7	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900			
	Peak-limit cat	egory: 2;(II)					
			compliance with the OEL a	and biological			
	tolerance valu	ies, there is no risk c	of harming the unborn child	_			
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)		900			
	Peak-limit cat						
			s compliance with the OEL a	and biological			
	tolerance valu		of harming the unborn child				
		BM (Alveolar	0,5 mg/m3	DE TRGS			
		dust fraction)		527			
		MAK (measured	0,3 mg/m3	DE DFG MAK			
		as the alveolate					
	E all a chattar	fraction)					
			hat cause cancer in humans				
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
		MAK (inhalable	4 mg/m3	DE DFG MAK			
		fraction)	4 119/113				
	Further information: Substances that cause cancer in humans or animals or						
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the BAT value is observed						
kaolin	1332-58-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC			
	Further information: Carcinogens or mutagens						
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 μm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
	Peak-limit category: 8; II						
	Further information: Substances that cause cancer in humans or animals or						
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the B	AT value is observe					
		AGW (Inhalable	10 mg/m3	DE TRGS			
	fraction) (Titanium dioxide) 900						
	Peak-limit cat						
	Further inform	nation: When there is	compliance with the OEL a	and biological			

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10	0.2023		
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019			
	toler	ance values, there is	no risk of harming the unborn	ı child		
		AGW (Alveolate 1,25 mg/m3 DE TRGS				
		fraction)	(Titanium dioxide)	900		
	Peal	Peak-limit category: 2;(II)				
	Further information: When there is compliance with the OEL and biological					
	toler	tolerance values, there is no risk of harming the unborn child				
		BM (Alveol	lar 0,5 mg/m3	DE TRGS		
		dust fractio	on)	527		

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
barium sulfate	Consumers	Inhalation	Long-term systemic	10,00 mg/m3
			effects	
	Consumers	Ingestion	Long-term systemic	13000,00
			effects	mg/kg bw/day
	Workers	Inhalation	Long-term systemic	10,00 mg/m3
			effects	-, J
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
			fects	-
polychloro copper	Consumers	Skin contact	Long-term systemic	225,00 mg/kg
phthalocyanine			effects	bw/day
	Consumers	Ingestion	Long-term systemic	45,00 mg/kg
		5	effects	bw/day
	Workers	Inhalation	Long-term systemic	4,00 mg/m3
			effects	
	Workers	Skin contact	Long-term systemic	450,00 mg/kg
			effects	bw/day
titanium dioxide; [in	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
powder form contain-		0	effects	bw/day
ing 1 % or more of				<i>iii , a</i> a y
particles with aerody-				
namic diameter $\leq 10$				
µm]				
	Workers	Inhalation	Long-term local ef-	10,00 mg/m3
	VIUNCIS		fects	10,00 mg/m3
			16013	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
barium sulfate	Fresh water	115 µg/l
	Fresh water sediment	600,4 mg/kg dry weight (d.w.)
	Soil	207,7 mg/kg dry weight (d.w.)
	Sewage treatment plant	62,2 mg/l
polychloro copper phthalocya- nine	Soil	1 mg/kg dry weight (d.w.)
	Fresh water sediment	10 mg/kg dry weight (d.w.)
	Sea sediment	1 mg/kg dry weight (d.w.)



# Voll- und Abtönfarbe Color Deep Green

Version 3.1	Revision Date: 15.10.2024	SDS Nu 6000109		Date of last issue: Date of first issue	
conta	um dioxide; [in powde ining 1 % or more of   vith aerodynamic diar n]	oarti-	wage treatm	ent plant	100 mg/l
		Fre	esh water		0,184 mg/l
		So	il		100 mg/kg dry weight (d.w.)
		Se	a water		0,0184 mg/l
		Fre	esh water se	diment	1000 mg/kg dry weight (d.w.)
		Se	a sediment		100 mg/kg dry weight (d.w.)
		Int	ermittent use	e/release	0,193 mg/l

#### 8.2 Exposure controls

-					
Personal protective equipment	Personal protective equipment				
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection			
		Goggles			
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3			
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves			
Skin and body protection	:	Safety shoes Long sleeved clothing			
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.			
		Skin should be washed after contact.			
		Remove and wash contaminated clothing before re-use. During spray application: impervious clothing			
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.			
		DGUV Regulation 112-190 - Use of breathing equipment			
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.			



### Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	green
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	Not applicable



# Voll- und Abtönfarbe Color Deep Green

Version 3.1	Revision Date: 15.10.2024		S Number: 0109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019
Vapo	or pressure	:	ca. 23,4 hPa (2	0 °C)
Relat	tive density	:	not determined	
Dens	sity	:	1,2970 g/cm3	
Relat	tive vapor density	:	Not applicable	
9.2 Other	information			
Explo	osives	:	Not applicable	
Oxidi	izing properties	:	Not applicable	
Flam	mability (liquids)	:	The product is	not flammable.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### **10.3 Possibility of hazardous reactions**

Hazardous reactions	:	No decomposition if stored and applied as directed.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	Protect from frost, heat and sunlight.
<b>10.5 Incompatible materials</b> Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.





## Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

#### **Components:**

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-on	e:	
Acute oral toxicity	:	LD50 (Rat): 120 mg/kg

Acute inhalation toxicity	: LC50 (Rat): 0,145 mg/l Exposure time: 4 h
	Test atmosphere: dust/mist

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.



# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

**Components:** 

1,2-benzisothiazol-3(2H)-one:		
Toxicity to fish :	0 (Oncorhynchus osure time: 96 h hod: OECD Test	s mykiss (rainbow trout)): 2,2 mg/l Guideline 203
Toxicity to daphnia and other : aquatic invertebrates	50 (Daphnia): 3,2 osure time: 48 h hod: OECD Test	-
Toxicity to algae/aquatic : plants	50 (Selenastrum osure time: 72 h hod: OECD Test	capricornutum (green algae)): 0,11 mg/l Guideline 201
M-Factor (Acute aquatic tox- :		



# Voll- und Abtönfarbe Color Deep Green

Versio 3.1	on	Revision Date: 15.10.2024		DS Number: 00109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019
ic	city)				
	/I-Fact	or (Chronic aquatic )	:	1	
2	-meth	ylisothiazol-3(2H)-on	e:		
	/I-Fact city)	or (Acute aquatic tox-	:	10	
	/I-Fact	or (Chronic aquatic )	:	1	
	eactic 3:1):	on mass of 5-chloro-2	-me	ethyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	/I-Fact city)	or (Acute aquatic tox-	:	100	
	/I-Fact	or (Chronic aquatic )	:	100	
b	arium	n sulfate:			
Т	oxicity	y to fish	:	Remarks: No tox	city at the limit of solubility.
		y to daphnia and other invertebrates	:	Remarks: No tox	city at the limit of solubility.
	oxicity lants	y to algae/aquatic	:	Remarks: No tox	city at the limit of solubility.
	oxicity	y to fish (Chronic tox-	:	Remarks: No tox	city at the limit of solubility.
a		invertebrates (Chron-	:	Remarks: No tox	city at the limit of solubility.
		<b>tence and degradabil</b> a available	ity		
12.3 B	Bioaco	cumulative potential			
<u>C</u>	Compo	onents:			
Р	artitio	nzisothiazol-3(2H)-on n coefficient: n- l/water	e: :	log Pow: 0,63 - 0 pH: 7	,76
2	-meth	ylisothiazol-3(2H)-on	e:		
Р	Partitio	n coefficient: n-	:	log Pow: -0,486 (	25 °C)



# Voll- und Abtönfarbe Color Deep Green

Version 3.1	Revision Date: 15.10.2024	SDS Number: 6000109	Date of last issue: 20.10.2023 Date of first issue: 21.11.2019	
octan	ol/water	pH: 7		
react (3:1):		o-2-methyl-2H-iso	thiazol-3-one and 2-methyl-2H-isothiazol-3-one	
Partit	ion coefficient: n- ol/water	: log Pow: < Method: O	= 0,75 ECD Test Guideline 117	
	i <b>lity in soil</b> ata available			
12.5 Resu	llts of PBT and vPvB	assessment		
Prod Asse	uct: ssment	to be eithe	ance/mixture contains no components considered r persistent, bioaccumulative and toxic (PBT), or stent and very bioaccumulative (vPvB) at levels of gher.	
12.6 Endo	ocrine disrupting pro	perties		
Prod	uct:			
Asse	ssment	ered to ha REACH A (EU) 2017	<ul> <li>The substance/mixture does not contain components consid ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 a levels of 0.1% or higher.</li> </ul>	
12.7 Othe	r adverse effects			
<u>Prod</u> Additi matio	ional ecological infor-		mental hazard cannot be excluded in the event of onal handling or disposal.	
SECTION	N 13: Disposal con	siderations		
13.1 Wast	e treatment method	5		
Produ	uct	old paints/	liquid material residues at the collection point for varnishes, dispose of dried material residues as on and demolition waste or as municipal waste or waste.	
		Waste sho	uld not be disposed of via wastewater.	
Conta	aminated packaging	: Only comp cling.	: Only completely emptied containers should be given for reculing.	
Waste Code : used product				



Alpina

DE / EN

# Voll- und Abtönfarbe Color Deep Green

	ate of last issue: 20.10.2023 ate of first issue: 21.11.2019
--	---

in 08 01 11\*

#### **SECTION 14: Transport information**

14.1 UN number or ID number	14.1	UN	number	or ID	number
-----------------------------	------	----	--------	-------	--------

	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.	2 UN proper shipping name				
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)					
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.	4 Packing group				
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	IATA (Cargo)	:	Not regulated as a dangerous good		
	IATA (Passenger)	:	Not regulated as a dangerous good		
14.	14.5 Environmental hazards				
Not regulated as a dangerous good					

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.



# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3			
	If you intend to use this product as tattoo ink, please contact your ven- dor.			
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: None			
Regulation (EC) on substances that deplete the ozone layer	: Not applicable			
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable			
REACH - List of substances subject to authorisation (Annex XIV)	: None			
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- : WGK 1 slightly water e ny) Classification accordin	endangering g to AwSV, Annex 1 (5.2)			
emissions (integrated	of 24 November 2010 on industrial pollution prevention and control) ounds (VOC) content: < 0,01 %			
Volatile organic compounds : Directive 2004/42/EC < 0.1 % < 1 g/l				

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).



### Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

Full text of H-Statements			
H301 :	Toxic if swallowed.		
H302 :	Harmful if swallowed.		
H310 :	Fatal in contact with skin.		
H311 :	Toxic in contact with skin.		
H314 :	Causes severe skin burns and eye damage.		
H315 :	Causes skin irritation.		
H317 :	May cause an allergic skin reaction.		
H318 :	Causes serious eye damage.		
H330 :	Fatal if inhaled.		
H351 :	Suspected of causing cancer if inhaled.		
H400 :	Very toxic to aquatic life.		
H410 :	Very toxic to aquatic life with long lasting effects.		
H411 : EUH071 :	Toxic to aquatic life with long lasting effects. Corrosive to the respiratory tract.		
EUHU/1 .	Conosive to the respiratory tract.		
Full text of other abbreviations			
Acute Tox. :	Acute toxicity		
Aquatic Acute :	Short-term (acute) aquatic hazard		
Aquatic Chronic :	Long-term (chronic) aquatic hazard		
Carc. :	Carcinogenicity		
Eye Dam. :	Serious eye damage		
Skin Corr. :	Skin corrosion		
Skin Irrit. :	Skin irritation		
Skin Sens. :	Skin sensitization		
2004/37/EC :	Europe. Directive 2004/37/EC on the protection of workers		
	from the risks related to exposure to carcinogens or mutagens at work		
DE DFG MAK :	Germany. MAK BAT Annex IIa		
DE TRGS 527	Germany. TRGS 527 - Activities with nanomaterials		
DE TRGS 900	Germany. TRGS 900 - Occupational exposure limit values.		
2004/37/EC / TWA :	Long term exposure limit		
DE DFG MAK / MAK :	MAK value		
DE TRGS 527 / BM :	Assessment scale		
DE TRGS 900 / AGW :	Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Covil Aviation Organization; IECS - Invenment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inven-

# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

tory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Raii; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Alpina

#### **Further information**

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the mixtur	e:	Classification procedure:
Skin Sens. 1	H317	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



# Voll- und Abtönfarbe Color Deep Green

Version	Revision Date:	SDS Number:	Date of last issue: 20.10.2023
3.1	15.10.2024	6000109	Date of first issue: 21.11.2019

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN