

### Rissfüller

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
4.6	12.05.2025	6000855	Date of first issue: 31.10.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Pı	roduct identifier				
Т	Trade name	:	Rissfüller		
	Jnique Formula Identifier UFI)	:	24ET-KQGE-4017-NE8V		
1.2 R	elevant identified uses of the	e s	ubstance or mixture and uses advised against		
ι	Jse of the Sub- stance/Mixture		Water-borne coatings		
-	Recommended restrictions on use	:	within adequate application - none		
1.3 D	1.3 Details of the supplier of the safety data sheet				
C	Company	:	Alpina Farben GmbH Roßdörfer Straße 50		
Т	Felephone	:	64372 OBER RAMSTADT +498001238887		
Т	Telefax	:	+4961547170632		
•	Vebsite	:	www.alpina-farben.de		
	E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com		
1.4 Eı	mergency telephone				
E	Emergency telephone 1	:	+49613284463 GBK GmbH		

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)				
Skin sensitization, Category 1	H317: May cause an allergic skin reaction.			

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :





DE / EN

### Rissfüller

Version 4.6	Revision Date: 12.05.2025	-	DS Number: 000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
Signa	Word	:	Warning	
Hazar	d Statements	:	H317	May cause an allergic skin reaction.
Preca	utionary Statements	:	P101	If medical advice is needed, have product con- tainer or label at hand.
			P102	Keep out of reach of children.
			Prevention	:
			P261 P280	Avoid breathing mist or vapors. Wear protective gloves.
			<b>Response:</b> P302 + P35	
			<b>Disposal:</b> P501	Dispose of contents/ container to an approved waste disposal plant.

#### Hazardous ingredients which must be listed on the label:

1,2-benzisothiazol-3(2H)-one 2-methylisothiazol-3(2H)-one reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

#### **Additional Labeling**

EUH211

1 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ensure thorough ventilation during and after application. Do not allow to enter into surface water or drains.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: 1-C-primer coating

Revision Date:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

SDS Number:



Date of last issue: 30.04.2025

DE / EN

Version

Components				
Chemical name		CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; containing 1 % o cles with aerodyr 10 µm]	r more of parti-	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
2-methylpentane	-2,4-diol	107-41-5 203-489-0 603-053-00-3 01-2119539582-35	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 2; H361d	>= 0,1 - < 1
1,2-benzisothiaz	ol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,0025 - • 0,025
			M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	
			specific concentration limit Skin Sens. 1A; H317 >= 0,036 %	
			Acute toxicity esti- mate	
			Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	
2-methylisothiazo	bl-3(2H)-one	2682-20-4 220-239-6 613-326-00-9 01-2120764690-50	Acute Tox. 2; H330 Acute Tox. 3; H311 Acute Tox. 3; H301 Skin Corr. 1B; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1;	>= 0,0025 - •

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

sion	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
			H410 EUH071
			M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1
			specific concentration limit Skin Sens. 1A; H317 >= 0,0015 %
methy	on mass of 5-chloro-2- yl-2H-isothiazol-3-one yl-2H-isothiazol-3-one	and 2-	
Subst	tances with a workplac	e exposure limit :	>= 0,6 %
	z (SiO2)	14808-60-7 238-878-4 01-21207705	09-45
12	lguhr, soda ash flux-ca		>= 1 - < 1



### Rissfüller



Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019	
		272-489-0 21-21194885	518-22	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

### SECTION 5: Firefighting measures

5.1 Extinguishing media					
Suitable extinguishing media	. :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.			
Unsuitable extinguishing media	:	None known.			

### Rissfüller



VersionRevision Date:SDS Number:Date of last issue: 30.04.20254.612.05.20256000855Date of first issue: 31.10.2019	
---	--

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters		
Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if necessary.
Further information	:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
<b>6.2 Environmental precautions</b> Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat-

## Rissfüller



Version 4.6	Revision Date: 12.05.2025		DS Number: 000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
			ed clothing and p areas.	protective equipment before entering eating
7.2 Cond	litions for safe storage,	, inc	luding any incom	patibilities
	uirements for storage s and containers	:	in heat or direct	zen. To maintain product quality, do not store sunlight. Store at room temperature in the r. Containers which are opened must be care- d kept upright to prevent leakage.
Advi	Advice on common storage		Keep away from oxidizing agents and strongly acid or a materials.	
Stor	age class (TRGS 510)	:	12	
7.3 Spec	ific end use(s)			
Spee	cific use(s)	:	This information	is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Quartz (SiO2)	14808-60-7	TWA (Respirable dust)	0,1 mg/m3	2004/37/EC		
	Further inform	ation: Carcinogens	or mutagens			
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Peak-limit cat	egory: 8; II				
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit cat	egory: 2;(II)	· · · · · · · · · · · · · · · · · · ·			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate 1,25 mg/m3 fraction) (Titanium dioxide)		DE TRGS 900		
	Peak-limit cat	egory: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

### Rissfüller

ersion	Revision Da			ate of last issue: 30.04.2025			
6	12.05.2025	6000	0855 D	ate of first issue: 31.10.2019			
1		1	I <i>.</i> .				
			BM (Alveolar	0,5 mg/m3	DE TRGS		
			dust fraction)		527		
Kiesel	guhr, soda	68855-54-9	AGW (Alveolate	0,3 mg/m3	DE TRGS		
ash flu	ux-calcined		fraction)		900		
		Further inform	nation: When there i	s compliance with the OEL a	nd biological		
		tolerance valu	les, there is no risk	of harming the unborn child			
			MAK (measured	0,3 mg/m3	DE DFG MAP		
			as the alveolate				
			fraction)				
		Further inform	nation: Damage to the	to the embryo or foetus is unlikely when the			
			the BAT value is of				
			MAK (measured	0,02 mg/m3	DE DFG MAR		
			as the alveolate				
			fraction)				
		Further inform	nation: Damage to the	ne embryo or foetus is unlikel	when the		
		MAK value or the BAT value is observed					
2-met	hylpentane-	107-41-5	MAK	10 ppm	DE DFG MAR		
2,4-dio				49 mg/m3			
,		Peak-limit cat	egory: 2; I				
		Further inform	nation: Either there a	are no data for an assessmer	t of damage to		
				evelopmental neurotoxicity, o			
				or classification in one of the g			

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
2-methylpentane-2,4- diol	Consumers	Inhalation	Long-term local ef- fects	25,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	3,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	1,00 mg/kg bw/day
	Consumers	Inhalation	Acute local effects	49,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	1,00 mg/kg bw/day
	Workers	Inhalation	Acute local effects	98,00 mg/m3
	Workers	Inhalation	Long-term systemic	14,00 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

### Rissfüller

		S Number:Date of last issue: 30.04.2020855Date of first issue: 31.10.201						
					effects			
		Workers		Inhalation	Long-term local fects	əf-	49,00 mg/m	
		Workers		Skin contact	Long-term system effects	nic	2,00 mg/kg bw/day	
Predi	cted No Effect Co	oncentratio	on (PN	EC) according t	o Regulation (EC) I	<b>No.</b> 19	07/2006:	
Subst	ance name		Envir	onmental Compa	rtment	V	alue	
contai	im dioxide; [in pow ining 1 % or more /ith aerodynamic c n]	of parti-	Sewa	age treatment pla	nt	10	00 mg/l	
			Fresh	n water		0	,184 mg/l	
			Soil				100 mg/kg dry weight (d.w.)	
			Sea v	water	0	,0184 mg/l		
			Fresh water sediment Sea sediment				1000 mg/kg dry weight (d.w.)	
							100 mg/kg dry weight (d.w.)	
			Interr	nittent use/releas	е		,193 mg/l	
Kiese calcin	lguhr, soda ash flu ed	IX-	Sewa	age treatment pla	nt		00 mg/l	
2-met	hylpentane-2,4-dio	ol	Soil				,11 mg/kg dry reight (d.w.)	
			Interr	nittent use/releas	е		,29 mg/l	
			Seco	ndary Poisoning		1	00 mg/kg foo	
				n water sediment		1,	,79 mg/kg dry reight (d.w.)	
			Seav	water			,0429 mg/l	
			Sewa	age treatment pla	nt	20	0 mg/l	
				sediment			,179 mg/kg d reight (d.w.)	
			Fresh	n water			,429 mg/l	

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection	
		Goggles	
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3	
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves	



DE / EN

### Rissfüller

Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
Skin	and body protection	: Long sleev	ed clothing
		Choose body protection according to the amount and c centration of the dangerous substance at the work place	
		Skin should	d be washed after contact.
		Safety sho	es
			nd wash contaminated clothing before re-use. ay application: impervious clothing
Resp	quired. During spray application: Do r		al respiratory protective equipment normally re-
			ay application: Do not breathe spray dust. Use bination filter for paint spraying.
		DGUV Reg	ulation 112-190 - Use of breathing equipment

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined



DE / EN

Versi 4.6	on Revision D 12.05.2025				Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
I	Decomposition tem	perature :		Not applicable	
I	рΗ	:		8,5 (20 °C) Concentration: 10 Method: DIN EN I	0 % SO 19396-1:2020-05
,	Viscosity Viscosity, dynan	nic :	I	not determined	
	Viscosity, kinem	atic :	I	not determined	
I	Flow time	:	I	not determined	
:	Solubility(ies) Water solubility	:		completely miscib	le
	Partition coefficient octanol/water	:n- :	I	not determined	
Ň	√apor pressure	:		ca. 23,4 hPa (20 °	°C)
I	Relative density	:	I	not determined	
I	Density	:		1,52 g/cm3 (20 °C	S)
I	Bulk density	:		Not applicable	
I	Relative vapor dens	sity :	I	not determined	
	ther information Explosives	:		Not applicable	
(	Oxidizing properties	s :		Not applicable	
I	Flammability (liquid	s) :		The product is not	t flammable.

### Rissfüller

Alpina	

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
4.6	12.05.2025	6000855	Date of first issue: 31.10.2019

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### **10.2 Chemical stability**

No decomposition if stored and applied as directed.

#### **10.3 Possibility of hazardous reactions**

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

#### 10.4 Conditions to avoid

Conditions to avoid :	Protect from frost, heat and sunlight.
-----------------------	--

#### 10.5 Incompatible materials

Materials to avoid	:	Incompatible with acids and bases.
		Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Components:

#### 1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity :	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity :	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
2-methylisothiazol-3(2H)-one:	
Acute oral toxicity :	LD50 (Rat): 120 mg/kg
Acute inhalation toxicity :	LC50 (Rat): 0,145 mg/l Exposure time: 4 h

Alpina

DE / EN

### Rissfüller

Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019		
		Test atmosphe	ere: dust/mist		
reacti (3:1):	on mass of 5-chloro-	2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one		
Acute	oral toxicity	: LD50 (Rat): 66 Method: OECD	s mg/kg ) Test Guideline 401		
Acute	inhalation toxicity	: LC50 (Rat): 0, Exposure time: Test atmosphe Method: OECE	: 4 h		
Acute dermal toxicity : LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402					
	Skin corrosion/irritation Not classified based on available information.				
	Serious eye damage/eye irritation				
	Not classified based on available information.				
-	Respiratory or skin sensitization				
	Skin sensitization May cause an allergic skin reaction.				
•	Respiratory sensitization				
-	assified based on avail	able information.			
	cell mutagenicity				
	assified based on avail	able information.			
	n <b>ogenicity</b> assified based on avail	able information.			
Repro	Reproductive toxicity Not classified based on available information.				
	<b>STOT-single exposure</b> Not classified based on available information.				
	<b>-repeated exposure</b> assified based on avail	able information.			
-	ation toxicity				
	Not classified based on available information.				
_	11.2 Information on other hazards				

**Endocrine disrupting properties** Not classified based on available information.

#### Product:

Assessment

: The substance/mixture does not contain components consid-



ersion .6	Revision Date: 12.05.2025		08 Number: 00855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
			<b>REACH</b> Article	ndocrine disrupting properties according to 57(f) or Commission Delegated regulation 0 or Commission Regulation (EU) 2018/605 a or higher.
ECTION	12: Ecological infor	ma	tion	
2.1 Toxic	ity			
Comp	onents:			
	enzisothiazol-3(2H)-one ty to fish	e:	LC50 (Opcorb)	ynchus mykiss (rainbow trout)): 2,2 mg/l
TOXICI		•	Exposure time	
	ty to daphnia and other c invertebrates	:	Exposure time	
Toxici plants	ty to algae/aquatic	:	Exposure time	strum capricornutum (green algae)): 0,11 mg/ : 72 h ) Test Guideline 201
M-Fac icity)	tor (Acute aquatic tox-	:	1	
M-Fac toxicity	tor (Chronic aquatic y)	:	1	
2-met	hylisothiazol-3(2H)-on	e:		
M-Fac icity)	tor (Acute aquatic tox-	:	10	
M-Fac toxicity	tor (Chronic aquatic y)	:	1	
reacti (3:1):	on mass of 5-chloro-2	-me	thyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-on
M-Fac icity)	tor (Acute aquatic tox-	:	100	
M-Fac	tor (Chronic aquatic	:	100	



113314			
Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
12.3 Bioa	ccumulative potentia	I	
Com	ponents:		
1,2-b	enzisothiazol-3(2H)-o	one:	
	ion coefficient: n- ol/water	: log Pow: 0,63 pH: 7	- 0,76
2-me	thylisothiazol-3(2H)-c	one:	
	ion coefficient: n- ol/water	: log Pow: -0,48 pH: 7	36 (25 °C)
react (3:1):		-2-methyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	: log Pow: <= 0 Method: OEC	,75 D Test Guideline 117
	i <b>lity in soil</b> ata available		
12.5 Resu	Its of PBT and vPvB	assessment	
Prod	uct:		
Asse	ssment	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.
12.6 Endo	ocrine disrupting prop	perties	
Prod	uct:		
Asse	ssment	ered to have e REACH Article	e/mixture does not contain components consid- endocrine disrupting properties according to a 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.
12.7 Othe	r adverse effects		
Prod	uct:		
Addit matic	ional ecological infor- n		ntal hazard cannot be excluded in the event of I handling or disposal.
SECTION	N 13: Disposal cons	iderations	
13.1 Wast	te treatment methods		
Produ	uct		all related packaging must be disposed of in a cordance with the full requirements of the local,



DE / EN

### Rissfüller

Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
		regional, na	ational and international authorities.
		•	ater must not be discharged into the sewage sys- environment.
Conta	aminated packaging	: Only comple cling.	etely emptied containers should be given for recy-
Wast	e Code	: used produce 080112, wa in 08 01 11'	ste paint and varnish other than those mentioned

### **SECTION 14: Transport information**

#### 14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.:	3 Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	4 Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good



### Rissfüller

Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019	

### IATA (Passenger)

: Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the main the market and use of certain date mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
			If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Subs Concern for Authorization (Article		:	None
Regulation (EU) No 2024/590 on plete the ozone layer	substances that de-	:	Not applicable
Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
REACH - List of substances subj (Annex XIV)	ject to authorisation	:	None
Seveso III: Directive 2012/18/EU pean Parliament and of the Cour control of major-accident hazards dangerous substances.	ncil on the	Not	applicable
Water hazard class (Germa- : ny)	WGK 1 slightly water e		
. :	Coating materials, wat	ter-b	ased, containing solvents
Labeling according to Regu- : lation (EU) 528/2012	Treated article, contai tive: CIT/MIT (3:1), BI		a biocidal product. In-can preserva- IT.



### Rissfüller

Version 4.6	Revision Date: 12.05.2025	SDS Number: 6000855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019
Volati	le organic compounds	livestock rearing and control)	75/EU of 24 November 2010 on industrial and g emissions (integrated pollution prevention compounds (VOC) content: 0,51 %
Volatile organic compounds		: Directive 2004/4 < 2 % < 30 g/l	12/EC

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

#### Full text of H-Statements

Eye Dam.

Skin Corr. Skin Irrit.

Eye Irrit.

Repr.

H301	:	Toxic if swallowed.					
H302	:	Harmful if swallowed.					
H310	:	Fatal in contact with skin.					
H311	:	Toxic in contact with skin.					
H314	:	Causes severe skin burns and eye damage.					
H315	:	Causes skin irritation.					
H317	:	May cause an allergic skin reaction.					
H318	:	Causes serious eye damage.					
H319	:	Causes serious eye irritation.					
H330	:	Fatal if inhaled.					
H351	:	Suspected of causing cancer if inhaled.					
H361d	:	Suspected of damaging the unborn child.					
H400	:	Very toxic to aquatic life.					
H410	:	Very toxic to aquatic life with long lasting effects.					
EUH071	:	Corrosive to the respiratory tract.					
Full text of other abbreviations							
Acute Tox.	:	Acute toxicity					
Aquatic Acute	:	Short-term (acute) aquatic hazard					
Aquatic Chronic	:	Long-term (chronic) aquatic hazard					
Carc.	:	Carcinogenicity					

: Eye irritation

: Serious eye damage

: Reproductive toxicity

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



# Alpina O

## Rissfüller

Version 4.6	Revision Date: 12.05.2025		0S Number: 00855	Date of last issue: 30.04.2025 Date of first issue: 31.10.2019	
Skin Se 2004/37		:	from the risks rela	2004/37/EC on the protection of workers ted to exposure to carcinogens, mutagens tances at work - Annex III	
DE DFO	G MAK	:	Germany. MAK B		
DE TRO	GS 527	:	Germany. TRGS	527 - Activities with nanomaterials	
DE TRO	GS 900	:		Germany. TRGS 900 - Occupational exposure limit values.	
	7/EC / TWA	:	Long term exposu	ire limit	
	G MAK / MAK	:	MAK value		
	GS 527 / BM	:	Assessment scale	-	
DE TRO	GS 900 / AGW	:	Time Weighted Av	verage	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Viatiation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Solutorin to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic sub

#### Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

### Rissfüller



Version	Revision Date: 12.05.2025	SDS Number:	Date of last issue: 30.04.2025
4.6		6000855	Date of first issue: 31.10.2019

**Classification of the mixture:** 

H317

Classification procedure:

Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

Skin Sens. 1

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN