

FeineFarben Zauber der Wüste

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	11.07.2025	6020164	Date of first issue: 25.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	uct identifier le name	:	FeineFarben Zauber der Wüste
1.2 Relev	vant identified uses of the	e s	ubstance or mixture and uses advised against
	of the Sub- ce/Mixture	:	Water-borne coatings
Rec on u	ommended restrictions se	:	within adequate application - none
1.3 Detai	ils of the supplier of the s	saf	ety data sheet
	ipany	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Tele	phone fax	:	+498001238887 +4961547170632
	osite ail address Responsi- ssuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



FeineFarben Zauber der Wüste

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	11.07.2025	6020164	Date of first issue: 25.02.2020

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Registration number		
titanium dioxide	13463-67-7		>= 10 - < 20
	236-675-5		
	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration limit	
		Skin Irrit. 2; H315	
		>= 40 %	
		Eye Irrit. 2; H319	
		>= 40 %	



FeineFarben Zauber der Wüste

Version 4.2	Revision Date: 11.07.2025	SDS Number: 6020164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020	
			STOT SE 3; H335 >= 75 %	
Subst	ances with a workplace	ce exposure limit :		
Talc (Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-21201402	>= 1 -	< 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread



FeineFarben Zauber der Wüste

Ver 4.2	rsion	Revision Date: 11.07.2025		DS Number: 20164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020
				fire.	
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire fighting		:	produced such as	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-	
5.3	Advice	for firefighters			
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Furthe	r information	:	Standard procedu The product itself	ure for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.			
6.2 Environmental precautions				
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.			
	Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for conta	inment and cleaning up			
Methods for cleaning up :	Keep in suitable, closed containers for disposal.			

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8.
	No special technical protective measures required.



FeineFarben Zauber der Wüste

Versic 4.2	on Revision Date: 11.07.2025		DS Number: 020164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020	
Hygiene measures			Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.		
7.2 Co	onditions for safe storage,	inc	luding any incom	patibilities	
Requirements for storage areas and containers		:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.		
A	Advice on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline	
S	Storage class (TRGS 510)	:	12		
7.3 Sp	pecific end use(s)				
S	Specific use(s)	:	This information i	s not available.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
	Peak-limit cat	egory: 8; II					
	Further inform	nation: Substances the	nat cause cancer in humans	or animals or			
			enic for humans and for whi				
			mbryo or foetus is unlikely w	hen the MAK			
	value or the E	AT value is observe		-			
		AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat						
			compliance with the OEL a	nd biological			
	tolerance valu	es, there is no risk c	f harming the unborn child				
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	(Titanium dioxide)	900			
	Peak-limit cat	egory: 2;(II)					
	Further inform	nation: When there is	compliance with the OEL a	nd biological			
	tolerance valu	tolerance values, there is no risk of harming the unborn child					
		DE TRGS					
		dust fraction)		527			
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS			
(Mg3H2(SiO3)4)		fraction)		900			



FeineFarben Zauber der Wüste

Version 4.2		Revision Dat 11.07.2025	e: SDS 6020	Number: 164	Date of last issue: 05 Date of first issue: 25		
				nation: When ther	e is compliance with		biological
			tolerance valu	ies, there is no ris	sk of harming the unb	orn child	
				AGW (Alveolate fraction)	e 1,25 mg/m3		DE TRGS 000
Pea		Peak-limit category: 2;(II)					
Further information: When there is compliance with the OEL and bio tolerance values, there is no risk of harming the unborn child				biological			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Sea sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l



FeineFarben Zauber der Wüste

Version 4.2	Revision Date: 11.07.2025		DS Number: 20164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020
			Intermittent use Fresh water Sewage treatm	7,5 mg/l
8.2 Expos	sure controls			<u> </u>
Perso	onal protective equip	ment		
Eye/fa	ace protection	:		protection when the potential for inadvertent the product cannot be excluded.
			DGUV Regulation	n 112-192 - Use of eye and face protection
Ma Gl	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3	
Re	emarks	:	Wear suitable gl	gloves clean them with soap and water. oves tested to EN374. n 112-195 - Use of protective gloves
Skin a	and body protection	:	Safety shoes Long sleeved clo	othing
				ptection according to the amount and con- dangerous substance at the work place.
			Skin should be v	ashed after contact.
Respi	iratory protection	:	No personal res quired.	piratory protective equipment normally re-
			When spraying, spray dust.	use face mask with particle filter P2 against
			DGUV Regulation	n 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	brown
Odor	:	No data available



FeineFarben Zauber der Wüste

Vers 4.2	sion	Revision Date: 11.07.2025		S Number: 20164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
				Not applicable	
	Autoign	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	11,4 Concentration: 10	00 %
	Viscosi Visc	ty osity, dynamic	:	No data available	
	Solubili Wat	ty(ies) er solubility	:	completely miscil	ble
	Partition octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Density		:	1,4200 g/cm3	
	Relative	e vapor density	:	not determined	

9.2 Other information



FeineFarben Zauber der Wüste

Version 4.2	Revision Date: 11.07.2025	SDS Number: 6020164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020
Explo	sives	: Not applicable	
Oxidiz	zing properties	: Not applicable	
Flamr	nability (liquids)	: The product is	not flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

Serious eye damage/eye irritation

Not classified based on available information.



FeineFarben Zauber der Wüste

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	11.07.2025	6020164	Date of first issue: 25.02.2020

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



FeineFarben Zauber der Wüste

	Version 4.2	Revision Date: 11.07.2025	SDS Number: 6020164	Date of last issue: 05.11.2024 Date of first issue: 25.02.2020
--	----------------	---------------------------	------------------------	---

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:	
Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
	Washing water must not be discharged into the sewage sys- tem or the environment.
Contaminated packaging	Only completely emptied containers should be given for recy- cling.
Waste Code	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



FeineFarben Zauber der Wüste

Version 4.2	Revision Date: 11.07.2025	SDS Number:Date of last issue6020164Date of first issue	
	_		
IMDO	3	: Not regulated as a dangerous good	
IATA	-	: Not regulated as a dangerous good	
14.2 UN p	proper shipping name		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	۱.	: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(es		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMD	3	: Not regulated as a dangerous good	
IATA	-	: Not regulated as a dangerous good	
14.4 Pacl	king group		
ADN		· Not regulated as a dangerous good	
		: Not regulated as a dangerous good	
,		: Not regulated as a dangerous good	
RID	_	: Not regulated as a dangerous good	
IMDO	-	: Not regulated as a dangerous good	
	(Cargo)	: Not regulated as a dangerous good	
IATA	(Passenger)	: Not regulated as a dangerous good	
	ronmental hazards		
	egulated as a dangerou	-	
•	cial precautions for us		and the second
Rem	arks	: Not classified as dangerous in the m lations.	eaning of transport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:



FeineFarben Zauber der Wüste

Versi 4.2	ion	Revision Date: 11.07.2025		9S Number: 20164			last issue: 05.11.2024 first issue: 25.02.2020
r	mixture	s and articles (Annex)	×∨II)			Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Substances Concern for Authorization (Article 59) (l	:	None
	Regulation (EU) No 2024/590 on substances that de plete the ozone layer					:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic po tants (recast)					:	Not applicable
	REACH (Annex	I - List of substances s XIV)	ubje	ect to authorisation		:	None
F	pean Pa control	III: Directive 2012/18/ arliament and of the Co of major-accident haza bus substances.	oun	cil on the		Not	applicable
	Water h ny)	azard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)
			:	Coating materials,	, wa	ter-ba	ased, low preservative content
Ň	Volatile	organic compounds	:	livestock rearing e and control)	emis	sions	4 November 2010 on industrial and s (integrated pollution prevention ls (VOC) content: < 0,01 %
Ň	Volatile	organic compounds	:	Directive 2004/42/ < 0.1 % < 1 g/l	/EC		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.





FeineFarben Zauber der Wüste

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	11.07.2025	6020164	Date of first issue: 25.02.2020

SECTION 16: Other information

Full text of H-Statements					
H315	:	Causes skin irritation.			
H319	:	Causes serious eye irritation.			
H335	:	May cause respiratory irritation.			
Full text of other abbreviations					
Eye Irrit.	:	Eye irritation			
Skin Irrit.	:	Skin irritation			
STOT SE	:	Specific target organ toxicity - single exposure			
DE DFG MAK	:	Germany. MAK BAT Annex IIa			
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials			
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.			
DE DFG MAK / MAK	:	MAK value			
DE TRGS 527 / BM	:	Assessment scale			
DE TRGS 900 / AGW	:	Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Dose to 50% of a test population; ILD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CEC - Organization; FICOS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR

Further information Other information No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC. Sources of key data used to : ECHA WebSite compile the Material Safety ACGIH (American Conference of Government Industrial Hy-Data Sheet gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials



FeineFarben Zauber der Wüste

Version	Revision Date: 11.07.2025	SDS Number:	Date of last issue: 05.11.2024
4.2		6020164	Date of first issue: 25.02.2020
		Arbeitsschutz de (IFA, Institute fo man Social Acci	pase on hazardous substances - Institut für er Deutschen Gesetzlichen Unfallversicherung r Occupational Safety and Health of the Ger- dent Insurance) ogy Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN