

FeineFarben Elfenbein-Rebellin

Version	Revision Date:	SDS Number:	Date of last issue: 30.10.2024
3.2	11.07.2025	6020144	Date of first issue: 25.02.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	FeineFarben Elfenbein-Rebellin
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



FeineFarben Elfenbein-Rebellin

Version	Revision Date:	SDS Number:	Date of last issue: 30.10.2024
3.2	11.07.2025	6020144	Date of first issue: 25.02.2020

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		. ,
	Registration number		
titanium dioxide	13463-67-7		>= 1 - < 10
	236-675-5		
	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration	
		Skin Irrit. 2; H315	
		>= 40 %	
		Eye Irrit. 2; H319	
		>= 40 %	



FeineFarben Elfenbein-Rebellin

ersion .2	Revision Date: 11.07.2025	SDS Number: 6020144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020
			STOT SE 3; H335 >= 75 %
Subst	tances with a workplace	exposure limit :	
Talc ((Mg3H2(SiO3)4)	14807-96-6	>= 10 - < 20
		238-877-9	
		01-21201402	78-58
Kiese	lguhr, soda ash flux-calc	ined 68855-54-9	>= 1 - < 10
	-	272-489-0	
		21-21194885	18-22

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car-
		bon dioxide.



FeineFarben Elfenbein-Rebellin

Versic 3.2	on Revision Date: 11.07.2025		DS Number: 020144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020					
			cumstances and	g measures that are appropriate to local cir- the surrounding environment. d water stream as it may scatter and spread					
	Insuitable extinguishing nedia	:	None known.						
5.2 Sp	5.2 Special hazards arising from the substance or mixture								
	pecific hazards during fire ghting	:	produced such as	zardous decomposition products may be s: e, carbon dioxide and unburned hydrocar-					
5.3 Ac	dvice for firefighters								
	pecial protective equipment or fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-					
F	urther information	:	Standard procedu The product itself	ure for chemical fires. does not burn.					

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	tive	equipment and emergency procedures
Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for con	ntair	nment and cleaning up
Methods for cleaning up	:	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
6.4 Reference to other sections		

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling



FeineFarben Elfenbein-Rebellin

Vers 3.2	sion	Revision Date: 11.07.2025		DS Number: 20144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020
	Advice	on safe handling	:		ection see section 8. cal protective measures required.
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.		
7.2 (Conditi	ons for safe storage,	inc	luding any incom	patibilities
Requirements for storage areas and containers		:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the c. Containers which are opened must be care- d kept upright to prevent leakage.	
	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
	Storag	e class (TRGS 510)	:	12	
7.3 \$	-	c end use(s) c use(s)	:	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

·						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS		
(Mg3H2(SiO3)4)		fraction)	- 3	900		
	Peak-limit cat	egory: 2;(II)				
	Further inform	nation: When there is	compliance with the OEL ar	nd biological		
	tolerance valu	ies, there is no risk c	of harming the unborn child			
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)		900		
	Peak-limit cat	egory: 2;(II)				
	Further information: When there is compliance with the OEL and biological					
	tolerance valu	ies, there is no risk c	of harming the unborn child			
titanium dioxide	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK		
		as the alveolate				
		fraction)				
	Peak-limit cat	egory: 8; II				
	Further inform	nation: Substances th	nat cause cancer in humans	or animals or		
	that are considered to be carcinogenic for humans and for which a MAK value					
	can be derived., Damage to the embryo or foetus is unlikely when the MAK					
	value or the B	AT value is observe	d			
		AGW (Inhalable	10 mg/m3	DE TRGS		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

FeineFarben Elfenbein-Rebellin

Version 3.2	Revision Date 11.07.2025	e: SDS 6020		Date of last issue: 30.10.2024 Date of first issue: 25.02.2020				
		Deal l'astronom	fraction)	(Titanium dioxide)	900			
		Peak-limit cat						
				e is compliance with the OEL at	nd biological			
		tolerance valu		k of harming the unborn child	DE TRGS			
			AGW (Alveolate		900			
		Doold limit oot	fraction)	(Titanium dioxide)	900			
		Peak-limit cat		a is compliance with the OEL of	ad hielegiaal			
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child						
				0,5 mg/m3	DE TRGS			
			BM (Alveolar dust fraction)	0,5 mg/m3	527			
Kipsp	lguhr, soda	68855-54-9	AGW (Alveolate	0,3 mg/m3	DE TRGS			
	ux-calcined	00000-04-9	fraction)	6,5 mg/m3	900			
			ation: When there	e is compliance with the OEL and the official strains in the unborn child				
			MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
			MAK (measured as the alveolate fraction)		DE DFG MAK			
		Peak-limit category: 8; II						
		Further inform		the embryo or foetus is unlikel observed	y when the			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic	1,49 mg/kg



FeineFarben Elfenbein-Rebellin

Version	
3.2	

Revision Date: 11.07.2025

SDS Number:
6020144

Date of last issue: 30.10.2024 Date of first issue: 25.02.2020

effects bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l

8.2 Exposure controls

Personal protective equipment					
Eye/face protection :	not required Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.				
	DGUV Regulation 112-192 - Use of eye and face protection				
Glove thickness	Nitrile rubber 0,2 mm Class 3				
Remarks	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin and body protection	Safety shoes Long sleeved clothing				
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.				
	Skin should be washed after contact.				
Respiratory protection	No personal respiratory protective equipment normally re- quired.				
	When spraying, use face mask with particle filter P2 against				

Alpina 0

DE / EN

FeineFarben Elfenbein-Rebellin

Version	Revision Date: 11.07.2025	SDS Number:	Date of last issue: 30.10.2024
3.2		6020144	Date of first issue: 25.02.2020
		spray dust.	

DGUV Regulation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	yellow
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11,4 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible



FeineFarben Elfenbein-Rebellin

Vei 3.2	rsion	Revision Date: 11.07.2025		S Number: 20144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Density	,	: 1,4000 g/cm3		
	Relativ	e vapor density	: not determ		
9.2	Other in	formation			
•	Explosi		:	Not applicable	
	Oxidiziı	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions :		No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid :		Protect from frost, heat and sunlight.
-----------------------	--	--

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



FeineFarben Elfenbein-Rebellin

Version	Revision Date:	SDS Number:	Date of last issue: 30.10.2024
3.2	11.07.2025	6020144	Date of first issue: 25.02.2020

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation



FeineFarben Elfenbein-Rebellin

Version	Revision Date:	SDS Number:	Date of last issue: 30.10.2024
3.2	11.07.2025	6020144	Date of first issue: 25.02.2020

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment	 The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or bigher.
	levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.

Washing water must not be discharged into the sewage system or the environment.



FeineFarben Elfenbein-Rebellin

Version 3.2	Revision Date: 11.07.2025	SDS Number: 6020144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020
Conta	aminated packaging	: Only completel cling.	y emptied containers should be given for recy-
Waste Code		: used product 080112, waste in 08 01 11*	paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	3 Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good



FeineFarben Elfenbein-Rebellin

Version	Revision Date:	SDS Number:	Date of last issue: 30.10.2024
3.2	11.07.2025	6020144	Date of first issue: 25.02.2020

14.5 Environmental hazards

Remarks

Not regulated as a dangerous good

14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing of the market and use of certain dangerous substance mixtures and articles (Annex XVII)				
REACH - Candidate List of Substances of Very Higl Concern for Authorization (Article 59) (SVHC).	n : None			
Regulation (EU) No 2024/590 on substances that de plete the ozone layer	e- : Not applicable			
Regulation (EU) 2019/1021 on persistent organic po tants (recast)	ollu- : Not applicable			
REACH - List of substances subject to authorisation : None (Annex XIV)				
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- : WGK 1 slightly w ny) Classification acc	ater endangering cording to AwSV, Annex 1 (5.2)			
. : Coating materials	, water-based, low preservative content			
livestock rearing and control)	5/EU of 24 November 2010 on industrial and emissions (integrated pollution prevention ompounds (VOC) content: < 0,01 %			



FeineFarben Elfenbein-Rebellin

Version	Revision Date: 11.07.2025	SDS Number:	Date of last issue: 30.10.2024
3.2		6020144	Date of first issue: 25.02.2020
Volatile organic compounds		: Directive 2004/42 < 0.1 % < 1 g/l	2/EC

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315 H319 H335	 Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. 			
Full text of other abbreviations				
Eye Irrit. Skin Irrit. STOT SE DE DFG MAK DE TRGS 527 DE TRGS 900 DE DFG MAK / MAK DE TRGS 527 / BM DE TRGS 900 / AGW	 Eye irritation Skin irritation Specific target organ toxicity - single exposure Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. MAK value Assessment scale Time Weighted Average 			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with % response; ELX - Loading rate associated with x% response; EMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Covid Avietics on the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISC1 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population for Standardization; KECI - Korea Existing Chemicals Inventory of Chemicals and Development; OPTS - Of Gree of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Development; OPTS - Of Stances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

: No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accord-



FeineFarben Elfenbein-Rebellin

Version 3.2	Revision Date: 11.07.2025	SDS Number: 6020144	Date of last issue: 30.10.2024 Date of first issue: 25.02.2020
		ance with Reg	ulations 1272/2008 EC or 1999/45/EC.
com	ces of key data used to bile the Material Safety Sheet	gienists). 2014 for chemical su Exposure Indic 2014 ACGIH, (NIOSH - Regis ECDIN - Enviro work - Joint Re Communities SAX'S - Dange GESTIS - Data Arbeitsschutz o (IFA, Institute f man Social Activity	can Conference of Government Industrial Hy- TLVs and BEIs. Threshold Limit Values (TLVs) ubstances and physical agents and Biological ces (BEIs) with Seventh Edition documentation.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN