

Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Metallschutz-Lack Spezial-Haftgrund
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Solvent-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone Telefax		+498001238887 +4961547170632
	TEIEIAX	•	+4901547170052
	Website	:	www.alpina-farben.de
	E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4	Emergency telephone		
	Emergency telephone 1	:	+49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)					
Flammable liquids, Category 3	H226: Flammable liquid and vapor.				
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.				
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting ef- fects.				

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Metallschutz-Lack Spezial-Haftgrund

Versic 3.3	on	Revision Date: 18.12.2024		DS Number: 003314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
ŀ	Hazard	pictograms	:		
S	Signal V	Vord	:	Warning	
F	Hazard	Statements	:	H226 H336 H412	Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
	Suppler Stateme	nental Hazard ents	:	EUH066	Repeated exposure may cause skin dryness or cracking.
F	Precaut	ionary Statements	:	P101 P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.
				Prevention	
				P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
				P271	Use only outdoors or in a well-ventilated area.
				Response:	
				P370 + P37	8 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
				Storage:	
				P405	Store locked up.
				Disposal:	
				P501	Dispose of contents/ container to an approved waste disposal plant.

Hazardous ingredients which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

Additional Labeling

EUH211

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Primer based on alkyd resin linseed oil, solvent-containing

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		
	Registration number		
Naphtha (petroleum), hydrotreat-	64742-48-9	Flam. Liq. 3; H226	>= 30 - < 50
ed heavy; Low boiling point ydro-	265-150-3	STOT SE 3; H336	
gen treated naphtha	649-327-00-6	Asp. Tox. 1; H304	
	01-2119457273-39,	EUH066	
	01-2119463258-33		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
zinc oxide	1314-13-2	Aquatic Acute 1;	>= 1 - < 2,5
	215-222-5	H400	
	030-013-00-7	Aquatic Chronic 1;	
	01-2119463881-32,	H410	
	01-2120089607-43,		
	01-2120767291-53		
zinc 5-nitroisophthalate	60580-61-2	Aquatic Acute 1;	>= 0,25 - < 1
	262-309-9	H400	
	01-2120768444-47	Aquatic Chronic 2;	
trizing his (orthornhoonhote)	7770.00.0	H411	. 0.05 4
trizinc bis(orthophosphate)	7779-90-0	Aquatic Acute 1; H400	>= 0,25 - < 1
	231-944-3		
	030-011-00-6	Aquatic Chronic 1; H410	
Substances with a workplace expo	01-2119485044-40	11410	l
Substances with a workplace expo			>= 1 - < 10
Talc (Mg3H2(SiO3)4)	14807-96-6 238-877-9		>= 1 - < 10
	01-2120140278-58		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.



Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024		DS Number: 003314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019	
			possible). Move out of dang	, seek medical advice (show the label where jerous area. to protect himself.	
lf inha	aled	:	If symptoms pers Move to fresh air	ist, call a physician.	
In case of skin contact		:	of water.	ents or thinners. t, immediately flush skin with soap and plenty minated clothing immediately.	
In cas	In case of eye contact :		IF IN EYES: Rins	rsists: Get medical advice/ attention. e cautiously with water for several minutes. lenses, if present and easy to do. Continue	
lf swa	llowed	:	Clean mouth with	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	
4.2 Moot :		n al .	ffeete beth eeut		
4.2 MOSt I Risks	mportant symptoms a	na (:		e and delayed siness or dizziness.	
				re may cause skin dryness or cracking.	
1 2 Indica	tion of any immodiate	mo	dical attention an	d special treatment needed	
Treat	-	:	No information av	-	
SECTION	I 5: Firefighting mea	sur	es		
5.1 Exting	uishing media				
Suital	ble extinguishing media	:	cumstances and Use water spray, bon dioxide.	g measures that are appropriate to local cir- the surrounding environment. alcohol-resistant foam, dry chemical or car- d water stream as it may scatter and spread	
Unsui media	table extinguishing	:	: None known.		
5.2 Specia	al hazards arising from	the	e substance or mi	xture	
	fic hazards during fire	:	Cool closed contain In case of fire has produced such as	ainers exposed to fire with water spray. zardous decomposition products may be	



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires. In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions :	Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Remove all sources of ignition.			
6.2 Environmental precautions				
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.			
6.3 Methods and material for containment and cleaning up				
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).			

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms. Please follow the technical information.
Advice on protection against : fire and explosion	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures :	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec-



Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024		DS Number:)03314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
			tive equipment b	efore entering eating areas.
7.2 Condi	tions for safe storage	, inc	luding any incom	npatibilities
	irements for storage and containers	:	dry, well ventilate and direct sunlig	container. Store between 41 and 77 °F in a ed place away from sources of heat, ignition ht. Containers which are opened must be d and kept upright to prevent leakage.
Stora	ge class (TRGS 510)	:	3	
•	f ic end use(s) ific use(s)	:	This information	is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Naphtha (petrole- um), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	AGW	300 mg/m3	DE TRGS 900		
	Peak-limit cat	egory: 2;(II)				
	Further inform	ation: Group exposu	ure limit for hydrocarbon solv	ent mixtures		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Peak-limit category: 8; II					
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900		
	Peak-limit cate	egory: 2;(II)				
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Metallschutz-Lack Spezial-Haftgrund

Version	Revision Dat			ate of last issue: 24.06.2024	
3.3	18.12.2024	6003	D314 D	ate of first issue: 09.07.2019	
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527
Talc (Mg3H	H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900
		Peak-limit cat	egory: 2;(II)	•	
				s compliance with the OEL ar of harming the unborn child	nd biological
			AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
		Peak-limit cat	egory: 2;(II)		
				s compliance with the OEL ar of harming the unborn child	nd biological
zinc o	xide	1314-13-2	MAK (measured as the alveolate fraction)	0,1 mg/m3	DE DFG MAK
				: peak limit I(1), Damage to th alue or the BAT value is obse	
			MAK (inhalable fraction)	2 mg/m3	DE DFG MAK
				: peak limit I(1), Damage to th alue or the BAT value is obso	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
zinc oxide	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
trizinc bis(orthophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3



Metallschutz-Lack Spezial-Haftgrund

Version Revision Date: 3.3 18.12.2024			S Number: 3314		f last issue: 24.06.202 f first issue: 09.07.207	
		Workers	Inhalat	tion	Long-term systemic effects	5,00 mg/m3
		Workers	Skin c	ontact	Long-term systemic effects	83,00 mg/kg bw/day
Predi	icted No Effect Co	oncentratio	on (PNEC) acc	cording to	Regulation (EC) No.	1907/2006:
Subst	Substance name titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]		Environment	al Compart	ment	Value
conta cles v			Sewage trea	tment plant		100 mg/l
	-		Fresh water			0,184 mg/l
			Soil			100 mg/kg dry weight (d.w.)
			Sea water			0,0184 mg/l
			Fresh water	sediment		1000 mg/kg dry weight (d.w.)
			Sea sedimer	nt		100 mg/kg dry

		0,010+1119/1
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
zinc oxide	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l
	Fresh water	20,6 µg/l
	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 μg/l
	Soil	35,6 mg/kg dry weight (d.w.)
trizinc bis(orthophosphate)	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Fresh water	20,6 µg/l
	Soil	35,6 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 µg/l
	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection		
Material	: Nitrile rubbe	r
Glove thickness	: 0,2 mm	
Protective index	: Class 3	



Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024	SDS Number: 6003314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
Remarks		cation of c moving glo ble gloves	ould be discarded and replaced if there is any indi- legradation or chemical breakthrough. Before re- oves clean them with soap and water. Wear suita- tested to EN374. gulation 112-195 - Use of protective gloves
Skin	Skin and body protection		bes ved clothing
			ody protection according to the amount and con- of the dangerous substance at the work place.
		Skin shou	ld be washed after contact.
		During spi	ay application: impervious clothing
Resp	Respiratory protection		al respiratory protective equipment normally re-
			ay application: Do not breathe spray dust. Use nbination filter for paint spraying.
		DGUV Re	gulation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined



Metallschutz-Lack Spezial-Haftgrund

Versio 3.3	n Revision Date: 18.12.2024		S Number: 03314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
F	ash point	:	40,5 °C Method: ISO 152	23
A	utoignition temperature	:	not determined	
D	ecomposition temperature	:	Not applicable	
pl	4	:	substance/mixtu	re is non-soluble (in water)
V	iscosity			
	Viscosity, dynamic	:	633 mPa.s (20 ° Method: ISO 32	
	Viscosity, kinematic	•	> 21 mm2/s (40 Method: ISO 288	
F	low time	:	Not applicable	
S	olubility(ies) Water solubility	:	partly miscible	
	artition coefficient: n- ctanol/water	:	not determined	
V	apor pressure	:	not determined	
R	elative density	:	not determined	
D	ensity	:	1,241 g/cm3 (20 Method: DIN EN	
В	ulk density	:	Not applicable	
R	elative vapor density	:	Heavier than air.	
9.2 Ot	her information			
	xplosives	:	Not applicable	



Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024	SDS Number: 6003314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019	
Oxidi	zing properties	: Not applicab	le	
Flam	mability (liquids)	: Sustains cor	nbustion	
Evaporation rate		: Not applicab	le	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Partition coefficient: noctanol/water : log Pow: 1,99 - 18,02 (20 °C) pH: 7

12.4 Mobility in soil

No data available



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
	levels of 0.1% or higher.

12.7 Other adverse effects

Additional ecological infor- mation	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	UN 1263
ADR	:	UN 1263
RID	:	UN 1263

Commission Regulation (EU) 2020/878



DE / EN

Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024		DS Number: 03314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
IMDO		:	UN 1263	
		:	UN 1263	
-	oroper shipping name			
ADN		:	PAINT	
ADR		:	PAINT	
RID		:	PAINT	
IMDO		:	PAINT	
ΙΑΤΑ		:	Paint	
14.3 Tran	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	3	
ADR		:	3	
RID		:	3	
IMDO	3	:	3	
ΙΑΤΑ		:	3	
14.4 Pack	ing group			
Class	ing group sification Code rd Identification Number Is	:	III F1 30 3	
Class Haza Labe	ing group sification Code rd Identification Number Is el restriction code	:	III F1 30 3 (D/E)	
Class	ing group sification Code rd Identification Number Is	:	III F1 30 3	
Labe	ing group	:	III 3 F-E, <u>S-E</u>	
Pack aircra		:	366	
	ing instruction (LQ) ing group	:	Y344 III	



Metallschutz-Lack Spezial-Haftgrund

Ver 3.3	sion	Revision Date: 18.12.2024		DS Number: 003314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
	Labels		:	Flammable Liquid	ds
IATA (Passenger) Packing instruction (passen- ger aircraft)		:			
	Packing instruction (LQ) Packing group			Y344 III	
14.	Labels 14.5 Environmental hazards		:	Flammable Liquid	ls
	ADN				
		nmentally hazardous	:	no	
	ADR Enviror	nmentally hazardous	:	no	
	RID Enviror	nmentally hazardous	:	no	
	IMDG				

14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: no

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
		If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation	:	None



Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024		DS Number: 03314		Date of last issue: 24.06.2024 Date of first issue: 09.07.2019
(Anne	x XIV)				
pean contro	so III: Directive 2012/18 Parliament and of the C ol of major-accident haz prous substances.	Coun	cil on the	P5c	FLAMMABLE LIQUIDS
				34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Water ny)	r hazard class (Germa-	:			ter endangering ording to AwSV, Annex 1 (5.2)
		:	BSL20 Coatii sified	ng ma	aterials, solvent-based, aromatic-free, clas-
Volati	le organic compounds	:	emissions (in	itegra	EU of 24 November 2010 on industrial ted pollution prevention and control) mpounds (VOC) content: 36,44 %
Volati	le organic compounds	:	Directive 200 < 37 % < 460 g/l)4/42/	EC

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements		
H226	:	Flammable liquid and vapor.
H304	:	May be fatal if swallowed and enters airways.
H336	:	May cause drowsiness or dizziness.
H351	:	Suspected of causing cancer if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878





Metallschutz-Lack Spezial-Haftgrund

Version 3.3	Revision Date: 18.12.2024		DS Number: 03314	Date of last issue: 24.06.2024 Date of first issue: 09.07.2019			
H411 EUH066		:	Toxic to aquatic life with long lasting effects.Repeated exposure may cause skin dryness or cracking.				
Full text of other abbreviations							
Aquatic Acute Aquatic Chronic Asp. Tox. Carc. Flam. Liq. STOT SE DE DFG MAK DE TRGS 527 DE TRGS 900 DE DFG MAK / MAK DE TRGS 527 / BM DE TRGS 900 / AGW			Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Aspiration hazard Carcinogenicity Flammable liquids Specific target organ toxicity - single exposure Germany. MAK BAT Annex IIa Germany. TRGS 527 - Activities with nanomaterials Germany. TRGS 900 - Occupational exposure limit values. MAK value Assessment scale Time Weighted Average				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of So% of a test population; LD50 - Lethal Dose to 50% of a test population; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; DS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -

Further information

Other information	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger-



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 24.06.2024
3.3	18.12.2024	6003314	Date of first issue: 09.07.2019

man Social Accident Insurance) Toxnet - Toxicology Data Network

Classification of the m	nixture:	Classification procedure:
Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN