



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier				
Trade name	:	Metallschutz-Lack Spezial-Haftgrund		
Unique Formula Identifier (UFI)	:	EA30-5RU0-M01Q-1X18		

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- stance/Mixture	:	Solvent-borne coatings
Recommended restrictions on use	:	within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company	: Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT	
Telephone	: +498001238887	
Telefax	: +4961547170632	
Website	: www.alpina-farben.de	
E-mail address Responsi- ble/issuing person	: msds@dr-rmi.com	

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Flammable liquids, Category 3	H226: Flammable liquid and vapor.		
Specific target organ toxicity - single ex- posure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.		
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.		



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008) Hazard pictograms :					
Signal Word	:	Warning			
Hazard Statements	:	H226 H336 H412	Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.		
Supplemental Hazard Statements	:	EUH066	Repeated exposure may cause skin dryness or cracking.		
Precautionary Statements	:	P101 P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.		
		Prevention	•		
		P210 P271	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use only outdoors or in a well-ventilated area.		
		Response:			
		P370 + P37	8 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.		
		Storage: P405	Store locked up.		
		Disposal: P501	Dispose of contents/ container to an approved waste disposal plant.		

Hazardous ingredients which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ensure thorough ventilation during and after application. Do not allow to enter into surface water or drains.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : 1-C alkyd resin coloured lacquer

Components				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Index-No.			
	Registration number			
Naphtha (petroleum), hydrotreat-	64742-48-9	Flam. Liq. 3; H226	>= 30 - < 50	
ed heavy; Low boiling point ydro-	265-150-3	STOT SE 3; H336		
gen treated naphtha	649-327-00-6	Asp. Tox. 1; H304		
	01-2119457273-39,	EUH066		
	01-2119463258-33			
zinc oxide	1314-13-2	Aquatic Acute 1;	>= 1 - < 2,5	
	215-222-5	H400		
	030-013-00-7	Aquatic Chronic 1;		
	01-2119463881-32,	H410		
	01-2120089607-43,			
	01-2120767291-53			
zinc 5-nitroisophthalate	60580-61-2	Aquatic Acute 1;	>= 0,25 - < 1	
	262-309-9	H400		
	01-2120768444-47	Aquatic Chronic 2;		
		H411		
trizinc bis(orthophosphate)	7779-90-0	Aquatic Acute 1;	>= 0,25 - < 1	
	231-944-3	H400		
	030-011-00-6	Aquatic Chronic 1;		
	01-2119485044-40	H410		
Substances with a workplace exposure limit :				
titanium dioxide	13463-67-7		>= 10 - < 20	
	236-675-5			
	01-2119489379-17			
Talc (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10	
	238-877-9			
	01-2120140278-58			

For explanation of abbreviations see section 16.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures				
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.		
If inhaled	:	If symptoms persist, call a physician. Move to fresh air.		
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. Take off all contaminated clothing immediately.		
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
4.2 Most important symptoms and effects, both acute and delayed				
Risks	:	May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking.		
4.3 Indication of any immediate	me	dical attention and special treatment needed		
Treatment	:	No information available.		

SECTION 5: Firefighting measures

5.1 I	Extinguishing media		
	Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.



Metallschutz-Lack Spezial-Haftgrund

Versio 3.5	n Revision Date: 10.07.2025		DS Number: 003314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019				
5.2 Sp	5.2 Special hazards arising from the substance or mixture							
	pecific hazards during fire ghting	:	Cool closed containers exposed to fire with water spray. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar bons (smoke).					
5.3 Ad	vice for firefighters							
	pecial protective equipment r fire-fighters	:	In the event of fire	e, wear self-contained breathing apparatus.				
F	urther information	:		ure for chemical fires. e and/or explosion do not breathe fumes.				

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Personal precautions Construction Personal precautions Personal precauting Personal precautions Personal precautions Personal precautions

6.2 Environmental precautions

|--|

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling :	:	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
Advice on protection against :		Keep away from heat, hot surfaces, sparks, open flames and



Metallschutz-Lack Spezial-Haftgrund

Version 3.5	Revision Date: 10.07.2025	SDS Number: 6003314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019
fire a	nd explosion	other ignition	n sources. No smoking.
Hygiene measures		eating, drink using this pr	ct with the skin and the eyes. Wash hands before ing, or smoking. Do not eat, drink or smoke when oduct. Remove contaminated clothing and protec- ent before entering eating areas.
7.2 Cond	itions for safe storage	, including any in	compatibilities
	uirements for storage s and containers	dry, well ver and direct s	inal container. Store between 41 and 77 °F in a ntilated place away from sources of heat, ignition unlight. Containers which are opened must be ealed and kept upright to prevent leakage.
Stora	age class (TRGS 510)	: 3	
-	f ic end use(s) ific use(s)	: This informa	ation is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Naphtha (petrole- um), hydrotreated heavy; Low boiling point ydrogen treated naphtha	64742-48-9	MAK	50 ppm 300 mg/m3	DE DFG MAK		
	Peak-limit cat	egorv: 2: II				
	Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C					
		AGW	300 mg/m3	DE TRGS 900		
	Peak-limit cat	category: 2;(II)				
	Further inform	urther information: Group exposure limit for hydrocarbon solvent mixtures				
titanium dioxide	anium dioxide 13463-67-7		0,3 mg/m3	DE DFG MAK		
	Peak-limit category: 8; II					
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
		AGW (Inhalable fraction)	10 mg/m3 (Titanium dioxide)	DE TRGS 900		

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by

Commission Regulation (EU) 2020/878



DE / EN

Metallschutz-Lack Spezial-Haftgrund

sion Revision Da 10.07.2025	te: SDS 6003		ate of last issue: 30.04.202 ate of first issue: 09.07.201					
	Peak-limit category: 2;(II)							
			is compliance with the OEL	and biological				
	tolerance values, there is no risk of harming the unborn child AGW (Alveolate 1,25 mg/m3 DE							
		fraction)	(Titanium dioxide)	900				
	Peak-limit cat	. /		000				
			is compliance with the OEL	and biological				
			of harming the unborn child					
		BM (Alveolar	0,5 mg/m3	DE TRGS				
		dust fraction)	0,0 119/110	527				
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900				
(Peak-limit cat	. /						
	Further inform	nation: When there i	is compliance with the OEL	and biological				
			of harming the unborn child					
		AGW (Alveolate	1,25 mg/m3	DE TRGS				
		fraction)	.,	900				
	Peak-limit cat		is compliance with the OEL	and biological				
			of harming the unborn child					
zinc oxide	1314-13-2	MAK (measured	0,1 mg/m3	DE DFG M				
		as the alveolate						
		fraction)						
	Peak-limit cat							
			: peak limit I(1), Damage to value or the BAT value is ob					
		MAK (inhalable	2 mg/m3	DE DFG M				
		fraction)						
	Peak-limit cat							
			: peak limit I(1), Damage to					
			value or the BAT value is of					
trizinc	7779-90-0	MAK (measured	0,1 mg/m3	DE DFG M				
bis(orthophosphate		as the alveolate						
)		fraction)						
	Peak-limit category: 4; I							
	Further information: Zinc chloride: peak limit I(1), Damage to the embryo o foetus is unlikely when the MAK value or the BAT value is observed							
		MAK (inhalable fraction)	2 mg/m3	DE DFG M				
	Peak-limit category: 4; I							
	Further inform	nation: Zinc chloride	: peak limit I(1), Damage to					
	toetus is unlik	ely when the MAK	value or the BAT value is ob	served				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
zinc oxide	Consumers	Skin contact	Long-term systemic	83,00 mg/kg

Commission Regulation (EC) No. 1907/2006, as amended



DE / EN

Metallschutz-Lack Spezial-Haftgrund

/ersion 8.5	Revision Date: 10.07.2025	SDS Nur 6003314		e of last issue: 30.04.2025 e of first issue: 09.07.2019	
		I	1	effects	bw/day
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
		Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
trizino bis(or	; thophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
		Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
		Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
		Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
		Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry
		weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
zinc oxide	Fresh water sediment	117,8 mg/kg dry weight (d.w.)
	Sea water	6,1 µg/l
	Fresh water	20,6 µg/l
	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 μg/l
	Soil	35,6 mg/kg dry weight (d.w.)
trizinc bis(orthophosphate)	Sea sediment	56,5 mg/kg dry weight (d.w.)
	Fresh water	20,6 µg/l
	Soil	35,6 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 µg/l
	Fresh water sediment	117,8 mg/kg dry weight (d.w.)



Metallschutz-Lack Spezial-Haftgrund

Version 3.5	Revision Date: 10.07.2025		OS Number: 03314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019	
			Sea water	6,1 μg/l	
8.2 Expos	sure controls				
Pers	onal protective equip	ment			
Eye/f	ace protection	:	DGUV Regulat	on 112-192 - Use of eye and face protection	
			Goggles		
M G	l protection aterial love thickness rotective index	:	Nitrile rubber 0,2 mm Class 3		
R	emarks	:	cation of degra moving gloves ble gloves teste	be discarded and replaced if there is any indi- dation or chemical breakthrough. Before re- clean them with soap and water. Wear suita- ed to EN374. on 112-195 - Use of protective gloves	
Skin	and body protection	:	Safety shoes Long sleeved c	lothing	
				rotection according to the amount and con- e dangerous substance at the work place.	
			Skin should be	washed after contact.	
			During spray a	oplication: impervious clothing	
Resp	iratory protection	÷	No personal reaquired.	spiratory protective equipment normally re-	
				oplication: Do not breathe spray dust. Use tion filter for paint spraying.	
			DGUV Regulat	on 112-190 - Use of breathing equipment	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic



Metallschutz-Lack Spezial-Haftgrund

Vers 3.5	sion	Revision Date: 10.07.2025		S Number:)3314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019
	Odor T	hreshold	:	Not relevant	
	Melting	point/freezing point	:	not determined	
	Boiling	point/boiling range	:	not determined	
		explosion limit / Upper bility limit	:	not determined	
	Lower e flamma	explosion limit / Lower bility limit	:	not determined	
	Flash p	point	:	40,5 °C Method: ISO 152	3
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	substance/mixtur	e is non-soluble (in water)
	Viscosi Visc	ty cosity, dynamic	:	650 mPa.s (20 °C Method: ISO 321	
	Visc	cosity, kinematic	:	>= 21,000 mm2/s Method: ISO 288	
	Flow tir	ne	:	Not applicable	
	Solubili Wat	ty(ies) er solubility	:	partly miscible	
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	not determined	
	Relative	e density	:	not determined	



Metallschutz-Lack Spezial-Haftgrund

Version 3.5	Revision Date: 10.07.2025		S Number: 03314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019
Dens	sity	:	1,24 g/cm3 (20 ° Method: DIN EN	
Bulk	density	:	Not applicable	
Relat	tive vapor density	:	Heavier than air.	
	information			
Explo	osives	:	Not applicable	
Oxidi	izing properties	:	Not applicable	
Flam	mability (liquids)	:	Sustains combus	stion
Evap	oration rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
10.4 Conditions to avoid Conditions to avoid	:	Protect from frost, heat and sunlight.
10.5 Incompatible materials Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Partition coefficient: n-	log Pow: 1,99 - 18,02 (20 °C)
octanol/water	pH: 7

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor- :	Harmful to aquatic organisms, may cause long-term adverse
mation	effects in the aquatic environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.



Metallschutz-Lack Spezial-Haftgrund

Version 3.5	Revision Date: 10.07.2025	SDS Number: 6003314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019	
		Must not reach	sewage system or environment.	
Contaminated packaging		: Only completel cling.	Only completely emptied containers should be given for recy- cling.	
Waste Code		: used product 080112, waste in 08 01 11*	paint and varnish other than those mentioned	

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	UN 1263	
	ADR	:	UN 1263	
	RID	:	UN 1263	
	IMDG	:	UN 1263	
	ΙΑΤΑ	:	UN 1263	
14.2	2 UN proper shipping name			
	ADN	:	PAINT	
	ADR	:	PAINT	
	RID	:	PAINT	
	IMDG	:	PAINT	
	ΙΑΤΑ	:	Paint	
14.3	Transport hazard class(es)			
			Class	Subsidiary risks
	ADN	:	3	
	ADR	:	3	
	RID	:	3	
	IMDG	:	3	
	ΙΑΤΑ		3	
		•	5	
14.4	Packing group	•	5	
14.4			III F1 30 3 III F1	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Metallschutz-Lack Spezial-Haftgrund

Ve 3.	ersion 5	Revision Date: 10.07.2025		0S Number: 03314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019
	Labels	I Identification Number	:	30 3 (D/E)	
	Classif	g group ication Code I Identification Number	: :	III F1 30 3	
	IMDG Packin Labels EmS C		:	III 3 F-E, <u>S-E</u>	
	Packin aircraft Packin	g instruction (LQ) g group	:	366 Y344 III Flammable Liquic	łs
	Packin ger air Packin	g instruction (LQ) g group	:	355 Y344 III Flammable Liquid	ls
14	14.5 Environmental hazards				
	ADN Enviro	nmentally hazardous	:	no	
	ADR Enviro	nmentally hazardous	:	no	
	RID Enviro	nmentally hazardous	:	no	
	IMDG				

14.6 Special precautions for user

Marine pollutant

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

: no

Not applicable for product as supplied.



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date:	SDS Number:	Date of last issue: 30.04.2025
3.5	10.07.2025	6003314	Date of first issue: 09.07.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legisla ture	ation specific for the substance or mix-
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	: Conditions of restriction for the fol- lowing entries should be considered: Number on list 75, 3
	If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59) (SVHC).	: None
Regulation (EU) No 2024/590 on substances that de- plete the ozone layer	: Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	: Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	: None
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.	FLAMMABLE LIQUIDS
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Water hazard class (Germa- : WGK 1 slightly water ny) Classification accord	endangering ing to AwSV, Annex 1 (5.2)
. : Coating materials, so	lvent-based, aromatic-free, classified
Volatile organic compounds : Directive 2010/75/EU	J of 24 November 2010 on industrial and



Metallschutz-Lack Spezial-Haftgrund

Version	Revision Date: 10.07.2025	SDS Number:	Date of last issue: 30.04.2025
3.5		6003314	Date of first issue: 09.07.2019
Volatile	e organic compounds	and control)	ng emissions (integrated pollution prevention c compounds (VOC) content: 36,44 % /42/EC

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H226 H304 H336 H400 H410 H411 EUH066	: : : : : : : : : : : : : : : : : : : :	Flammable liquid and vapor. May be fatal if swallowed and enters airways. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Toxic to aquatic life with long lasting effects. Repeated exposure may cause skin dryness or cracking.	
Full text of other abbreviations			
Aquatic Acute	:	Short-term (acute) aquatic hazard	
Aquatic Chronic	÷	Long-term (chronic) aquatic hazard	
Asp. Tox.	:	Aspiration hazard	
Flam. Liq.	:		
STOT SE	:	Specific target organ toxicity - single exposure	
DE DFG MAK	:	Germany. MAK BAT Annex IIa	
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials	
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.	
DE DFG MAK / MAK	:	MAK value	
DE TRGS 527 / BM	:	Assessment scale	
DE TRGS 900 / AGW	:	Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Docentration of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locealing Rate; NZICC - New Zealand Inventory of Chemicals; CECD - Organization; FCOS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure

Further information





Metallschutz-Lack Spezial-Haftgrund

Version 3.5	Revision Date: 10.07.2025	SDS Number: 6003314	Date of last issue: 30.04.2025 Date of first issue: 09.07.2019	
Othe	r information	product accordir Communication REACH Article 3 not meet the crit	enario communication is required for this ng to REACH Regulation No. 1907/2006 EC. of Uses is not required in accordance with 81(1)(a) - registered substances / mixtures do eria for classification as hazardous in accord- ations 1272/2008 EC or 1999/45/EC.	
comp	ces of key data used to bile the Material Safety Sheet	gienists). 2014 1 for chemical sub Exposure Indice 2014 ACGIH, Ci NIOSH - Registr ECDIN - Enviror work - Joint Res Communities SAX'S - Danger GESTIS - Datab Arbeitsschutz de (IFA, Institute fo man Social Acci	ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European	
Clas	sification of the mixtur	e:	Classification procedure:	
Flam	. Liq. 3	H226	Based on product data or assessment	

Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN