

# Metallschutz-Lack Hammerschlag

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2023
2.2	11.12.2024	6009014	Date of first issue: 04.12.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Metallschutz-Lack Hammerschlag
1.2 Relevant identified uses of the	ne s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Solvent-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax		+4961547170632
Website E-mail address Responsi- ble/issuing person		www.alpina-farben.de msds@dr-rmi.com
1.4 Emergency telephone		

Emergency telephone 1 : +49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 127	72/2008)
Flammable liquids, Category 3	H226: Flammable liquid and vapor.
Specific target organ toxicity - single exposure, Category 3, Central nervous system	H336: May cause drowsiness or dizziness.
Long-term (chronic) aquatic hazard, Cat- egory 3	H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Metallschutz-Lack Hammerschlag

Versio 2.2	n	Revision Date: 11.12.2024		DS Number: 009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
Н	lazard	pictograms	:		
S	Signal V	Vord	:	Warning	
Н	lazard	Statements	:	H226 H336 H412	Flammable liquid and vapor. May cause drowsiness or dizziness. Harmful to aquatic life with long lasting effects.
	Suppler Stateme	nental Hazard ents	:	EUH066	Repeated exposure may cause skin dryness or cracking.
Р	recaut	ionary Statements	:	P101 P102	If medical advice is needed, have product con- tainer or label at hand. Keep out of reach of children.
				Prevention	
				P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
				P271	Use only outdoors or in a well-ventilated area.
				Response:	
				P370 + P37	'8 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
				Storage:	
				P405	Store locked up.
				Disposal:	
				P501	Dispose of contents/ container to an approved waste disposal plant.

## Hazardous ingredients which must be listed on the label:

Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha

## **Additional Labeling**

EUH208 Contains neodecanoic acid, cobalt salt. May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





# Metallschutz-Lack Hammerschlag

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2023
2.2	11.12.2024	6009014	Date of first issue: 04.12.2019

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Naphtha (petroleum), hydrotreat- ed heavy; Low boiling point ydro- gen treated naphtha	64742-48-9 265-150-3 649-327-00-6 01-2119457273-39, 01-2119463258-33	Flam. Liq. 3; H226 STOT SE 3; H336 Asp. Tox. 1; H304 EUH066	>= 30 - < 50
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 10 - < 20
trizinc bis(orthophosphate)	7779-90-0 231-944-3 030-011-00-6 01-2119485044-40	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 1 - < 2,5
zinc oxide	1314-13-2 215-222-5 030-013-00-7 01-2119463881-32, 01-2120089607-43, 01-2120767291-53	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,25 - < 1
neodecanoic acid, cobalt salt	27253-31-2 248-373-0 01-2119970733-31	Acute Tox. 4; H302 Skin Sens. 1; H317 STOT RE 1; H372 (Other) Aquatic Chronic 3; H412	>= 0,25 - < 1

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

# 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
----------------	---	---



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
lf inha	aled	: If symptoms po Move to fresh	ersist, call a physician. air.
In cas	se of skin contact	In case of cont of water.	olvents or thinners. tact, immediately flush skin with soap and plenty ntaminated clothing immediately.
In cas	se of eye contact	IF IN EYES: R	persists: Get medical advice/ attention. inse cautiously with water for several minutes. ict lenses, if present and easy to do. Continue
lf swa	allowed		advice. vith water and drink afterwards plenty of water. DO NOT induce vomiting.
4.2 Most i	mportant symptoms	s and effects, both ac	ute and delayed
Risks			owsiness or dizziness. osure may cause skin dryness or cracking.
4.3 Indica	tion of any immedia	te medical attention	and special treatment needed
Treat	ment	: No information	available.

## **SECTION 5: Firefighting measures**

<b>5.1 Extinguishing media</b> Suitable extinguishing media	<ul> <li>Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</li> <li>Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.</li> <li>Do not use a solid water stream as it may scatter and spread fire.</li> </ul>
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising from t	he substance or mixture
Specific hazards during fire fighting	: Cool closed containers exposed to fire with water spray. In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).

#### 5.3 Advice for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
for fir	e-fighters		
Furth	er information	•	edure for chemical fires. f fire and/or explosion do not breathe fumes.
SECTION	N 6: Accidental rele	ease measures	

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Do not get in eyes, on skin, or on clothing. Ensure adequate ventilation. Remove all sources of ignition.

## 6.2 Environmental precautions

	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
--	--

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.	
		Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).	

## 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling	:	Non-sparking tools should be used. For personal protection see section 8. Avoid exceeding the given occupational exposure limits (see section 8). Provide sufficient air exchange and/or exhaust in work rooms.
		Please follow the technical information.
Advice on protection against fire and explosion	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hygiene measures	:	Avoid contact with the skin and the eyes. Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec- tive equipment before entering eating areas.



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	-	DS Number: 009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
7.2 Cond	itions for safe storage	, inc	luding any incor	npatibilities
Requirements for storage areas and containers		:	dry, well ventilat and direct sunlig	container. Store between 41 and 77 °F in a ted place away from sources of heat, ignition ght. Containers which are opened must be ed and kept upright to prevent leakage.
Stora	age class (TRGS 510)	:	3	

# 7.3 Specific end use(s)

Specific use(s)	: This information is not available.
-----------------	--------------------------------------

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Componente		Volue ture (Ferre	Control poromotoro	Decia		
Components	CAS-No.	Value type (Form	Control parameters	Basis		
	0.47.40.40.0	of exposure)	000 / 0			
Naphtha (petrole-	64742-48-9	AGW	300 mg/m3	DE TRGS		
um), hydrotreated				900		
heavy; Low boiling						
point ydrogen						
treated naphtha						
	Peak-limit cat					
			re limit for hydrocarbon solv			
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK		
powder form con-		as the alveolate				
taining 1 % or		fraction)				
more of particles						
with aerodynamic						
diameter ≤ 10 µm]						
	Peak-limit category: 8; II Further information: Substances that cause cancer in humans or animals or					
	that are considered to be carcinogenic for humans and for which a MAK value					
	can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
		AGW (Inhalable	10 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat					
			compliance with the OEL a	nd biological		
	tolerance valu		f harming the unborn child			
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit category: 2;(II)					
			compliance with the OEL a	nd biological		
	tolerance valu		f harming the unborn child			
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)		527		
zinc oxide	1314-13-2	MAK (measured	0,1 mg/m3	DE DFG MAK		

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



Value

DE / EN

# Metallschutz-Lack Hammerschlag

Revision Date:	SDS Number:	Date of last issue: 12.	
11.12.2024	6009014	Date of first issue: 04.	12.2019
I			I
	fraction)	late	
Furth	er information: Zinc ch	loride: peak limit I(1), Dan	hage to the embryo or
foetu	s is unlikely when the l	MAK value or the BAT value	ue is observed
	MAK (inhala	ble 2 mg/m3	DE DFG MAK
	fraction)		
Furth	Further information: Zinc chloride: peak limit I(1), Damage to the embryo		
foetu	s is unlikely when the l	MAK value or the BAT value	ue is observed
	11.12.2024 Furth foetu	11.12.2024     6009014       as the alveored fraction       Further information: Zinc char foetus is unlikely when the foetus is	11.12.2024     6009014     Date of first issue: 04.       as the alveolate fraction)     Further information: Zinc chloride: peak limit I(1), Dan foetus is unlikely when the MAK value or the BAT value       MAK (inhalable fraction)     2 mg/m3

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
trizinc bis(orthophosphate)	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
zinc oxide	Consumers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	2,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,83 mg/kg bw/day
	Workers	Skin contact	Long-term systemic effects	83,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	0,50 mg/m3
	Workers	Inhalation	Long-term systemic effects	5,00 mg/m3
neodecanoic acid, cobalt salt	Consumers	Ingestion	Long-term systemic effects	64,90 µg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	43,00 µg/m3
	Workers	Inhalation	Long-term local ef- fects	273,20 µg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

**Environmental Compartment** 

Substance name



# Metallschutz-Lack Hammerschlag

sion	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: Date of first issue:	
conta	um dioxide; [in powder f ining 1 % or more of pa vith aerodynamic diame	rti-	tment plant	100 mg/l
το μπ	··]	Fresh water		0,184 mg/l
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg di weight (d.w.)
		Sea sedimer	nt	100 mg/kg dry weight (d.w.)
		Intermittent	use/release	0,193 mg/l
trizinc	c bis(orthophosphate)	Sea sedimer	nt	56,5 mg/kg dr weight (d.w.)
		Fresh water		20,6 µg/l
		Soil		35,6 mg/kg dr weight (d.w.)
		Sewage trea	itment plant	100 µg/l
		Fresh water	sediment	117,8 mg/kg d weight (d.w.)
		Sea water		6,1 µg/l
zinc o	oxide	Fresh water	sediment	117,8 mg/kg c weight (d.w.)
		Sea water		6,1 µg/l
		Fresh water		20,6 µg/l
		Sea sedimer	nt	56,5 mg/kg dr weight (d.w.)
		Sewage trea	itment plant	100 µg/l
		Soil		35,6 mg/kg dr weight (d.w.)
neode	ecanoic acid, cobalt salt	Soil		10,9 mg/kg dr weight (d.w.)
		Sea water		2,36 µg/l
		Sea sedimer	nt	9,5 mg/kg dry weight (d.w.)
		Fresh water	sediment	9,5 mg/kg dry weight (d.w.)
		Fresh water		0,6 µg/l
		Sewage trea	tment plant	0,37 mg/l

#### 8.2 Exposure controls

### Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Goggles

litrile rubber
,2 mm
class 3



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
Re	emarks	cation of degra moving gloves ble gloves teste	be discarded and replaced if there is any indi- idation or chemical breakthrough. Before re- clean them with soap and water. Wear suita- ed to EN374. tion 112-195 - Use of protective gloves
Skin a	and body protection	: Safety shoes Long sleeved o	clothing
			protection according to the amount and con- te dangerous substance at the work place.
		Skin should be	washed after contact.
		During spray a	pplication: impervious clothing
Resp	iratory protection	: No personal re quired.	spiratory protective equipment normally re-
		DGUV Regulat	tion 112-190 - Use of breathing equipment
			pplication: Do not breathe spray dust. Use ation filter for paint spraying.

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Odor Threshold	:	Not relevant
Melting point/freezing point	:	not determined
Boiling point/boiling range	:	not determined
Upper explosion limit / Upper flammability limit	:	not determined



# Metallschutz-Lack Hammerschlag

Vers 2.2		Revision Date: 11.12.2024		S Number: 09014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
		xplosion limit / Lower pility limit	:	not determined	
	Flash po	pint	:	40 °C	
	Autoigni	tion temperature	:	not determined	
	Decomp	oosition temperature	:	Not applicable	
	рН		:	6,95 Concentration: 10	0 %
	Viscosity Visco	y osity, dynamic	:	1,800 mPa.s (20	°C)
	Visco	osity, kinematic	•	> 190 mm2/s (40	°C)
	Flow tim	e	:	> 60 s at 23 °C Cross section: 6 Method: ISO 243	
	Solubilit <u>y</u> Wate	y(ies) er solubility	:	partly miscible	
	Partition octanol/	coefficient: n- water	:	not determined	
	Vapor p	ressure	:	not determined	
	Relative	density	:	not determined	
	Density		:	ca. 1 g/cm3	
	Relative	vapor density	:	Heavier than air.	
9.2	<b>Other inf</b> Explosiv	ormation res	:	Not applicable	



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019				
Oxidizing properties		: Not applicabl	: Not applicable				
Flam	nability (liquids)	: Sustains combustion					
Evaporation rate		: Not applicable					

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	Vapors may form explosive mixture with air. Hazardous decomposition products formed under fire condi- tions.
<b>10.4 Conditions to avoid</b> Conditions to avoid	:	Protect from frost, heat and sunlight.
<b>10.5 Incompatible materials</b> Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.



# Metallschutz-Lack Hammerschlag

VersionRevision Date:SDS Number:2.211.12.20246009014

Date of first issue: 04.12.2019

Date of last issue: 12.01.2023

### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

May cause drowsiness or dizziness.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### Components:

#### Naphtha (petroleum), hydrotreated heavy; Low boiling point ydrogen treated naphtha:

Partition coefficient: noctanol/water : log Pow: 1,99 - 18,02 (20 °C) pH: 7

#### 12.4 Mobility in soil

No data available



# Metallschutz-Lack Hammerschlag

Version	Revision Date:	SDS Number:	Date of last issue: 12.01.2023
2.2	11.12.2024	6009014	Date of first issue: 04.12.2019

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
--	---

#### 12.7 Other adverse effects

Additional ecological infor- mation	:	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
mation		

#### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product		Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste. Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	UN 1263
ADR	:	UN 1263
RID	:	UN 1263



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024		OS Number: 09014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
IMDO		:	UN 1263	
		:	UN 1263	
-	proper shipping name			
ADN		:	PAINT	
ADR		:	PAINT	
RID		:	PAINT	
IMDO		:	PAINT	
ΙΑΤΑ		:	Paint	
14.3 Tran	sport hazard class(es)			
			Class	Subsidiary risks
ADN		:	3	
ADR		:	3	
RID		:	3	
IMDO	6	:	3	
ΙΑΤΑ	L.	:	3	
14.4 Pack	king group			
Class	ing group sification Code ırd Identification Number Is	:	III F1 30 3	
<b>ADR</b> Pack Class Haza Labe	ing group sification Code rd Identification Number	:	III F1 30 3 (D/E)	
<b>RID</b> Pack Class	ing group sification Code rd Identification Number	:	III F1 30 3	
Labe	ing group	::	III 3 F-E, <u>S-E</u>	
Pack aircra	( <b>Cargo)</b> ing instruction (cargo aft) ing instruction (LQ)	:	366 Y344	
	ing instruction (LQ)	:	Y 344 	



# Metallschutz-Lack Hammerschlag

Vers 2.2	sion	Revision Date: 11.12.2024		DS Number: 009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
	Labels		:	Flammable Liquid	ds
	IATA (Passenger) Packing instruction (passen- ger aircraft)		:	355	
	Packing	g instruction (LQ) g group	:	Y344 III Flammable Liquid	ds
14.5 Environmental hazards					
	<b>ADN</b> Enviror	mentally hazardous	:	no	
	<b>ADR</b> Enviror	mentally hazardous	:	no	
	<b>RID</b> Enviror	mentally hazardous	:	no	
	<b>IMDG</b> Marine	pollutant	:	no	
14.6	14.6 Special precautions for use		ər		
	Remar	ks	:	goods/merchandi	smaller than or equal to 450 liters, not

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 3
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable



# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Numbe 6009014		Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
	CH - List of substances : ex XIV)	subject to auth	orisation	: None
pear cont	eso III: Directive 2012/18 n Parliament and of the C rol of major-accident haz gerous substances.	ouncil on the	o- P5c	FLAMMABLE LIQUIDS
			34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar proper- ties as regards flammability and environmental hazards as the products referred to in points (a) to (d)
Wate ny)	er hazard class (Germa-			azardous to water rding to AwSV, Annex 1 (5.2)
	luct code for laquers and ts / Giscode	: M-LL02	Alkyd resin	varnishes, low in aromatics
		: BSL20 C sified	oating ma	terials, solvent-based, aromatic-free, clas-
Vola	tile organic compounds	: Volatile	organic cor	npounds (VOC) content: 47,7 %, 477 g/l
Vola	tile organic compounds	: < 48 % < 480 g/		

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

# **SECTION 16: Other information**

#### Full text of H-Statements

H226 :	Flammable liquid and vapor.
H302 :	Harmful if swallowed.
H304 :	May be fatal if swallowed and enters airways.
H317 :	May cause an allergic skin reaction.
H336 :	May cause drowsiness or dizziness.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Numb 6009014	er: Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
H351 H372 H400 H410 H412 EUH0	66	: Causes exposure : Very toon : Very toon : Harmful	ted of causing cancer if inhaled. damage to organs through prolonged or repeated re if swallowed. kic to aquatic life. kic to aquatic life with long lasting effects. to aquatic life with long lasting effects. ed exposure may cause skin dryness or cracking.
Full te	ext of other abbreviat	ions	
Aquat Asp. 1 Carc. Flam. Skin S STOT STOT DE DF DE TF DE TF DE DF DE TF	ic Acute ic Chronic Tox. Liq. Sens. RE	<ul> <li>Long-te</li> <li>Aspirati</li> <li>Carcino</li> <li>Flamma</li> <li>Skin set</li> <li>Specific</li> <li>Specific</li> <li>Germar</li> <li>Germar</li> <li>Germar</li> <li>MAK va</li> <li>Assessi</li> </ul>	rm (acute) aquatic hazard rm (chronic) aquatic hazard on hazard genicity Ible liquids Insitization target organ toxicity - repeated exposure target organ toxicity - single exposure by. MAK BAT Annex IIa by. TRGS 527 - Activities with nanomaterials by. TRGS 900 - Occupational exposure limit values.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration,

#### Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH





# Metallschutz-Lack Hammerschlag

Version 2.2	Revision Date: 11.12.2024	SDS Number: 6009014	Date of last issue: 12.01.2023 Date of first issue: 04.12.2019
		ECDIN - Enviro work - Joint Res Communities SAX'S - Danger GESTIS - Datat Arbeitsschutz d (IFA, Institute fo man Social Acc	ry of toxic effects of chemical substances nmental Chemicals Data and Information Net- search Centre, Commission of the European rous properties of industrial materials base on hazardous substances - Institut für er Deutschen Gesetzlichen Unfallversicherung or Occupational Safety and Health of the Ger- ident Insurance) logy Data Network
Class	sification of the mixtu	ure:	Classification procedure:
Flam	Liq. 3	H226	Based on product data or assessment

Flam. Liq. 3	H226	Based on product data or assessment
STOT SE 3	H336	Calculation method
Aquatic Chronic 3	H412	Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN