

### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Farbenfreunde Drachengrün
1.2	Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture		Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person		www.alpina-farben.de msds@dr-rmi.com

### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

### Components

oomponento			-
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · ·
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 40 %	
		Eye Irrit. 2; H319	



### Farbenfreunde Drachengrün

Version 4.1	Revision Date: 22.10.2024	SDS Number: 6006095	Date of last issue: 24.01.2024 Date of first issue: 02.10.2019	
			>= 40 % STOT SE 3; H335 >= 75 %	
Subst	ances with a workpla	ce exposure limit :		
	Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-212014027	8-58	0

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled :	Move to fresh air.
In case of skin contact :	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact :	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed :	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

### **4.2 Most important symptoms and effects, both acute and delayed** None known.

### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.



### Farbenfreunde Drachengrün

Vers 4.1	sion	Revision Date: 22.10.2024		DS Number: 06095	Date of last issue: 24.01.2024 Date of first issue: 02.10.2019
				Do not use a solic fire.	d water stream as it may scatter and spread
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mix	xture
	Specific hazards during fire fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).	
5.3	Advice	for firefighters			
	Special protective equipment for fire-fighters		:	Wear self-contained breathing apparatus for firefighting if n essary.	
	Furthe	r information	:	Standard procedu The product itself	ire for chemical fires. does not burn.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for co Methods for cleaning up		nment and cleaning up Keep in suitable, closed containers for disposal.

# Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal p
		No special tech

For personal protection see section 8. No special technical protective measures required.



# Farbenfreunde Drachengrün

Vers 4.1	ion	Revision Date: 22.10.2024		DS Number: 006095	Date of last issue: 24.01.2024 Date of first issue: 02.10.2019
				Please follow the	technical information.
	Hygien	e measures	:	drink or smoke w	bre eating, drinking, or smoking. Do not eat, hen using this product. Remove contaminat- rotective equipment before entering eating
7.2 (	Conditi	ons for safe storage,	inc	luding any incom	patibilities
		ements for storage and containers	:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the c. Containers which are opened must be care- d kept upright to prevent leakage.
	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
	Storage	e class (TRGS 510)	:	12	
	-	<b>c end use(s)</b> c use(s)	:	This information i	s not available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form	Control parameters	Basis		
		of exposure)				
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Peak-limit cat	egory: 8; II				
	Further information: Substances that cause cancer in humans or animals or					
	that are considered to be carcinogenic for humans and for which a MAK value					
	can be derived., Damage to the embryo or foetus is unlikely when the MAK					
		AT value is observe				
		AGW (Inhalable	10 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat	egory: 2;(II)	· · · ·			
	Further inform	ation: When there is	compliance with the OEL ar	nd biological		
	tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
	fraction) (Titanium dioxide) 900					
	Peak-limit category: 2;(II)					



# Farbenfreunde Drachengrün

Vers 4.1	sion Revision D 22.10.2024			ate of last issue: 24.01.2024 ate of first issue: 02.10.2019		
				s compliance with the OEL ar of harming the unborn child	nd biological	
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
	Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900	
		Peak-limit category: 2;(II)				
				s compliance with the OEL ar of harming the unborn child	nd biological	
			AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900	
		Peak-limit category: 2;(II)				
Further information: When there is compliance with the OEL and bio tolerance values, there is no risk of harming the unborn child			nd biological			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l



# Farbenfreunde Drachengrün

ersion 1	Revision Date: 22.10.2024	SDS Number: 6006095	Date of last issue: Date of first issue:	
		Soil		100 mg/kg dry weight (d.w.)
		Sea water		0,0184 mg/l
		Fresh water	sediment	1000 mg/kg dry weight (d.w.)
Kaolin, calcined		Sea sedimer	nt	100 mg/kg dry weight (d.w.)
		Intermittent u	ise/release	0,193 mg/l
		Intermittent u	ise/release	25 mg/l
		Fresh water		4,1 mg/l
		Sea water		0,41 mg/l
Silicic acid, potassium salt		Sewage trea	tment plant	1400 mg/l
		Sea water		1 mg/l
		Intermittent u	ise/release	7,5 mg/l
		Fresh water		7,5 mg/l
		Sewage trea	tment plant	348 mg/l

### 8.2 Exposure controls

Personal protective equipmer	nt
Eye/face protection	not required Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
	DGUV Regulation 112-192 - Use of eye and face protection
	Nitrile rubber 0,2 mm Class 3
Remarks	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	Safety shoes Long sleeved clothing
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.
Respiratory protection	No personal respiratory protective equipment normally re- quired.
	When spraying, use face mask with particle filter P2 against spray dust.
	DGUV Regulation 112-190 - Use of breathing equipment



# Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	green
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11,4 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined



### Farbenfreunde Drachengrün

Version 4.1	Revision Date: 22.10.2024	SDS Number: 6006095	Date of last issue: 24.01.2024 Date of first issue: 02.10.2019
Vapo	r pressure	: ca. 23,4 hPa (20 <sup>°</sup>	°C)
Dens	ity	: 1,4200 g/cm3	
Relat	ive vapor density	: not determined	
	information osives	: Not applicable	
Oxidi	zing properties	: Not applicable	
Flam	mability (liquids)	: The product is no	t flammable.

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

npatible with acids and bases. npatible with oxidizing agents.

### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.



### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

### Skin corrosion/irritation

Not classified based on available information.

### Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

### Serious eye damage/eye irritation

Not classified based on available information.

### Respiratory or skin sensitization

### Skin sensitization

Not classified based on available information.

### **Respiratory sensitization**

Not classified based on available information.

### Germ cell mutagenicity

Not classified based on available information.

### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

### STOT-single exposure

Not classified based on available information.

### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

### 11.2 Information on other hazards

### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:
4.1	22.10.2024	6006095

Date of last issue: 24.01.2024 Date of first issue: 02.10.2019

### **SECTION 12: Ecological information**

### 12.1 Toxicity

No data available

### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Endocrine disrupting properties

Product:

Assessment	:	The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at
		levels of 0.1% or higher.

### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product :		Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.



# Farbenfreunde Drachengrün

Version 4.1	Revision Date: 22.10.2024	SDS Number: 6006095	Date of last issue: 24.01.2024 Date of first issue: 02.10.2019
Wast	e Code	: used produc 080112, was in 08 01 11*	ste paint and varnish other than those mentioned
SECTION	N 14: Transport info	ormation	
14.1 UN n	umber or ID number		
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDO	3	: Not regulate	d as a dangerous good
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.2 UN p	roper shipping name	)	
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDO	6	: Not regulate	d as a dangerous good
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.3 Tran	sport hazard class(e	s)	
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDO	3	: Not regulate	d as a dangerous good
ΙΑΤΑ		: Not regulate	d as a dangerous good
14.4 Pack	king group		
ADN		: Not regulate	d as a dangerous good
ADR		: Not regulate	d as a dangerous good
RID		: Not regulate	d as a dangerous good
IMDO	6	: Not regulate	d as a dangerous good
ΙΑΤΑ	(Cargo)	: Not regulate	d as a dangerous good
ΙΑΤΑ	(Passenger)	: Not regulate	d as a dangerous good
	ronmental hazards egulated as a dangero	us good	
14.6 Spec	ial precautions for u	ser	
Rema	arks	: Not classifie	d as dangerous in the meaning of transport regu-



### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

lations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture the market and use of certain dangerous s mixtures and articles (Annex XVII)		Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Concern for Authorization (Article 59).	Very High :	None
Regulation (EC) on substances that deplet layer	te the ozone :	Not applicable
Regulation (EU) 2019/1021 on persistent of tants (recast)	organic pollu- :	Not applicable
REACH - List of substances subject to aut (Annex XIV)	horisation :	None
Seveso III: Directive 2012/18/EU of the Eu pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.		t applicable
	slightly water end cation according to	angering o AwSV, Annex 1 (5.2)
. : BSW10 content	Coating materials	, water-based, low preservative
emissio	ns (integrated poll	4 November 2010 on industrial ution prevention and control) ds (VOC) content: < 0,01 %
Volatile organic compounds : Directiv < 0.1 % < 1 g/l	e 2004/42/EC	



### Farbenfreunde Drachengrün

Version	Revision Date:	SDS Number:	Date of last issue: 24.01.2024
4.1	22.10.2024	6006095	Date of first issue: 02.10.2019

### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

Full text of H-Statements					
H315 :	Causes skin irritation.				
H319 :	Causes serious eye irritation.				
H335 :	May cause respiratory irritation.				
H351 :	Suspected of causing cancer if inhaled.				
Full text of other abbreviations					
Carc. :	Carcinogenicity				
Eye Irrit. :	Eye irritation				
Skin Irrit. :	Skin irritation				
STOT SE :	Specific target organ toxicity - single exposure				
DE DFG MAK :	Germany. MAK BAT Annex IIa				
	Germany. TRGS 527 - Activities with nanomaterials				
DE TRGS 900 :	Germany. TRGS 900 - Occupational exposure limit values.				
DE DFG MAK / MAK :	MAK value				
DE TRGS 527 / BM :	Assessment scale				
DE TRGS 900 / AGW :	Time Weighted Average				

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships in carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; IECC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemcal Substances; (Q)SAR

#### **Further information**

Other information

: No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.



### Farbenfreunde Drachengrün

Version	Revision Date: 22.10.2024	SDS Number:	Date of last issue: 24.01.2024
4.1		6006095	Date of first issue: 02.10.2019
comp	ces of key data used to ile the Material Safety Sheet	gienists). 2014 T for chemical sub Exposure Indice 2014 ACGIH, Ci NIOSH - Registr ECDIN - Environ work - Joint Res Communities SAX'S - Dangero GESTIS - Datab Arbeitsschutz de (IFA, Institute for man Social Accie	y of toxic effects of chemical substances mental Chemicals Data and Information Net- earch Centre, Commission of the European ous properties of industrial materials ase on hazardous substances - Institut für er Deutschen Gesetzlichen Unfallversicherung r Occupational Safety and Health of the Ger-

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN