

Farbenfreunde Eisbärweiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
4.2	10.07.2025	6006127	Date of first issue: 02.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Farbenfreunde Eisbärweiss
1.2 Relevant identified	uses of the s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended rest on use	trictions :	within adequate application - none
1.3 Details of the suppl	lier of the safe	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website	:	www.alpina-farben.de
E-mail address Res ble/issuing person	ponsi- :	msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



Farbenfreunde Eisbärweiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
4.2	10.07.2025	6006127	Date of first issue: 02.10.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		· · ·
	Registration number		
titanium dioxide	13463-67-7		>= 10 - < 20
	236-675-5		
	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 40 %	
		Eye Irrit. 2; H319	
		>= 40 %	



Farbenfreunde Eisbärweiss

Version 4.2	Revision Date: 10.07.2025	SDS Number: 6006127	Date of last issue: 22.10.202 Date of first issue: 02.10.201	-
			STOT SE 3; H335 >= 75 %	
Subst	tances with a workpla	ce exposure limit :		
Talc ((Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-21201402	78-58	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	Move to fresh air.	
In case of skin contact	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.	y
In case of eye contact	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread



Farbenfreunde Eisbärweiss

Vers 4.2	sion	Revision Date: 10.07.2025		DS Number: 06127	Date of last issue: 22.10.2024 Date of first issue: 02.10.2019
				fire.	
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire fighting		:	produced such as	ardous decomposition products may be :: , carbon dioxide and unburned hydrocar-	
5.3	Advice	for firefighters			
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Furthe	r information	:	Standard procedu The product itself	re for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.				
6.2 Environmental precautions					
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.				
	Do not flush into surface water or sanitary sewer system.				
6.3 Methods and material for contai	inment and cleaning up				
Methods for cleaning up	Keep in suitable, closed containers for disposal.				

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		No special technical protective measures required.



Farbenfreunde Eisbärweiss

Versio 4.2	on Revision Date: 10.07.2025		DS Number: 006127	Date of last issue: 22.10.2024 Date of first issue: 02.10.2019		
Hygiene measures			Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.			
7.2 C	onditions for safe storage,	inc	luding any incom	patibilities		
Requirements for storage areas and containers		:	in heat or direct s original container	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.		
A	Advice on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline		
S	Storage class (TRGS 510)	:	12			
7.3 Sj	pecific end use(s)					
S	Specific use(s)	:	This information i	s not available.		

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
titanium dioxide	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
	Peak-limit cat	egory: 8; II					
	Further inform	nation: Substances th	hat cause cancer in humans	or animals or			
			enic for humans and for wh				
			mbryo or foetus is unlikely w	hen the MAK			
	value or the B	AT value is observe					
	AGW (Inhalable 10 mg/m3 DE TR						
		fraction)	(Titanium dioxide)	900			
		Peak-limit category: 2;(II)					
			s compliance with the OEL and the optimate of the second sec	ind biological			
	tolerance values, there is no risk of harming the unborn child AGW (Alveolate 1,25 mg/m3 DE 1						
	Peak-limit cat	fraction) egory: 2;(II)		tanium dioxide) 900			
			compliance with the OEL a	nd biological			
	tolerance valu	tolerance values, there is no risk of harming the unborn child					
	BM (Alveolar 0,5 mg/m3 DE dust fraction) 527						
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900			



Farbenfreunde Eisbärweiss

Vers 4.2	sion	Revision Date 10.07.2025	e: SDS 6006		Date of last issue: 22.10.2024 Date of first issue: 02.10.2019	
-				nation: When there	is compliance with the OEL a	nd biological
-				AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900
Γ			Peak-limit cate	egory: 2;(II)	·	
					is compliance with the OEL a of harming the unborn child	nd biological

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kaolin, calcined	Workers	Inhalation	Acute systemic ef- fects	3,00 mg/m3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	3,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry
		weight (d.w.)
	Sea sediment	100 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l



Farbenfreunde Eisbärweiss

Version 4.2	Revision Date: 10.07.2025		DS Number: 006127	Date of last issue: 22.10 Date of first issue: 02.10	
			Intermittent use Fresh water Sewage treatm		7,5 mg/l 7,5 mg/l 348 mg/l
8.2 Expos	sure controls				
Perso	onal protective equip	ment			
Eye/fa	ace protection	:		protection when the pote the product cannot be exc	
			DGUV Regulatio	n 112-192 - Use of eye ar	nd face protection
Ma Gl	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3		
Re	emarks	:	Wear suitable glo	gloves clean them with so oves tested to EN374. n 112-195 - Use of protec	
Skin a	and body protection	:	Safety shoes Long sleeved clo	thing	
				tection according to the a dangerous substance at t	
			Skin should be w	ashed after contact.	
Respi	iratory protection	:	No personal resp quired.	iratory protective equipmo	ent normally re-
			When spraying, u spray dust.	use face mask with particl	e filter P2 against
			DGUV Regulatio	n 112-190 - Use of breath	ing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available



Farbenfreunde Eisbärweiss

Vers 4.2	sion	Revision Date: 10.07.2025		S Number: 06127	Date of last issue: 22.10.2024 Date of first issue: 02.10.2019
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper ability limit	:	not determined	
		explosion limit / Lower ability limit	:	not determined	
	Flash p	point	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рH		:	11,4 Concentration: 1	00 %
	Viscosi Visc	ty cosity, dynamic	:	No data available	9
	Solubili Wat	ity(ies) er solubility	:	completely misci	ble
	Partitio octanol	n coefficient: n- l/water	:	not determined	
	Vapor p	oressure	:	ca. 23,4 hPa (20	°C)
	Density	/	:	1,4200 g/cm3	
	Relativ	e vapor density	:	not determined	
9.2	Other ir Explosi	nformation ives	:	Not applicable	



Farbenfreunde Eisbärweiss

Version 4.2	Revision Date: 10.07.2025	SDS Number: 6006127	Date of last issue: 22.10.2024 Date of first issue: 02.10.2019
Oxidi	zing properties	: Not applicabl	e
Flam	mability (liquids)	: The product	s not flammable.
SECTION	N 10: Stability and	reactivity	
	·	and applied as direct	ed.
	nical stability ecomposition if stored	and applied as direct	ed.
10.3 Poss	bility of hazardous	reactions	
Haza	rdous reactions	: No decompo	sition if stored and applied as directed.
10.4 Cond	litions to avoid		

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

Serious eye damage/eye irritation

Not classified based on available information.



Farbenfreunde Eisbärweiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
4.2	10.07.2025	6006127	Date of first issue: 02.10.2019

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

:

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available



Farbenfreunde Eisbärweiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
4.2	10.07.2025	6006127	Date of first issue: 02.10.2019

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

mixture does not contain components consid- docrine disrupting properties according to 57(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at r higher.	:
docrine disrupting properties accordin 57(f) or Commission Delegated regula or Commission Regulation (EU) 2018	

12.7 Other adverse effects

|--|

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product		Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage system or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



Farbenfreunde Eisbärweiss

Version 4.2	Revision Date: 10.07.2025	SDS Number:Date of last issue: 22.10.2026006127Date of first issue: 02.10.201	
IMDG	3	: Not regulated as a dangerous good	
ΙΑΤΑ		: Not regulated as a dangerous good	
14.2 UN p	roper shipping name		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG		: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
14.3 Tran	sport hazard class(es		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	3	: Not regulated as a dangerous good	
IATA		: Not regulated as a dangerous good	
14.4 Pack	ing group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDG	3	: Not regulated as a dangerous good	
	(Cargo)	: Not regulated as a dangerous good	
	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
14.6 Spec	ial precautions for us	r	
Rema	arks	: Not classified as dangerous in the meaning of the lations.	ansport regu-

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

: Conditions of restriction for the following entries should be considered:



Farbenfreunde Eisbärweiss

Versio 4.2		Revision Date: 10.07.2025		9S Number: 06127			last issue: 22.10.2024 first issue: 02.10.2019
n	mixtures	and articles (Annex)	(VII))			Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
		- Candidate List of Su for Authorization (Art			1	:	None
		on (EU) No 2024/590 ozone layer	on	substances that de)-	:	Not applicable
	Regulati ants (re	on (EU) 2019/1021 or cast)	n pe	rsistent organic po	llu-	:	Not applicable
	REACH (Annex)	- List of substances s KIV)	ubje	ect to authorisation		:	None
p	bean Pa control c	III: Directive 2012/18/I rliament and of the Co f major-accident haza us substances.	ound	cil on the		Not	applicable
	Water ha าy)	azard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)
			:	Coating materials,	, wa	ater-ba	ased, low preservative content
٨	√olatile ∣	organic compounds	:	livestock rearing e and control)	emis	ssions	4 November 2010 on industrial and s (integrated pollution prevention s (VOC) content: < 0,01 %
١	Volatile	organic compounds	:	Directive 2004/42, < 0.1 % < 1 g/l	/EC		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.



Farbenfreunde Eisbärweiss

Version	Revision Date:	SDS Number:	Date of last issue: 22.10.2024
4.2	10.07.2025	6006127	Date of first issue: 02.10.2019

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
Full text of other abbreviatio	ns	
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	:	MAK value
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Dose to 50% of a test population; ILD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concomitation; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZICC - New Zealand Inventory of Chemicals; CEC - Organization; FICOS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR

Further information

Other information : N p C F n

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet
 ECHA WebSite ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials



Farbenfreunde Eisbärweiss

Version	Revision Date: 10.07.2025	SDS Number:	Date of last issue: 22.10.2024
4.2		6006127	Date of first issue: 02.10.2019
		Arbeitsschutz o (IFA, Institute f man Social Aco	base on hazardous substances - Institut für der Deutschen Gesetzlichen Unfallversicherung or Occupational Safety and Health of the Ger- cident Insurance) blogy Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN