

# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

<b>1.1 Product identifier</b> Trade name	:	Power-Weiß
1.2 Relevant identified uses of th	ne s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com
1 4 Emergeney telephone		

### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Emulsion paint, aqueous

#### Components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame		Classification	
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide	13463-67-7		>= 1 - < 10
	236-675-5		
	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
-	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration	
		limit	
		Skin Irrit. 2; H315	
		>= 40 %	

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# **Power-Weiß**

Version 4.2	Revision Date: 14.07.2025	SDS Number: 6008388	Date of last issue: 05.11.2024 Date of first issue: 12.12.2019
			Eye Irrit. 2; H319 >= 40 % STOT SE 3; H335 >= 75 %
Subs	tances with a workpla	ce exposure limit :	
Talc (	(Mg3H2(SiO3)4)	14807-96-6	>= 1 - < 10
		238-877-9	
		01-21201402	278-58

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	: Move to fresh air.	
In case of skin contact	<ul> <li>Do NOT use solvents or thinners.</li> <li>In case of contact, immediately flush skin with soap and plenty of water.</li> </ul>	
In case of eye contact	<ul> <li>If eye irritation persists: Get medical advice/ attention.</li> <li>IF IN EYES: Rinse cautiously with water for several minutes.</li> <li>Remove contact lenses, if present and easy to do. Continue rinsing.</li> </ul>	
If swallowed	<ul> <li>Seek medical advice.</li> <li>Clean mouth with water and drink afterwards plenty of water.</li> <li>If swallowed, DO NOT induce vomiting.</li> </ul>	

# 4.2 Most important symptoms and effects, both acute and delayed

None known.

# 4.3 Indication of any immediate medical attention and special treatment needed

- Treatment
- : No information available.

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir-



# **Power-Weiß**

Vers 4.2	sion	Revision Date: 14.07.2025		DS Number: 08388	Date of last issue: 05.11.2024 Date of first issue: 12.12.2019
					he surrounding environment. I water stream as it may scatter and spread
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mix	xture
	Specific fighting	c hazards during fire	:	produced such as	ardous decomposition products may be : , carbon dioxide and unburned hydrocar-
5.3	Advice	for firefighters			
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further	information	:	Standard procedu The product itself	re for chemical fires. does not burn.

### **SECTION 6: Accidental release measures**

	<ul> <li>ive equipment and emergency procedures</li> <li>Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.</li> </ul>
6.2 Environmental precautions	
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Do not flush into surface water or sanitary sewer system.</li> </ul>
6.3 Methods and material for cont	ainment and cleaning up
Methods for cleaning up	<ul> <li>Keep in suitable, closed containers for disposal.</li> <li>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).</li> </ul>

### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.



# **Power-Weiß**

Versi 4.2	ion	Revision Date: 14.07.2025		DS Number: 08388	Date of last issue: 05.11.2024 Date of first issue: 12.12.2019	
				No special techni	cal protective measures required.	
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.			
7.2 C	onditi	ons for safe storage,	inc	luding any incom	patibilities	
	•	ements for storage and containers	:	in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the c. Containers which are opened must be care- d kept upright to prevent leakage.	
	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline	
Ş	Storage	e class (TRGS 510)	:	12		
7.3 S	specific	end use(s)				
\$	Specifi	c use(s)	:	This information i	s not available.	

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
titanium dioxide	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK
		as the alveolate		
		fraction)		
	Peak-limit cat	egory: 8; II		
	Further inform	ation: Substances th	nat cause cancer in humans	or animals or
	that are consi	dered to be carcinog	enic for humans and for which	ch a MAK value
	can be derive	d., Damage to the er	mbryo or foetus is unlikely wh	nen the MAK
	value or the B	AT value is observe	d	
		AGW (Inhalable	10 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit cat	egory: 2;(II)		
	Further inform	ation: When there is	s compliance with the OEL ar	nd biological
	tolerance valu	ies, there is no risk c	of harming the unborn child	
		AGW (Alveolate	1,25 mg/m3	DE TRGS
		fraction)	(Titanium dioxide)	900
	Peak-limit cat	egory: 2;(II)		
	Further inform	nation: When there is	compliance with the OEL ar	nd biological
			of harming the unborn child	-
		BM (Alveolar	0,5 mg/m3	DE TRGS
		dust fraction)	-	527

Alpina 0

DE / EN

# **Power-Weiß**

sion	Revision Date 14.07.2025	e: SDS 6008;	Number: 388		f last issue: 05.11.2024 f first issue: 12.12.2019	
Talc (Mg3H2(SiO3)4)		14807-96-6	AGW (Inhalat fraction)	ole 10	mg/m3	DE TRGS 900
		Peak-limit cate	egory: 2;(II)			
					npliance with the OEL a rming the unborn child	and biological
			AGW (Alveola		25 mg/m3	DE TRGS
			fraction)	ale 1,2	25 mg/m5	900
		Peak-limit cate	/			300
				oro is cor	mpliance with the OEL	and biological
					rming the unborn child	and biological
			· ·			
Derived	No Effect Le	evel (DNEL) ad	cording to Re	egulation	(EC) No. 1907/2006:	
Substar	nce name	End Use	Routes	of expo-	Potential health ef-	Value
			sure		fects	
Kaolin, d	calcined	Workers	Inhalatio	on	Acute systemic ef-	3,00 mg/m3
	,				fects	
		Workers	Inhalatio	on	Acute local effects	3,00 mg/m3
		Workers	Inhalatio	on	Long-term systemic	3,00 mg/m3
					effects	
		Workers	Inhalatio	on	Long-term local ef-	3,00 mg/m3
					fects	
titanium	dioxide	Consumers	5		Long-term systemic effects	700,00 mg/k bw/day
		Workers	Inhalatio	on	Long-term local ef- fects	10,00 mg/m
Silicic a	cid, potassium	Consumers	Inhalatio	on	Long-term systemic effects	1,38 mg/m3
		Consumers	Ingestio	n	Long-term systemic	0,74 mg/kg
			Ũ		effects	bw/day
		Consumers	Skin cor	ntact	Long-term systemic	0,74 mg/kg
					effects	bw/day
		Workers	Inhalatio	on	Long-term systemic effects	5,61 mg/m3
		Workers	Skin cor	ntact	Long-term systemic	1,49 mg/kg
					effects	bw/day

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Kaolin, calcined	Intermittent use/release	25 mg/l
	Fresh water	4,1 mg/l
	Sea water	0,41 mg/l
	Sewage treatment plant	1400 mg/l
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)



# **Power-Weiß**

Version 4.2	Revision Date: 14.07.2025	-	S Number: 08388	Date of last issue: 05 Date of first issue: 12	
			Intermittent us	e/release	0,193 mg/l
Silicio	acid, potassium salt		Sea water	· · ·	1 mg/l
			Intermittent us	e/release	7,5 mg/l
			Fresh water Sewage treatm	ont plant	7,5 mg/l 348 mg/l
8.2 Expos	ure controls		Sewage fream		340 mg/i
-	onal protective equipr	nent			
	ace protection	:		e protection when the p the product cannot be	
			DGUV Regulation	on 112-192 - Use of eye	e and face protection
Ma Gl	protection aterial ove thickness otective index	:	Nitrile rubber 0,2 mm Class 3		
Re	emarks	:	Wear suitable gl	gloves clean them with oves tested to EN374. on 112-195 - Use of pro	
Skin a	and body protection	:	Safety shoes Long sleeved cle	othing	
				otection according to th dangerous substance	
			Skin should be v	vashed after contact.	
Resp	Respiratory protection	:	No personal res quired.	piratory protective equi	pment normally re-
			When spraying, spray dust.	use face mask with par	rticle filter P2 against
			DGUV Regulation	on 112-190 - Use of bre	athing equipment

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic



# **Power-Weiß**

Vers 4.2	sion	Revision Date: 14.07.2025		S Number: 18388	Date of last issue: 05.11.2024 Date of first issue: 12.12.2019
	Melting	point/freezing point	:	ca. 0 °C	
	Boiling	point/boiling range	:	ca. 100 °C	
		explosion limit / Upper bility limit	:	not determined	
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoigr	nition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	> 11,4 (20 °C) Concentration: 10 Method: DIN EN	00 % ISO 19396-1:2020-05
	Viscosi Visc	ty cosity, dynamic	:	> 100 mPa.s (20 Method: ISO 321	
	Viso	cosity, kinematic	:	not determined	
	Flow tir	ne	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	completely miscil	ble
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Density	/	:	1,45 g/cm3 (20 °	C)



# **Power-Weiß**

Version 4.2	Revision Date: 14.07.2025	SDS Numbe 6008388	r: Date of last issue: 05.11.2024 Date of first issue: 12.12.2019
		Method	DIN EN ISO 2811-1
Bu	lk density	: Not app	licable
Re	lative vapor density	: not dete	rmined
	<b>er information</b> plosives	: Not app	licable
Ox	idizing properties	: Not app	licable
Fla	nmability (liquids)	: The pro	duct is not flammable.

# **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied
--

#### 10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.

# 10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.



# **Power-Weiß**

/ersion 1.2	Revision Date: 14.07.2025	SDS Number: 6008388	Date of last issue: 05.11.2024 Date of first issue: 12.12.2019				
Prod	uct:						
Rema	arks	corrosive/sl Information	<ul> <li>Based on OECD test 431 this product is not classified as skir corrosive/skin irritant.</li> <li>Information given is based on tests on products of similar composition.</li> </ul>				
	us eye damage/eye						
	lassified based on ava						
Resp	iratory or skin sensi	tization					
Skin	sensitization						
	lassified based on ava	ailable information.					
-	iratory sensitization						
	lassified based on ava	ailable information.					
	cell mutagenicity lassified based on available	vilable information					
	nogenicity						
	lassified based on ava	ailable information.					
Repr	oductive toxicity						
•	lassified based on ava	ailable information.					
STO	-single exposure						
Not c	lassified based on ava	ailable information.					
	-repeated exposure						
Not c	lassified based on ava	ailable information.					
-	ation toxicity						
	lassified based on ava						
	mation on other haz						
	crine disrupting pro lassified based on ava	•					
Prod	uct:						
Asse	ssment	ered to hav REACH Art (EU) 2017/2	nce/mixture does not contain components consid- e endocrine disrupting properties according to icle 57(f) or Commission Delegated regulation 2100 or Commission Regulation (EU) 2018/605 at 1% or higher.				

# **SECTION 12: Ecological information**

12.1 Toxicity

No data available



# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Endocrine disrupting properties**

Dı	ro	А		~	۴	
	U	u	u	ັ	L	

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product		Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage system or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

### **SECTION 14: Transport information**

14.1 UN number or ID number					
ADN	:	Not regulated as a dangerous good			
ADR	:	Not regulated as a dangerous good			
RID	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.2 UN proper shipping name					
ADN	:	Not regulated as a dangerous good			
ADR	:	Not regulated as a dangerous good			
RID	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADN	:	Not regulated as a dangerous good			
ADR	:	Not regulated as a dangerous good			
RID	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
ΙΑΤΑ	:	Not regulated as a dangerous good			
14.4 Packing group					
ADN	:	Not regulated as a dangerous good			
ADR	:	Not regulated as a dangerous good			
RID	:	Not regulated as a dangerous good			
IMDG	:	Not regulated as a dangerous good			
IATA (Cargo)	:	Not regulated as a dangerous good			
IATA (Passenger)	:	Not regulated as a dangerous good			
14.5 Environmental hazards					
Not regulated as a dangerous good					

### 14.6 Special precautions for user :

Remarks

Not classified as dangerous in the meaning of transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.



# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix- ture				
REACH - Restrictions on the man the market and use of certain dang	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)			
REACH - Candidate List of Substa Concern for Authorization (Article		: No	one	
Regulation (EU) No 2024/590 on s plete the ozone layer	substances that de-	: No	ot applicable	
Regulation (EU) 2019/1021 on per tants (recast)	rsistent organic pollu-	: No	ot applicable	
REACH - List of substances subject to authorisation (Annex XIV)			one	
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- : ny)	WGK 1 slightly water end Classification according			
. :	Coating materials, water	-base	ed, low preservative content	
Volatile organic compounds :		ons (ir	ovember 2010 on industrial and ntegrated pollution prevention VOC) content: < 0,01 %	
Volatile organic compounds :	Directive 2004/42/EC < 0.1 % < 1 g/l			

## Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).



# **Power-Weiß**

Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### SECTION 16: Other information

#### Full text of H-Statements

H315	:	Causes skin irritation.		
H319	:	Causes serious eye irritation.		
H335	:	May cause respiratory irritation.		
Full text of other abbreviations				
Eye Irrit.	:	Eye irritation		
Skin Irrit.	:	Skin irritation		
STOT SE	:	Specific target organ toxicity - single exposure		
DE DFG MAK	:	Germany. MAK BAT Annex IIa		
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials		
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.		
DE DFG MAK / MAK	:	MAK value		
DE TRGS 527 / BM	:	Assessment scale		
DE TRGS 900 / AGW	:	Time Weighted Average		

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Car-riage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (E) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-ber; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Prac-tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equip-ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inven-try of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 90% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Of-fice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemi-cal Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, E

#### Further information

Other information	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

# **Power-Weiß**



Version	Revision Date:	SDS Number:	Date of last issue: 05.11.2024
4.2	14.07.2025	6008388	Date of first issue: 12.12.2019
		work - Joint Rese Communities SAX'S - Dangerou GESTIS - Databa Arbeitsschutz der	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN