

Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	roduct identifier	:	Fenster &Türen-Schutz Nussbaum
1.2 Re	elevant identified uses of th	e s	ubstance or mixture and uses advised against
-	Ise of the Sub- tance/Mixture	:	Water-borne coatings
	Recommended restrictions n use	:	within adequate application - none
1.3 De	etails of the supplier of the	saf	ety data sheet
С	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	elephone elefax	:	+498001238887 +4961547170632
E	Vebsite -mail address Responsi- le/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Use combination filter A2/P2 and protective goggles when spraying.

Use P2 dust filter for grinding.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Polyacrylate-based wood varnish, aqueous

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,025 - <
	220-120-9	Skin Irrit. 2; H315	0,05
	613-088-00-6	Eye Dam. 1; H318	
	01-2120761540-60	Skin Sens. 1; H317	
		Aquatic Acute 1;	
		H400	
		Aquatic Chronic 2;	
		H411	
		Acute Tox. 2; H330	
		M-Factor (Acute	
		aquatic toxicity): 1	
		M-Factor (Chronic	
		aquatic toxicity): 1	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Fenster & Türen-Schutz Nussbaum

rsion	Revision Date: 30.09.2024	SDS 6004		Date of last issue: 10.01.2023 Date of first issue: 01.10.2019	
				specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
methy	on mass of 5-chloro-2 /I-2H-isothiazol-3-one /I-2H-isothiazol-3-one	and 2-	55965-84-9 613-167-00-5 01-2120764691-4	Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 8 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic tox	>= 0,0002 - 0,0015
	ances with a workpla				
(2-me	thoxymethylethoxy)pi	ropanol	34590-94-8 252-104-2 01-2119450011-6	0	>= 1 - < 1(

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024	SDS Number: 6004858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019
			angerous area. ds to protect himself.
lf inha	led	: Move to fresh	air.
In cas	e of skin contact		olvents or thinners. tact, immediately flush skin with soap and plenty
In cas	e of eye contact	IF IN EYES: R	persists: Get medical advice/ attention. inse cautiously with water for several minutes. act lenses, if present and easy to do. Continue
lf swa	llowed		advice. vith water and drink afterwards plenty of water. DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	Unsuitable extinguishing media	:	None known.
5.2	Special hazards arising from	the	substance or mixture
	Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3	Advice for firefighters Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:		DS Number:	Date of last issue: 10.01.2023		
4.1	30.09.2024	60	04858	Date of first issue: 01.10.2019		
Further information		:	: Standard procedure for chemical fires. The product itself does not burn.			
SECTION	N 6: Accidental relea	ase i	neasures			
6.1 Perso	nal precautions, prote	ectiv	e equipment a	nd emergency procedures		
Perso	onal precautions	:	Material can c	e shoes or boots with rough rubber sole. reate slippery conditions. eyes, on skin, or on clothing.		
6.2 Enviro	onmental precautions					
Environmental precautions		:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains infor respective authorities. Do not flush into surface water or sanitary sewer system.			
			Do not nusir n	to surface water of samilary sewer system.		
6.3 Metho	ods and material for co	ontai	nment and cle	aning up		
Methods for cleaning up		:	Soak up with	ble, closed containers for disposal. inert absorbent material (e.g. sand, silica gel, niversal binder, sawdust).		
6.4 Refere	ence to other sections	5				
	r information see Section on al protection see section sec			ta sheet. considerations see section 13.		
SECTION	N 7: Handling and st	ora	ge			
7 1 Preca	utions for safe handli	na				
	ce on safe handling	שייש :		protection see section 8. chnical protective measures required.		
			Please follow	the technical information.		
Hygie	ene measures	:	Wash hands before eating, drinking, or smoking. Do not eat			

Hygiene measures: Wash hands before eating, drinking, or smoking. Do not eat,
drink or smoke when using this product. Remove contaminat-
ed clothing and protective equipment before entering eating
areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024	SDS Number: 6004858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019
Storag	je class (TRGS 510)	: 12	
-	c end use(s) ic use(s)	: This information	is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
(2- methoxymeth- ylethoxy)propanol	34590-94-8	TWA	50 ppm 308 mg/m3	2000/39/EC		
	Further information: Identifies the possibility of significant uptake through the skin, Indicative					
		MAK	50 ppm 310 mg/m3	DE DFG MAK		
	Further information: Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C					
		AGW (Vapour and aerosols)	50 ppm 310 mg/m3	DE TRGS 900		
	Peak-limit cat	egory: 1;(I)				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
(2- methoxymethyleth- oxy)propanol	Consumers	Ingestion	Long-term systemic effects	0,33 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	475,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	202,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	36,00 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	121,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	37,20 mg/m3
	Workers	Inhalation	Long-term systemic effects	308,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	404,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	283,00 mg/kg bw/day
	Workers	Skin contact	Long-term systemic	950,00 mg/kg



Fenster & Türen-Schutz Nussbaum

Version	
4.1	

Revision Date: 30.09.2024

SDS Number:
6004858

Date of last issue: 10.01.2023 Date of first issue: 01.10.2019

effects bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
(2-	Soil	2,2 mg/kg dry
methoxymethylethoxy)propanol		weight (d.w.)
	Intermittent use/release	192 mg/l
	Fresh water	19,2 mg/l
	Sewage treatment plant	4168 mg/l
	Sea water	1,92 mg/l
	Intermittent use/release	190 mg/l
	Fresh water sediment	70,2 mg/kg dry
		weight (d.w.)
	Sea water	1,9 mg/l
	Soil	2,74 mg/kg dry
		weight (d.w.)
	Sea sediment	7,02 mg/kg dry
		weight (d.w.)
	Fresh water	19 mg/l

8.2 Exposure controls

Personal protective equipment

Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection	
		Goggles	
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3	
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves	
Skin and body protection	:	Safety shoes Long sleeved clothing	
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.	
		Skin should be washed after contact.	
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.	
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.	
		DGUV Regulation 112-190 - Use of breathing equipment	



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	brown
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	> 100 mPa.s (20 °C) Method: ISO 3219
Viscosity, kinematic	:	not determined
Flow time	:	not determined
Solubility(ies)		



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024		S Number: 04858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019
W	ater solubility	:	completely misc	ible
	Partition coefficient: n- octanol/water		Not applicable	
Vapo	or pressure	:	ca. 23,4 hPa (20) °C)
Relat	tive density	:	not determined	
Dens	ity	:	: 1,03 g/cm3 (20 °C) Method: DIN EN ISO 2811-1	
Bulk	density	:	: Not applicable	
Relat	tive vapor density	:	: Not applicable	
9.2 Other	information			
Explo	osives	:	Not applicable	
Oxidi	zing properties	:	: Not applicable	
Flam	mability (liquids)	:	The product is n	ot flammable.
SECTIO	N 10: Stability and	roadi	<i>,</i> ;;4 <i>r</i>	

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if stored	and applied as directed.
10.2 Chemical stability No decomposition if stored	and applied as directed.
10.3 Possibility of hazardous	reactions
Hazardous reactions	: No decomposition if stored and applied as directed.
10.4 Conditions to avoid	
Conditions to avoid	: Protect from frost, heat and sunlight.
10.5 Incompatible materials	
Materials to avoid	: Incompatible with acids and bases.
	9/17



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024	SDS Number: 6004858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019
M-Fa toxici	ctor (Chronic aquatic ty)	: 1	
		2-methyl-2H-isothi	azol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1) : M-Fa icity)	ctor (Acute aquatic tox-	. : 100	
M-Fa toxici	ctor (Chronic aquatic ty)	: 100	
	istence and degradab ata available	ility	
12.3 Bioa	ccumulative potential		
Com	ponents:		
1.2-b	enzisothiazol-3(2H)-o	ne:	
Partit	tion coefficient: n- nol/water	: log Pow: 0,63 pH: 7	- 0,76
react (3:1):		2-methyl-2H-isothi	azol-3-one and 2-methyl-2H-isothiazol-3-one
Partit	ion coefficient: n- nol/water	: log Pow: <= 0 Method: OEC	,75 D Test Guideline 117
(2-m	ethoxymethylethoxy)r	propanol:	
Partit	tion coefficient: n- nol/water	: Pow: 1,01 (25	j °C)
12.4 Mobi	ility in soil		
	ata available		
12.5 Resu	ults of PBT and vPvB a	assessment	
Prod	uct:		
	ssment	to be either pe	e/mixture contains no components considered ersistent, bioaccumulative and toxic (PBT), or at and very bioaccumulative (vPvB) at levels of er.
40.0			
12.6 Endo	ocrine disrupting prop	oerties	
Prod			
Asse	ssment	ered to have e REACH Articl	e/mixture does not contain components consid endocrine disrupting properties according to e 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 a

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024		S Number: 4858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019			
	levels of 0.1% or higher.						
12.7 Oth	er adverse effects						
Add	Product: Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.						
SECTIC	SECTION 13: Disposal considerations						
13 1 Wa	ste treatment methods						
Proc			old paints/varnish	material residues at the collection point for es, dispose of dried material residues as demolition waste or as municipal waste or			
			Waste should not	be disposed of via wastewater.			
Con	taminated packaging		Only completely e	emptied containers should be given for recy-			
Was	ste Code		used product 080112, waste pa in 08 01 11*	aint and varnish other than those mentioned			

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR		Net conclusion and a second second
	-	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
RID IMDG	:	
	:	Not regulated as a dangerous good

ADN

: Not regulated as a dangerous good



Fenster & Türen-Schutz Nussbaum

Versior 4.1	n Revision Date: 30.09.2024	SDS Number: 6004858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019	
A	DR	: Not regulated	d as a dangerous good	
RI	D	: Not regulated	d as a dangerous good	
IM	DG	: Not regulated	d as a dangerous good	
IA	ТА	: Not regulated	d as a dangerous good	
14.4 Pa	acking group			
A	DN	: Not regulated	d as a dangerous good	
A	DR	: Not regulated	d as a dangerous good	
RI	D	: Not regulated	d as a dangerous good	
IM	DG	: Not regulated	d as a dangerous good	
IA	TA (Cargo)	: Not regulated	d as a dangerous good	
IA	TA (Passenger)	: Not regulated	d as a dangerous good	
14.5 Eı	nvironmental hazards			

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	 Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor. 	:
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	: None	
Regulation (EC) on substances that deplete the ozone layer	: Not applicable	
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	- : Not applicable	
REACH - List of substances subject to authorisation (Annex XIV)	: None	



Fenster & Türen-Schutz Nussbaum

VersionRevision Date:SDS Number:Date of last issue: 10.01.20234.130.09.20246004858Date of first issue: 01.10.2019		
---	--	--

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Water hazard class (Germa- ny)	: WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)	
	: BSW20 Coating materials, water-based	
Volatile organic compounds	: Directive 2010/75/EU of 24 November 2010 on industr emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 3,82 %	
Volatile organic compounds	: Directive 2004/42/EC < 4 % < 40 g/l	

Not applicable

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	:	Toxic if swallowed.
H302 :	:	Harmful if swallowed.
H310 :	:	Fatal in contact with skin.
H314 :	:	Causes severe skin burns and eye damage.
H315 :	:	Causes skin irritation.
H317 :	:	May cause an allergic skin reaction.
H318 :	:	Causes serious eye damage.
H330 :	:	Fatal if inhaled.
H400 :	:	Very toxic to aquatic life.
H410 :	:	Very toxic to aquatic life with long lasting effects.
H411 :	:	Toxic to aquatic life with long lasting effects.
EUH071 :	:	Corrosive to the respiratory tract.
Full text of other abbreviation	S	
Acute Tox.	:	Acute toxicity
Aquatic Acute :	:	Short-term (acute) aquatic hazard

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878

DE / EN



Fenster & Türen-Schutz Nussbaum

Version 4.1	Revision Date: 30.09.2024	SDS Number: 6004858	Date of last issue: 10.01.2023 Date of first issue: 01.10.2019		
Eye I Skin	Corr.	: Serious eye c : Skin corrosion			
Skin Skin 2000/		 Skin irritation Skin sensitization Europe. Commission Directive 2000/39/EC establishing a fi 			
DE D	FG MAK	list of indicative : Germany. MA	ve occupational exposure limit values		
2000/ DE D	RGS 900 /39/EC / TWA FG MAK / MAK RGS 900 / AGW	E Germany. TR Limit Value - MAK value Time Weighte			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipty and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory, LCS0 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locel Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerat

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network



Fenster & Türen-Schutz Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 10.01.2023
4.1	30.09.2024	6004858	Date of first issue: 01.10.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN