

Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Product identifier Trade name	:	Premium-Lasur Nussbaum
1.2 R	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture		Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3 C	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person		www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208

Contains 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.



Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Polyacrylate-based wood varnish, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
3-iodo-2-propynyl butylcarbamate	55406-53-6 259-627-5 616-212-00-7 01-2120762115-60	Acute Tox. 4; H302 Acute Tox. 3; H331 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 1; H372 (larynx) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic	>= 0,1 - < 0,25
		aquatic toxicity): 1	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330	>= 0,025 - < 0,05
		M-Factor (Acute	



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024		8 Number: 4816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019	
4.2		6004		Date of first issue: 22.11.2019 aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 % -48 Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100	>= 0,0002 - < 0,0015
				specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.

:

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
			angerous area. eds to protect himself.
lf inha	aled	: Move to fresh	air.
In cas	se of skin contact	Do NOT use s	ontaminated clothing immediately. solvents or thinners. stact, immediately flush skin with soap and plenty
In cas	se of eye contact	IF IN EYES: F	a persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue
lf swa	allowed		advice. with water and drink afterwards plenty of water. DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed : No information available. Treatment

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media :	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing : media	None known.
5.2 Special hazards arising from th	e substance or mixture
Specific hazards during fire : fighting	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).
5.3 Advice for firefighters	
Special protective equipment : for fire-fighters	Wear self-contained breathing apparatus for firefighting if nec- essary.
	4 / 17



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Furth	er information	Standard proce	ay to cool unopened containers. edure for chemical fires. self does not burn.
SECTION 6: Accidental release measures			

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		

Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up		Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
		Please follow the technical information.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the
		original container. Containers which are opened must be care-
		fully resealed and kept upright to prevent leakage.



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Advic	e on common storage	: Keep away fro materials.	om oxidizing agents and strongly acid or alkaline
Stora	ge class (TRGS 510)	: 12	
•	fic end use(s) fic use(s)	: This information	on is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
3-iodo-2-propynyl	55406-53-6	AGW (Vapour	0,005 ppm	DE TRGS
butylcarbamate		and aerosols)	0,058 mg/m3	900
	Peak-limit category: 2;(I)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child, Substance sen-			
	sitizing through the skin			
		MAK	0,005 ppm	DE DFG MAK
			0,058 mg/m3	
	Further information: Danger of sensitization of the skin, Damage to the em- bryo or foetus is unlikely when the MAK value or the BAT value is observed			

8.2 Exposure controls

Personal protective equipment Eye/face protection DGUV Regulation 112-192 - Use of eye and face protection : Goggles Hand protection Material Nitrile rubber : Glove thickness : 0,2 mm Protective index : Class 3 Remarks Before removing gloves clean them with soap and water. : Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves Skin and body protection Safety shoes : Long sleeved clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place. Skin should be washed after contact.



Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019
Respi	ratory protection	quired. During spray a A2/P2 combine	espiratory protective equipment normally re- application: Do not breathe spray dust. Use ation filter for paint spraying. tion 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

 Physical state	:	
Color	:	brown
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	> 100 mPa.s (20 °C) Method: ISO 3219
		7 / 17



Premium-Lasur Nussbaum

Vers 4.2	ion	Revision Date: 04.09.2024		S Number: 04816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
	Visc	cosity, kinematic	:	not determined	
	Flow tir	ne	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	completely misci	ble
	Partitio octanol	n coefficient: n- /water	:	not determined	
	Vapor (pressure	:	ca. 23,4 hPa (20	°C)
	Density	/	:	1,029 g/cm3 (20 Method: DIN EN	°C) ISO 2811-1
	Bulk de	ensity	:	Not applicable	
	Relativ	e vapor density	:	not determined	
9.2 (Other ir Explosi	nformation ives	:	Not applicable	
	Oxidizii	ng properties	:	Not applicable	
	Flamm	ability (liquids)	:	The product is no	ot flammable.
	Evapor	ation rate	:	Not applicable	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Haza	rdous reactions	: No decompos	sition if stored and applied as directed.
	litions to avoid itions to avoid	: Protect from	frost, heat and sunlight.
	mpatible materials rials to avoid		with acids and bases. with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity	:	Acute toxicity estimate: > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method
		Method. Calculation method

Components:

3-iodo-2-propynyl butylcarbamate:

Acute oral toxicity :	LD50 (Rat, female): 1.056 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity :	LC50 (Rat): 0,763 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity :	LD50 (Rat): > 2.000 mg/kg
1,2-benzisothiazol-3(2H)-one:	
1,2-benzisothiazol-3(2H)-one: Acute oral toxicity :	LD50 (Rat): 532 mg/kg
Acute oral toxicity :	LD50 (Rat): 532 mg/kg LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Acute	e oral toxicity	: LD50 (Rat): Method: OE	66 mg/kg CD Test Guideline 401
Acute	e inhalation toxicity		
Acute	e dermal toxicity	: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402
Skin	corrosion/irritation		

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.





Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:		
3-iodo-2-propynyl butylcarb	am	ate:
M-Factor (Acute aquatic tox- icity)	:	10
M-Factor (Chronic aquatic toxicity)	:	1
1,2-benzisothiazol-3(2H)-on	e:	
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic toxicity)	:	1
reaction mass of 5-chloro-2	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
(3:1):		
M-Factor (Acute aquatic tox- icity)	:	100
M-Factor (Chronic aquatic toxicity)	:	100
12.2 Persistence and degradabil	ity	
No data available		
12.3 Bioaccumulative potential		
Components:		

3-iodo-2-propynyl butylcarbamate:



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019			
Partition coefficient: n- octanol/water		: log Pow: 2,8	log Pow: 2,81 (25 °C)			
1,2-b	enzisothiazol-3(2H)-o	ne:				
Parti	tion coefficient: n- nol/water		log Pow: 0,63 - 0,76 pH: 7			
reac (3:1)		2-methyl-2H-isoth	iazol-3-one and 2-methyl-2H-isothiazol-3-one			
Parti	tion coefficient: n- nol/water	: log Pow: <= Method: OE	0,75 CD Test Guideline 117			
	ility in soil ata available					
12.5 Res	ults of PBT and vPvB a	assessment				
Prod	luct:					
Asse	ssment	to be either p very persiste	: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
12.6 Ende	ocrine disrupting prop	erties				
Prod	luct:					
Asse	ssment	ered to have REACH Artic (EU) 2017/2	The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.			
12.7 Othe	er adverse effects					
<u>Prod</u> Addit matic	tional ecological infor-		ental hazard cannot be excluded in the event of al handling or disposal.			
SECTIO	N 13: Disposal cons	iderations				
13.1 Was	te treatment methods					
Prod	uct	: Dispose of liquid material residues at the collection point for				

old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or

household waste.



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Conta	aminated packaging	: Only completel cling.	ly emptied containers should be given for recy-
Waste Code		: used product 080112, waste in 08 01 11*	paint and varnish other than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.2	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.3	B Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.4	Packing group		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	IATA (Cargo)	:	Not regulated as a dangerous good
	IATA (Passenger)	:	Not regulated as a dangerous good



Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

14.5 Environmental hazards

Remarks

Not regulated as a dangerous good

14.6 Special precautions for user

: Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-ture

REACH - Restrictions on the mar the market and use of certain dar mixtures and articles (Annex XVII	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.		
REACH - Candidate List of Subst Concern for Authorization (Article		:	None	
Regulation (EC) on substances th layer	hat deplete the ozone	:	Not applicable	
Regulation (EU) 2019/1021 on pe tants (recast)	ersistent organic pollu-	:	Not applicable	
REACH - List of substances subje (Annex XIV)	ect to authorisation	:	None	
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- : ny)	WGK 1 slightly water en Classification according			
. :	BSW50 Coating materia film-protected	als,	water-based, containing solvents,	
lation (EU) 528/2012 defined as a "treated			egulation 528/2012 this product is e" (not a biocidal product) and con- dal substances: 3-iodo-2-propynyl 55406-53-6).	



Premium-Lasur Nussbaum

Version 4.2	Revision Date: 04.09.2024	SDS Number: 6004816	Date of last issue: 25.07.2024 Date of first issue: 22.11.2019
Volat	ile organic compounds	emissions (inte	0/75/EU of 24 November 2010 on industrial egrated pollution prevention and control) ic compounds (VOC) content: 0,73 %
Volatile organic compounds		: Directive 2004 < 2 % < 20 g/l	/42/EC

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H330	:	Fatal if inhaled.
H331	:	Toxic if inhaled.
H372	:	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
H411	:	Toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviatio	ns	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
STOT RE	:	Specific target organ toxicity - repeated exposure
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	:	MAK value
DE TRGS 900 / AGW	:	Time Weighted Average



Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GMS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Locel 3 Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation; CO- 0peratican and Development; OPPTS - Office of Chemical Safety and Pollution Prev

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Premium-Lasur Nussbaum

Version	Revision Date:	SDS Number:	Date of last issue: 25.07.2024
4.2	04.09.2024	6004816	Date of first issue: 22.11.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN