

## **Premium-Lasur Platinum**

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Premium-Lasur Platinum
1.2	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

#### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Additional Labeling**

EUH208 Contains 3-iodo-2-propynyl butylcarbamate, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not





## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ensure thorough ventilation during and after application. Do not allow to enter into surface water or drains.

•

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature	:	Polyacrylate-based wood varnish, aqueous
-----------------	---	--

Com	ponents
-----	---------

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide	13463-67-7 236-675-5 01-2119489379-17		>= 1 - < 10
3-iodo-2-propynyl butylcarbamate	55406-53-6 259-627-5 616-212-00-7 01-2120762115-60	Acute Tox. 4; H302 Acute Tox. 3; H331 Eye Dam. 1; H318 Skin Sens. 1; H317 STOT RE 1; H372 (larynx) Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 1	>= 0,1 - < 0,25
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	Acute Tox. 4; H302 Skin Irrit. 2; H315	>= 0,025 - < 0,036

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

## Premium-Lasur Platinum

Version 4.3		SDS Number: 6004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019
		613-088-00-6 01-21207615	
methy	on mass of 5-chloro-2- /I-2H-isothiazol-3-one and /I-2H-isothiazol-3-one (3:		Acute Tox. 3; H301         >= 0,0002 - <



## **Premium-Lasur Platinum**

Version 4.3	Revision Date: 10.07.2025	SDS Number: 6004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019	
			0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice :	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled :	Move to fresh air.
In case of skin contact :	Take off all contaminated clothing immediately. Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact :	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed :	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed None known.

#### 4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media			
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir-	



## Premium-Lasur Platinum

Vers 4.3	sion	Revision Date: 10.07.2025		DS Number: 04830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019
					he surrounding environment. I water stream as it may scatter and spread
Unsuitable extinguishing media		:	None known.		
5.2	Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire fighting		:	produced such as	ardous decomposition products may be :: a, carbon dioxide and unburned hydrocar-	
5.3	Advice	for firefighters			
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further	r information	:		o cool unopened containers. Ire for chemical fires. does not burn.

#### **SECTION 6: Accidental release measures**

• • •	e equipment and emergency procedures Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for contain	inment and cleaning up
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
6.4 Reference to other sections	

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling



## Premium-Lasur Platinum

Vers 4.3	sion	Revision Date: 10.07.2025		DS Number: 004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019
Advice on safe handling		:	• •	equate ventilation. ection see section 8. cal protective measures required.	
Hygiene measures		:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.		
7.2 (	Conditi	ons for safe storage,	inc	luding any incom	patibilities
	Requir	ements for storage and containers		Perishable if froz in heat or direct s original container	en. To maintain product quality, do not store sunlight. Store at room temperature in the c Containers which are opened must be care- d kept upright to prevent leakage.
	Advice	on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
	Storag	e class (TRGS 510)	:	12	
	-	<b>c end use(s)</b> c use(s)	:	This information i	s not available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK		
		as the alveolate	- ,- <b>3</b>	_		
		fraction)				
	Peak-limit cat	egory: 8; II		-		
	Further inform	nation: Substances th	nat cause cancer in humans	or animals or		
	that are consi	dered to be carcinog	enic for humans and for wh	ich a MAK value		
	can be derive	d., Damage to the er	nbryo or foetus is unlikely w	hen the MAK		
	value or the B	AT value is observe	d			
		AGW (Inhalable 10 mg/m3 DE				
		fraction)	(Titanium dioxide)	900		
	Peak-limit cat	egory: 2;(II)				
	Further inform	nation: When there is	compliance with the OEL a	and biological		
	tolerance valu	ies, there is no risk c	of harming the unborn child	-		
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction) (Titanium diox		900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					



## Premium-Lasur Platinum

rsion 3	Revision Da 10.07.2025	te: SDS 6004		Date of last issue: 02.09.2024 Date of first issue: 22.11.2019					
	10.07.2020	000							
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527				
	o-2-propynyl arbamate	55406-53-6	MAK	0,005 ppm 0,058 mg/m3	DE DFG MA				
		Peak-limit cat	egory: 2; I						
		Further information: Danger of sensitization of the skin, Damage to the em-							
			bryo or foetus is unlikely when the MAK value or the BAT value is observed						
			AGW (Vapour and aerosols)	0,005 ppm 0,058 mg/m3	DE TRGS 900				
		Peak-limit category: 2;(I)							
		Further information: When there is compliance with the OEL and biological							
		tolerance values, there is no risk of harming the unborn child, Substance sen-							
		sitizing through the skin							
chloro 2H-iso one a	on mass of 5- o-2-methyl- othiazol-3- nd 2-methyl- othiazol-3- 3:1)	55965-84-9	MAK (inhalable fraction)	0,2 mg/m3	DE DFG MA				
,	*	Peak-limit category: 2; I							
			<u> </u>	ensitization of the skin, Dama	ge to the em-				
		bryo or foetus is unlikely when the MAK value or the BAT value is observed							

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

Hand protection



## Premium-Lasur Platinum

Version 4.3	Revision Date: 10.07.2025		DS Number: 04830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019			
Material Glove thickness Protective index			Nitrile rubber 0,2 mm Class 3				
Remarks		:	Before removing gloves clean them with soap and wate Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves				
Skin a	Skin and body protection		Safety shoes Long sleeved clo	thing			
				tection according to the amount and con- dangerous substance at the work place.			
			Skin should be w	vashed after contact.			
Respiratory protection		:	No personal resp quired.	piratory protective equipment normally re-			
				blication: Do not breathe spray dust. Use on filter for paint spraying.			
			DGUV Regulatio	n 112-190 - Use of breathing equipment			

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	gray
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined



## Premium-Lasur Platinum

Versi 4.3		Revision Date: 10.07.2025		S Number: 94830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019
	Flash po	int	:	Not applicable	
	Autoignit	ion temperature	:	not determined	
	Decomp	osition temperature	:	Not applicable	
	рН		:	8 - 9 (20 °C) Concentration: 1 Method: DIN EN	00 % ISO 19396-1:2020-05
	Viscosity Visco	, sity, dynamic	:	> 100 mPa.s (20 Method: ISO 321	
	Visco	sity, kinematic	:	not determined	
	Flow time	e	:	not determined	
	Solubility Wate	r(ies) r solubility	:	completely misci	ble
	Partition octanol/v	coefficient: n- vater	:	not determined	
	Vapor pr	essure	:	ca. 23,4 hPa (20	°C)
	Density		:	1,035 g/cm3 (20 Method: DIN EN	
	Bulk den	sity	:	Not applicable	
	Relative	vapor density	:	not determined	
		ormation			
	Explosiv	es	:	Not applicable	
	Oxidizinę	g properties	:	Not applicable	



## **Premium-Lasur Platinum**

Version 4.3	Revision Date: 10.07.2025	SDS Number: 6004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019			
Flam	mability (liquids)	: The product	is not flammable.			
Evap	oration rate	: Not applicabl	le			
SECTIOI	N 10: Stability and I	eactivity				
10.1 Read	ctivity					
No de	ecomposition if stored	and applied as direct	ed.			
	nical stability					
No de	ecomposition if stored	and applied as direct	ed.			
10.3 Poss	sibility of hazardous	reactions				
Haza	rdous reactions	: No decompo	sition if stored and applied as directed.			
40.4.0						
	ditions to avoid litions to avoid	· Drotoct from	frost, heat and sunlight.			
Conc		. FIOLECLITOIN	nosi, neat and sunnghit.			
10.5 Inco	mpatible materials					
	rials to avoid		: Incompatible with acids and bases. Incompatible with oxidizing agents.			
	ardous decompositio ecomposition if stored	•	ed			
	•					
SECTIO	N 11: Toxicological	information				
44 4 1	motion on borows at	oooo oo dafinad in l	Regulation (EC) No 1272/2009			
	mation on nazard Cla	isses as defined in I	Regulation (EC) No 1272/2008			
	e toxicity					
	lassified based on ava	illable information.				
Prod						
Acute	e inhalation toxicity		estimate: > 5 mg/l			
		Exposure time Test atmosph	e: 4 n ere: dust/mist			
		Mathadi Calar				

#### **Components:**

3-iodo-2-propynyl butylcarbamate:							
Acute oral toxicity	:	LD50 (Rat, female): 1.056 mg/kg Method: OECD Test Guideline 401					
Acute inhalation toxicity	:	LC50 (Rat): 0,763 mg/l Exposure time: 4 h					

Method: Calculation method



## Premium-Lasur Platinum

ersion .3	Revision Date: 10.07.2025	SDS Number: 6004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019
		Test atmosphe	ere: dust/mist
Acute	e dermal toxicity	: LD50 (Rat): > 2	2.000 mg/kg
1,2-b	enzisothiazol-3(2H)-	one:	
	e oral toxicity	: Acute toxicity e	estimate: 450 mg/kg toxicity estimate according to Regulation (EC)
Acute	e inhalation toxicity	Test atmosphe	toxicity estimate according to Regulation (EC)
Acute	e dermal toxicity	: LD50 (Rat): > 2	2.000 mg/kg
react (3:1):		o-2-methyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
Acute	e oral toxicity	: LD50 (Rat): 66 Method: OEC	6 mg/kg D Test Guideline 401
Acute	e inhalation toxicity	: LC50 (Rat): 0, Exposure time Test atmosphe Method: OEC	: 4 h
Acute	e dermal toxicity	: LD50 (Rat): > Method: OECI	141 mg/kg D Test Guideline 402
-	corrosion/irritation	ailable information.	
Seric	ous eye damage/eye	irritation	
	lassified based on av		
	viratory or skin sensi	tization	
	sensitization lassified based on ava	ailable information.	
Resp	iratory sensitization		
	lassified based on av	ailable information.	
	n cell mutagenicity lassified based on ava	ailable information.	
	<b>inogenicity</b> lassified based on ava	ailable information.	
-	oductive toxicity lassified based on ava	ailable information.	



## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### **11.2 Information on other hazards**

#### Endocrine disrupting properties

Not classified based on available information.

#### Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### Components:

#### 3-iodo-2-propynyl butylcarbamate:

M-Factor (Acute aquatic tox- icity)	:	10
M-Factor (Chronic aquatic toxicity)	:	1

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1
M-Factor (Chronic aquatic	:	1



## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

toxicity)

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

M-Factor (Acute aquatic tox- : 100 icity) M-Factor (Chronic aquatic : 100

toxicity)

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

#### Components:

#### 3-iodo-2-propynyl butylcarbamate:

Partition coefficient: n- : log Pow: 2,81 (25 °C) octanol/water

#### 1,2-benzisothiazol-3(2H)-one:

Partition coefficient: n-	:	log Pow: 0,63 - 0,76
octanol/water		pH: 7

# reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,75
octanol/water		Method: OECD Test Guideline 117

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **12.6 Endocrine disrupting properties**

#### **Product:**

Assessment	<ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.4% or bicker</li> </ul>
	levels of 0.1% or higher.



## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

#### 12.7 Other adverse effects

#### Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods		
Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage sys- tem or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good



## Premium-Lasur Platinum

Version 4.3	Revision Date: 10.07.2025	SDS Number: 6004830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019		
ADF	र	: Not regulated	as a dangerous good		
RID		: Not regulated as a dangerous good			
IMD	G	: Not regulated	as a dangerous good		
IAT	Α	: Not regulated as a dangerous good			
14.4 Pac	king group				
AD	N	: Not regulated	as a dangerous good		
ADF	र	: Not regulated as a dangerous good			
RID		: Not regulated	as a dangerous good		
IMD	G	: Not regulated as a dangerous good			
IAT	A (Cargo)	: Not regulated as a dangerous good			
IAT	A (Passenger)	: Not regulated as a dangerous good			
14.5 Env	vironmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59) (SVHC).	:	None
Regulation (EU) No 2024/590 on substances that de- plete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None



## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

pean Parliament and of the C	so III: Directive 2012/18/EU of the Euro- Parliament and of the Council on the ol of major-accident hazards involving erous substances.	
Water hazard class (Germa- ny)	VGK 1 slightly water endangering Classification according to AwSV, Annex 1	l (5.2)
	Coating materials, water-based, containing protected	g solvents, film-
Labeling according to Regu- lation (EU) 528/2012	reated article, contains a biocidal produc PBC. In-can preservative: BIT, CIT/MIT (3	
Volatile organic compounds	Directive 2010/75/EU of 24 November 201 ivestock rearing emissions (integrated pol and control) /olatile organic compounds (VOC) conten	llution prevention
Volatile organic compounds	Directive 2004/42/EC < 2 % < 20 g/l	

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

#### **SECTION 16: Other information**

#### Full text of H-Statements

H301 :	:	Toxic if swallowed.
H302 :	:	Harmful if swallowed.
H310 :	:	Fatal in contact with skin.
H314 :	:	Causes severe skin burns and eye damage.
H315 :	:	Causes skin irritation.
H317 :	:	May cause an allergic skin reaction.
H318 :	:	Causes serious eye damage.
H330 :	:	Fatal if inhaled.
H331 :	:	Toxic if inhaled.
H372 :	:	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400 :	:	Very toxic to aquatic life.
H410 :	:	Very toxic to aquatic life with long lasting effects.

## Premium-Lasur Platinum

Version 4.3	Revision Date: 10.07.2025		DS Number: 04830	Date of last issue: 02.09.2024 Date of first issue: 22.11.2019	
EUH071		: tions	Corrosive to the respiratory tract.		
Full text of other abbreviat Acute Tox. Aquatic Acute Aquatic Chronic Eye Dam. Skin Corr. Skin Irrit. Skin Sens. STOT RE DE DFG MAK DE TRGS 527 DE TRGS 900 DE DFG MAK / MAK DE TRGS 527 / BM					

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50% of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory CCB - Lethai Connecil and Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative a

#### **Further information**

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung





## Premium-Lasur Platinum

Version	Revision Date:	SDS Number:	Date of last issue: 02.09.2024
4.3	10.07.2025	6004830	Date of first issue: 22.11.2019

(IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN