

Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Holzisolier-Grund Weiß
1.2	Relevant identified uses of th	ie s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208	Contains dipotassium bis[µ-[tartrato(4-)-O1,O2:O3,O4]]diantimonate(2-), stere- oisomer, 2,4,7,9-tetramethyldec-5-yne-4,7-diol, 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1). May produce an allergic reaction.
--------	---



Holzisolier-Grund Weiß

Version	Revision Date: 22.07.2024	SDS Number:	Date of last issue: 04.04.2023
6.0		6004523	Date of first issue: 29.10.2019

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 10 - < 20
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
sodium benzoate	532-32-1	Eye Irrit. 2; H319	>= 1 - < 10
	208-534-8		
	01-2119460683-35		
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6		
	603-096-00-8		
	01-2119475104-44		
dipotassium bis[µ-[tartrato(4-)-	11071-15-1	Acute Tox. 4; H302	>= 0,25 - < 1
O1,O2:O3,O4]]diantimonate(2-),	234-293-3	Acute Tox. 4; H332	
stereoisomer	051-003-00-9	Skin Irrit. 2; H315	
	01-2120767962-40	Eye Irrit. 2; H319	
		Skin Sens. 1; H317	
		Aquatic Chronic 2;	
		H411	
2,4,7,9-tetramethyldec-5-yne-4,7-	126-86-3	Skin Sens. 1B; H317	>= 0,1 - < 0,25
diol	204-809-1	Eye Dam. 1; H318	
	01-2119954390-39	Aquatic Chronic 3;	
		H412	
1,2-benzisothiazol-3(2H)-one	2634-33-5	Acute Tox. 4; H302	>= 0,0025 - <
	220-120-9	Skin Irrit. 2; H315	0,025
	613-088-00-6	Eye Dam. 1; H318	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Holzisolier-Grund Weiß

Version 6.0		SDS Number: 6004523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019	
		01-212076154	20-60 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Acute Tox. 2; H330 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1 specific concentration limit Skin Sens. 1; H317 >= 0,05 %	
meth	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one (3:1 yl-2H-isothiazol-3-one (3:1		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxic	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures			
General advice		Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	:	Move to fresh air.	
In case of skin contact	-	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.	
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.	

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or car-

Cultable extinguishing modia		bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire	:	In case of fire hazardous decomposition products may be
fighting		produced such as:



Holzisolier-Grund Weiß

Version 6.0	Revision Date: 22.07.2024		DS Number: 004523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019
			Carbon monoxide bons (smoke).	e, carbon dioxide and unburned hydrocar-
5.3 Advice for firefighters				
•	ecial protective equipment fire-fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
Fur	ther information	:		to cool unopened containers. ure for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for co	ntainment and cleaning up
Methods for cleaning up	 Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
	Please follow the technical information.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.



Holzisolier-Grund Weiß

Version 6.0	Revision Date: 22.07.2024		DS Number:)04523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019
7.2 Cond	itions for safe storage,	inc	luding any incom	patibilities
•	uirements for storage s and containers	:	in heat or direct soriginal container	en. To maintain product quality, do not store sunlight. Store at room temperature in the r. Containers which are opened must be care- d kept upright to prevent leakage.
Advi	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stora	age class (TRGS 510)	:	12	
-	fic end use(s) ific use(s)	:	This information i	is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Further inform	ation: Substances th	hat cause cancer in humans	or animals or		
	that are consid	dered to be carcinog	enic for humans and for which	h a MAK value		
			nbryo or foetus is unlikely wh	en the MAK		
	value or the B	AT value is observe				
		AGW (Inhalable	10 mg/m3	DE TRGS		
		fraction) (Titanium dioxide) 900		900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance valu	tolerance values, there is no risk of harming the unborn child				
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction) (Titanium dioxide) 900				
	Peak-limit category: 2;(II)					
			compliance with the OEL ar	nd biological		
	tolerance valu		f harming the unborn child			
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)		527		
sodium benzoate	532-32-1	AGW (Inhalable	10 mg/m3	DE TRGS		
		fraction)	(benzoate)	900		
	Peak-limit cat					
	Further information: Skin absorption, When there is compliance with the OEL					
	and biological tolerance values, there is no risk of harming the unborn child					
		MAK (inhalable	10 mg/m3	DE DFG MAK		



DE / EN

Holzisolier-Grund Weiß

VersionRevision Date:SDS Numl.022.07.20246004523									
			fraction)	(benzoate)					
			•	absorption through the skin, Da en the MAK value or the BAT va	•				
2-(2- butox oxy)e	yeth- thanol	112-34-5	TWA	10 ppm 67,5 mg/m3	2006/15/EC				
	Furth		urther information: Indicative						
			STEL	15 ppm 101,2 mg/m3	2006/15/EC				
		Further inform	ation: Indicative		•				
			AGW (Vapour and aerosols)	10 ppm 67 mg/m3	DE TRGS 900				
-		Peak-limit cat	egory: 1.5;(I)	¥					
				e is compliance with the OEL ar k of harming the unborn child	nd biological				
			MAK	10 ppm 67 mg/m3	DE DFG MA				
			ation: Damage to the BAT value is	the embryo or foetus is unlikely	when the				

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
Substance name	Ella Ose	sure	fects	value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
1-(2-butoxy-1- methylethoxy)propan- 2-ol	Consumers	Inhalation	Long-term systemic effects	1,20 mg/m3
	Consumers	Ingestion	Long-term systemic effects	7,50 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	1,10 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	10,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	3,00 mg/kg bw/day
sodium benzoate	Consumers	Skin contact	Long-term systemic effects	31,25 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,50 mg/m3
	Consumers	Ingestion	Long-term systemic effects	16,60 mg/kg bw/day



DE / EN

Holzisolier-Grund Weiß

Persion Revision Date: 22.07.2024		SDS Nui 6004523		Date of last issue: 04.04.2023 Date of first issue: 29.10.2019		
		Consumers	Inhalation	Long-term local ef- fects	0,06 mg/m	
		Workers	Inhalation	Long-term systemic effects	3,00 mg/m3	
		Workers	Inhalation	Long-term local ef- fects	0,10 mg/m3	
		Workers	Skin contact	Long-term systemic effects	62,50 mg/k bw/day	
2-(2- butoxy	yethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/n	
		Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day	
		Consumers	Inhalation	Long-term local ef- fects	40,50 mg/m	
		Consumers	Skin contact	Long-term systemic effects	50,00 mg/k bw/day	
		Consumers	Inhalation	Long-term systemic effects	40,50 mg/n	
		Workers	Inhalation	Acute local effects	101,20 mg/	
		Workers	Inhalation	Long-term systemic effects	67,50 mg/m	
		Workers	Inhalation	Long-term local ef- fects	67,50 mg/n	
		Workers	Skin contact	Long-term systemic effects	83,00 mg/k bw/day	
2,4,7,9 tetram 4,7-die	nethyldec-5-yne-	Consumers	Skin contact	Acute systemic ef- fects	0,75 mg/kg bw/day	
		Consumers	Ingestion	Long-term systemic effects	0,25 mg/kg bw/day	
		Consumers	Ingestion	Acute systemic ef- fects	0,75 mg/kg bw/day	
		Consumers	Inhalation	Acute systemic ef- fects	1,29 mg/m3	
		Consumers	Inhalation	Long-term systemic effects	0,43 mg/m3	
	Consumers	Skin contact	Long-term systemic effects	0,25 mg/kg bw/day		
	Workers	Inhalation	Acute systemic ef- fects	5,28 mg/m3		
	Workers	Inhalation	Long-term systemic effects	1,76 mg/m3		
		Workers	Skin contact	Acute systemic ef- fects	1,50 mg/kg bw/day	
		Workers	Skin contact	Long-term systemic effects	0,50 mg/kg bw/day	

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form	Sewage treatment plant	100 mg/l
containing 1 % or more of parti-		



DE / EN

Holzisolier-Grund Weiß

		SDS Number:Date of last issue:6004523Date of first issue:	04.04.2023 29.10.2019
	vith aerodynamic diamete	r ≤	
10 µm	n]		
		Fresh water	0,184 mg/l
		Soil	100 mg/kg dry
			weight (d.w.)
		Sea water	0,0184 mg/l
		Fresh water sediment	1000 mg/kg d weight (d.w.)
		Sea sediment	100 mg/kg dry weight (d.w.)
		Intermittent use/release	0,193 mg/l
3-met	thoxybutan-1-ol	Soil	0,018 mg/kg o weight (d.w.)
		Fresh water	0,1 mg/l
		Sewage treatment plant	15,5 mg/l
		Sea sediment	0,039 mg/kg o weight (d.w.)
		Intermittent use/release	1 mg/l
		Sea water	0,01 mg/l
		Fresh water sediment	0,386 mg/kg o
			weight (d.w.)
	outoxy-1- ylethoxy)propan-2-ol	Sewage treatment plant	100 mg/l
meany		Fresh water	0,519 mg/l
		Soil	0,287 mg/kg c
		561	weight (d.w.)
		Intermittent use/release	5,19 mg/l
		Fresh water sediment	2,96 mg/kg dr
			weight (d.w.)
		Sea water	0,0519 mg/l
		Sea sediment	0,296 mg/kg o
			weight (d.w.)
sodiu	m benzoate	Intermittent use/release	305 µg/l
		Fresh water sediment	1,76 mg/kg dr
			weight (d.w.)
		Soil	0,276 mg/kg o
			weight (d.w.)
		Sea water	0,013 mg/l
		Sea sediment	0,176 mg/kg o
			weight (d.w.)
		Sewage treatment plant	10 mg/l
		Fresh water	0,13 mg/l
		Secondary Poisoning	300 mg/kg foo
2-(2-b	outoxyethoxy)ethanol	Fresh water	1,1 mg/l
	Fresh water sediment	4,4 mg/kg dry weight (d.w.)	
		Intermittent use/release	11 mg/l
		Sea water	0,11 mg/l
		Sea sediment	0,44 mg/kg dr
			weight (d.w.)
		Sewage treatment plant	200 mg/l



DE / EN

Holzisolier-Grund Weiß

Version 6.0	Revision Date: 22.07.2024	SDS 6004	Number: 1523	Date of last issue Date of first issue	••
			Soil		0,32 mg/kg dry weight (d.w.)
			Secondary F	Poisoning	56 mg/kg food
2,4,7 diol	,9-tetramethyldec-5-y	ne-4,7-	Sea water	-	0,004 mg/l
			Sewage trea	tment plant	7 mg/l
			Sea sedimer	nt .	0,032 mg/kg dry weight (d.w.)
			Fresh water		0,04 mg/l
			Fresh water	sediment	0,32 mg/kg dry weight (d.w.)
			Soil		0,028 mg/kg dry weight (d.w.)
			Intermittent u	use/release	0,4 mg/l

8.2 Exposure controls

Personal protective equipme	nt	
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.
		Safety shoes
Respiratory protection	:	No personal respiratory protective equipment normally re- quired.
		During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.
		DGUV Regulation 112-190 - Use of breathing equipment



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state		liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8,9 (20 °C) Concentration: 100 % Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	> 200 mPa.s (20 °C) Method: ISO 3219
Viscosity, kinematic	:	not determined
Flow time	:	not determined
Solubility(ies) Water solubility	:	completely miscible



Holzisolier-Grund Weiß

Version 6.0	Revision Date: 22.07.2024	SDS Number: 6004523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019	
	tition coefficient: n- anol/water	: not determine	d	
Vap	oor pressure	: ca. 23,4 hPa (20 °C)		
Rel	ative density	: not determine	d	
Density		: 1,25 g/cm3 (2 Method: DIN I	0 °C) EN ISO 2811-1	
Bull	k density	: Not applicable	3	
Relative vapor density		: not determine	d	
9.2 Othe	er information			
Exp	losives	: Not applicable	9	
Oxi	dizing properties	: Not applicable	9	
Flai	mmability (liquids)	: The product is not flammable.		

SECTION 10: Stability and reactivity

10.1 Reactivity No decomposition if stored and applied as directed.						
10.2 Chemical stability No decomposition if stored and applied as directed.						
10.3 Possibility of hazardous re	eactions					
Hazardous reactions	: No decomposition if stored and applied as directed.					
10.4 Conditions to avoid	10.4 Conditions to avoid					
Conditions to avoid	: Protect from frost, heat and sunlight.					
10.5 Incompatible materials						
Materials to avoid	: Incompatible with acids and bases. Incompatible with oxidizing agents.					
	40/04					



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

2-(2-butoxyethoxy)ethanol:Acute oral toxicity: LD50 (Mouse): 2.410 mg/kg

Acute dermal toxicity :	LD50 (Rabbit): 2.764 mg/kg
-------------------------	----------------------------

dipotassium bis[µ-[tartrato(4-)-O1,O2:O3,O4]]diantimonate(2-), stereoisomer:

Acute oral toxicity	:	LD50 (Mouse): 600 mg/kg

2,4,7,9-tetramethyldec-5-yne-4,7-diol:

Acute oral toxicity : LD50 Oral (Rat): 4.600 mg/kg

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	LD50 (Rat): 532 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): 0,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Acute oral toxicity	:	LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	:	LC50 (Rat): 0,17 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403
Acute dermal toxicity	:	LD50 (Rat): > 141 mg/kg Method: OECD Test Guideline 402



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:
6.0	22.07.2024	6004523

Date of last issue: 04.04.2023 Date of first issue: 29.10.2019

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

÷

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203



Holzisolier-Grund Weiß

Version 6.0	Revision Date: 22.07.2024		0S Number: 04523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019
	ity to daphnia and other tic invertebrates	:	Exposure time: 4	
Toxic plants	ity to algae/aquatic S	:	EC50 (Selenastru Exposure time: 72 Method: OECD T	
M-Fa icity)	ctor (Acute aquatic tox-	:	1	
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		-me	thyl-2H-isothiazo	I-3-one and 2-methyl-2H-isothiazol-3-one
	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	istence and degradabil ata available	ity		
12.3 Bioa	ccumulative potential			
Com	ponents:			
sodiu	um benzoate:			
	ion coefficient: n- ol/water	:	log Pow: -2,27	
2-(2-1	outoxyethoxy)ethanol:			
Partit	ion coefficient: n- ol/water	:	log Pow: 0,56	
dipot	assium bis[u-[tartrato(4-)-	01.02:03.0411dia	ntimonate(2-) , stereoisomer:
Partit	ion coefficient: n- ol/water		log Pow: ca7,28	
2,4,7	,9-tetramethyldec-5-yne	ə-4,	7-diol:	
Partit	ion coefficient: n- ol/water		log Pow: 2,8 (22	°C)
1,2-b	enzisothiazol-3(2H)-on	e:		
Partit	ion coefficient: n-	:	log Pow: 0,63 - 0,	76



Holzisolier-Grund Weiß

Versior 6.0	n Revision Date: 22.07.2024	SDS Number 6004523	Date of last issue: 04.04.2023 Date of first issue: 29.10.2019				
octanol/water		pH: 7					
	action mass of 5-chloro- :1):	2-methyl-2H-iso	othiazol-3-one and 2-methyl-2H-isothiazol-3-one				
Pa	artition coefficient: n- ctanol/water		log Pow: <= 0,75 Method: OECD Test Guideline 117				
	obility in soil o data available						
12.5 R	esults of PBT and vPvB a	assessment					
<u>Pr</u>	<u>oduct:</u>						
Assessment		to be eithe very persi	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.				
12.6 Ei	ndocrine disrupting prop	erties					
<u>Pr</u>	oduct:						
As	ssessment	ered to ha REACH A (EU) 2017	ance/mixture does not contain components consid- ve endocrine disrupting properties according to rticle 57(f) or Commission Delegated regulation //2100 or Commission Regulation (EU) 2018/605 at 0.1% or higher.				
12.7 O	ther adverse effects						
Pr	oduct:						
	dditional ecological infor- ation		nmental hazard cannot be excluded in the event of ional handling or disposal.				
SECT	ION 13: Disposal consi	derations					
13.1 Waste treatment methods							
Pr	oduct	old paints	f liquid material residues at the collection point for /varnishes, dispose of dried material residues as on and demolition waste or as municipal waste or waste.				
		Waste she	ould not be disposed of via wastewater.				
Co	ontaminated packaging	: Only com cling.	pletely emptied containers should be given for recy-				

Waste Code :	used product 080112, waste paint and varnish other than those mentioned
--------------	--



Holzisolier-Grund Weiß

Version	Revision Date: 22.07.2024	SDS Number:	Date of last issue: 04.04.2023
6.0		6004523	Date of first issue: 29.10.2019

in 08 01 11*

SECTION 14: Transport information

	14.1	UN	number	or ID	number
--	------	----	--------	-------	--------

	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2	UN proper shipping name				
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)					
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group					
	ADN	:	Not regulated as a dangerous good		
	ADR	:	Not regulated as a dangerous good		
	RID	:	Not regulated as a dangerous good		
	IMDG	:	Not regulated as a dangerous good		
	IATA (Cargo)	:	Not regulated as a dangerous good		
	IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards					
Not regulated as a dangerous good					

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the n the market and use of certain of mixtures and articles (Annex X	dangerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.		
REACH - Candidate List of Su Concern for Authorization (Art	:	None			
Regulation (EC) on substance layer	s that deplete the ozone	:	Not applicable		
Regulation (EU) 2019/1021 or tants (recast)	n persistent organic pollu-	:	Not applicable		
REACH - List of substances subject to authorisation : None (Annex XIV)					
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.					
Water hazard class (Germa- ny)	: WGK 1 slightly water Classification according		angering 9 AwSV, Annex 1 (5.2)		
Product code for laquers and paints / Giscode	: M-LW01 Water-based	l var	nishes		
	: BSW30 Coating mate	rials	, water-based, containing solvents		
Volatile organic compounds	emissions (integrated	Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,88 %			
Volatile organic compounds	: Directive 2004/42/EC < 6 % < 80 g/l				

Other regulations:



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements	
H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H319 :	Causes serious eye irritation.
H330 :	Fatal if inhaled.
H332 :	Harmful if inhaled.
H351 :	Suspected of causing cancer if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H411 :	Toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.
Full text of other abbreviation	s
Acute Tox. :	Acute toxicity
Aquatic Acute :	Short-term (acute) aquatic hazard
Aquatic Chronic :	Long-term (chronic) aquatic hazard
Carc. :	Carcinogenicity
Eye Dam. :	Serious eye damage
Eye Irrit. :	Eye irritation
Skin Corr. :	Skin corrosion
Skin Irrit. :	Skin irritation
Skin Sens. :	Skin sensitization
2006/15/EC :	Europe. Indicative occupational exposure limit values
DE DFG MAK :	Germany. MAK BAT Annex IIa
DE TRGS 527 :	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900 :	Germany. TRGS 900 - Occupational exposure limit values.
2006/15/EC / TWA :	Limit Value - eight hours
2006/15/EC / STEL :	Short term exposure limit
DE DFG MAK / MAK :	MAK value
DE TRGS 527 / BM :	Assessment scale
DE TRGS 900 / AGW :	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community num-



DE / EN

Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

ber; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICSO - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICSO - Half maximal inhibitory concentration; ICAO - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICSO - Half maximal inhibitory concentration; ICAO - International Carganization; IELSC - Inventory of Existing Chemicals Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IELSC - Inventory is a test population; LDSO - Lethal Dose to 50% of a test population; Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Raii; SADT - Self-Accele

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Holzisolier-Grund Weiß

Version	Revision Date:	SDS Number:	Date of last issue: 04.04.2023
6.0	22.07.2024	6004523	Date of first issue: 29.10.2019

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN