

Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Product identifier Trade name	:	Holzrenovier-Grund Beige
1.2 F	Relevant identified uses of th	e s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3 E	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone	:	+498001238887
	Telefax	:	+4961547170632
	Website		www.alpina-farben.de
	E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com

1.4 Emergency telephone

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

- EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
- EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not





Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

.		
Chemical nature	•	Dispersion-based primer, aqueous
enermeat natare		Bioporoion bacca printer, aquecae

Components

Chemical name	CAS-No.	Classification	Concentration
Chemical hame		Classification	
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide	13463-67-7		>= 10 - < 20
	236-675-5		
	01-2119489379-17		
2-(2-butoxyethoxy)ethanol	112-34-5	Eye Irrit. 2; H319	>= 1 - < 10
	203-961-6		
	603-096-00-8		
	01-2119475104-44		
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic	>= 0,0025 - < 0,025
		aquatic toxicity): 1	



Holzrenovier-Grund Beige

rsion	Revision Date: 11.07.2025	SDS Number: 6007017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019
methy	on mass of 5-chloro-2- 1-2H-isothiazol-3-one 1-2H-isothiazol-3-one	and 2-	· · · · · · · · · · · · · · · · · · ·
	ances with a workplac Mg3H2(SiO3)4)	e exposure limit : 14807-96-6	>= 10 - < 2
		238-877-9	

For explanation of abbreviations see section 16.



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures					
General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.			
If inhaled	:	Move to fresh air.			
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.			
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.			

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1 Ext	inguishing media		
Su	itable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
	nsuitable extinguishing edia	:	None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Use water spray to cool unopened containers. Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures							
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.						
6.2 Environmental precautions							
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.						
6.3 Methods and material for containment and cleaning up							
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).						

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Use only with adequate ventilation. For personal protection see section 8. No special technical protective measures required.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the



Holzrenovier-Grund Beige

Version 3.3	Revision Date: 11.07.2025	SDS Number: 6007017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019
			ner. Containers which are opened must be care- and kept upright to prevent leakage.
Advice on common storage		: Keep away fro materials.	om oxidizing agents and strongly acid or alkaline
Storage class (TRGS 510)		: 12	
7.3 Specific end use(s) Specific use(s)		: This information	on is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis					
Components	CA3-N0.	of exposure)	Control parameters	Dasis					
titanium dioxide	13463-67-7	MAK (measured	0.2 mg/m2	DE DFG MAK					
	13403-07-7	as the alveolate	0,3 mg/m3	DE DEG MAK					
		fraction)							
	Doold limit oot	/							
	Peak-limit cat		nat cause cancer in humar						
		that are considered to be carcinogenic for humans and for which a MAK value							
		can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed							
		AGW (Inhalable	DE TRGS						
		fraction)	10 mg/m3 (Titanium dioxide)	900					
	Peak-limit cat	/							
			compliance with the OEL	and biological					
			of harming the unborn child						
		AGW (Alveolate	1,25 mg/m3	DE TRGS					
		fraction)	(Titanium dioxide)	900					
	Peak-limit cat	Peak-limit category: 2;(II)							
	Further inform	Further information: When there is compliance with the OEL and biological							
	tolerance valu	tolerance values, there is no risk of harming the unborn child							
		BM (Alveolar	0,5 mg/m3	DE TRGS					
		dust fraction)		527					
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS					
(Mg3H2(SiO3)4)		fraction)		900					
	Peak-limit cat								
			s compliance with the OEL						
	tolerance valu		of harming the unborn child						
		AGW (Alveolate	1,25 mg/m3	DE TRGS					
		fraction)		900					
	Peak-limit cat								
			s compliance with the OEL						
			of harming the unborn child						
2-(2-	112-34-5	TWA	10 ppm	2006/15/EC					



Holzrenovier-Grund Beige

rsion B	Revision D 11.07.2025		S Number: 07017		f last issue: 01.10.2024 f first issue: 15.11.2019				
butox oxy)et				67,	,5 mg/m3				
57		Further info	rmation: Indicat	ive		<u>.</u>			
			STEL		ppm 1,2 mg/m3	2006/15/EC			
		Further info	Further information: Indicative						
			MAK	10	ppm mg/m3	DE DFG MA			
		Peak-limit c	ategory: 1.5; I	•	0				
		Further info		ge to the en	nbryo or foetus is unlike ed	ly when the			
			AGW (Vapo		ppm	DE TRGS			
			and aerosol		mg/m3	900			
		Peak-limit c	Peak-limit category: 1.5;(I)						
		Further info	rmation: When		npliance with the OEL a	and biological			
Deriv	ed No Effect	tolerance values, there is no risk of harming the unborn child t Level (DNEL) according to Regulation (EC) No. 1907/2006:							
Subst	ance name	End Use	Routes	s of expo-	Potential health ef- fects	Value			
titaniu	m dioxide	Consum	ers Ingest	on	Long-term systemic effects	700,00 mg/k bw/day			
		Workers	Inhala	ion	Long-term local ef- fects	10,00 mg/m3			
propa	ne-1,2-diol	Consum	ers Inhala ⁻	ion	Long-term systemic effects	50,00 mg/m3			
		Consum	ers Inhala	ion	Long-term local ef- fects	10,00 mg/m3			
		Workers	Inhala	ion	Long-term systemic effects	168,00 mg/m			
		Workers	Inhala	ion	Long-term systemic effects	168,00 mg/m			
		Workers	Inhala	ion	Long-term local ef-	10,00 mg/m3			

	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
	Consumers	Inhalation	Long-term systemic effects	50,00 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	10,00 mg/m3
2-(2- butoxyethoxy)ethanol	Consumers	Inhalation	Acute local effects	60,70 mg/m3
	Consumers	Ingestion	Long-term systemic effects	5,00 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	40,50 mg/m3
	Consumers	Skin contact	Long-term systemic effects	50,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	40,50 mg/m3
	Workers	Inhalation	Acute local effects	101,20 mg/m3



20000 mg/l

4,4 mg/kg dry weight (d.w.)

0,44 mg/kg dry weight (d.w.) 200 mg/l

0,32 mg/kg dry

weight (d.w.)

56 mg/kg food

1,1 mg/l

11 mg/l 0,11 mg/l

DE / EN

Holzrenovier-Grund Beige

/ersion 5.3							
		Workers		Inhalation	Long-term syste effects	mic	67,50 mg/m3
	Workers			Inhalation	Long-term local fects	ef-	67,50 mg/m3
		Workers		Skin contact	Long-term syste effects	emic	83,00 mg/kg bw/day
Predi	icted No Effect Co	oncentratio	on (PN	EC) according	to Regulation (EC)	No. 19	907/2006:
Subs	tance name		Envir	onmental Com	partment	V	/alue
titaniu	um dioxide		Sewage treatment plant		1	00 mg/l	
			Fresh	water		0	,184 mg/l
			Soil			1	00 mg/kg dry
						v	veight (d.w.)
			Sea v	water		0	,0184 mg/l
			Fresh	n water sedimer	nt		000 mg/kg dry veight (d.w.)
			Sea s	sediment		1	00 mg/kg dry veight (d.w.)
			Interr	nittent use/relea	ase		,193 mg/l
propa	ane-1,2-diol		Seas	sediment			7,2 mg/kg dry veight (d.w.)
			Soil			5	0 mg/kg dry veight (d.w.)
			Sea v	water			:6 mg/l
			Fresh	n water sedimer	nt	5	72 mg/kg dry veight (d.w.)
			Fresh	n water			:60 mg/l
			Interr	nittent use/relea	ase		83 mg/l
			-				0

Sewage treatment plant

Fresh water sediment

Intermittent use/release

Sewage treatment plant

Secondary Poisoning

Fresh water

Sea water Sea sediment

Soil

8.2 Exposure controls

Personal protective equipment

Eye/face protection	
---------------------	--

2-(2-butoxyethoxy)ethanol

: DGUV Regulation 112-192 - Use of eye and face protection

Goggles

: N	litrile rubber
: 0	,2 mm
: C	Class 3
	: 0



Holzrenovier-Grund Beige

Version 3.3	Revision Date: 11.07.2025	SDS Number: 6007017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019				
Remarks		: Before removing gloves clean them with soap and Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective glove					
Skin	and body protection	: Long sleeve	d clothing				
			y protection according to the amount and con- the dangerous substance at the work place.				
		Skin should	be washed after contact.				
		Safety shoe	S				
Respiratory protection		: No personal quired.	respiratory protective equipment normally re-				
		• • •	y application: Do not breathe spray dust. Use ination filter for paint spraying.				
		DGUV Regu	llation 112-190 - Use of breathing equipment				

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable



Holzrenovier-Grund Beige

Versio 3.3	on	Revision Date: 11.07.2025		S Number:)7017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019
A	Autoigni	ition temperature	:	not determined	
C	Decomp	oosition temperature	:	Not applicable	
p	ъH		:	8 - 9 Concentration: 1	00 %
٨	Viscosit Visco	y osity, dynamic	:	No data availabl	e
S	Solubilit Wate	y(ies) er solubility	:	completely misci	ble
	Partition octanol/	i coefficient: n- water	:	not determined	
١	√apor p	ressure	:	ca. 23,4 hPa (20	°C)
F	Relative	density	:	not determined	
C	Density		:	1,5300 g/cm3	
F	Relative	vapor density	:	not determined	
	e ther inf Explosiv	formation /es	:	Not applicable	
C	Oxidizin	g properties	:	Not applicable	
F	Flamma	bility (liquids)	:	The product is n	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.



Holzrenovier-Grund Beige

3.3	11.07.2025	60	0S Number: 07017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019
10.2 Chem	ical stability			
	composition if stored	and ap	oplied as directed	ed.
10.3 Possi	bility of hazardous r	eactio	ons	
Hazaro	dous reactions	:	No decompos	sition if stored and applied as directed.
10.4 Condi	itions to avoid			
Condit	tions to avoid	:	Protect from f	rost, heat and sunlight.
10.5 Incom	patible materials			
Materi	als to avoid	:		with acids and bases. with oxidizing agents.
	dous decomposition	•		ed.
SECTION	11: Toxicological	infor	mation	
11.1 Inform	nation on hazard cla	sses	as defined in F	Regulation (EC) No 1272/2008
	toxicity assified based on ava	ilable	information	
	onents:			
2-(2-b	utoxyethoxy)ethano	I:		
Acute	oral toxicity	:	LD50 (Mouse)	: 2.410 mg/kg
Acute	dermal toxicity	:	LD50 (Rabbit)	: 2.764 mg/kg
1,2-be	enzisothiazol-3(2H)-c	one:		
Acute	oral toxicity	:		estimate: 450 mg/kg e toxicity estimate according to Regulation (EC) 3
Acute	inhalation toxicity	:	Test atmosphe	e toxicity estimate according to Regulation (EC)
Acute	dermal toxicity	:	LD50 (Rat): >	2.000 mg/kg
reactie (3:1):	on mass of 5-chloro	-2-me	thyl-2H-isothia	azol-3-one and 2-methyl-2H-isothiazol-3-one
	oral toxicity	:	LD50 (Rat): 66 Method: OECI	6 mg/kg D Test Guideline 401
Acute	inhalation toxicity	:	LC50 (Rat): 0,	17 mg/l



Holzrenovier-Grund Beige

Version 3.3	Revision Date: 11.07.2025	SDS Number: 6007017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019
			ne: 4 h here: dust/mist CD Test Guideline 403
Acute	e dermal toxicity	: LD50 (Rat): Method: OE	> 141 mg/kg CD Test Guideline 402
-	corrosion/irritation	ilable information	
	lassified based on ava		
	ous eye damage/eye lassified based on ava		
	iratory or skin sensi		
	•		
-	sensitization lassified based on ava	ailable information	
	iratory sensitization		
-	lassified based on ava	ailable information.	
Germ	n cell mutagenicity		
	lassified based on ava	ailable information.	
Carci	inogenicity		
Not c	lassified based on ava	ailable information.	
-	oductive toxicity		
Not c	lassified based on ava	ailable information.	
	F-single exposure		
	lassified based on ava	ailable information.	
	Γ-repeated exposure lassified based on ava	vilable information	
•	r ation toxicity lassified based on ava	ailable information.	
	mation on other haz		
	ocrine disrupting pro		
	lassified based on ava	-	
Prod	uct:		
	ssment	ered to have REACH Arti	ace/mixture does not contain components consid- e endocrine disrupting properties according to cle 57(f) or Commission Delegated regulation 100 or Commission Regulation (EU) 2018/605 a

levels of 0.1% or higher.



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

SECTION 12: Ecological information

12.1 Toxicity

Components:			
1,2-benzisothiaz	ol-3(2H)-one:		
Toxicity to fish	:		LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphni aquatic invertebra			EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/a plants	aquatic :		EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute a icity)	aquatic tox- :		1
M-Factor (Chronic toxicity)	c aquatic :		1
reaction mass o (3:1):	f 5-chloro-2-m	et	hyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
M-Factor (Acute a icity)	aquatic tox- :		100
M-Factor (Chronic toxicity)	c aquatic :		100
12.2 Persistence and No data available		,	
12.3 Bioaccumulative	e potential		
Components:			
2-(2-butoxyetho) Partition coefficie octanol/water			log Pow: 0,56
1,2-benzisothiaz Partition coefficie octanol/water			log Pow: 0,63 - 0,76 pH: 7



Holzrenovier-Grund Beige

Version	Revision Date: 11.07.2025	SDS Number:	Date of last issue: 01.10.2024
3.3		6007017	Date of first issue: 15.11.2019

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1):

Partition coefficient: n-	:	log Pow: <= 0,75
octanol/water		Method: OECD Test Guideline 117

:

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

|--|

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods		
Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.
		Washing water must not be discharged into the sewage system or the environment.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

SECTION 14: Transport information

14.1 UN number or ID number			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.2 UN proper shipping name			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.3 Transport hazard class(es)			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
ΙΑΤΑ	:	Not regulated as a dangerous good	
14.4 Packing group			
ADN	:	Not regulated as a dangerous good	
ADR	:	Not regulated as a dangerous good	
RID	:	Not regulated as a dangerous good	
IMDG	:	Not regulated as a dangerous good	
IATA (Cargo)	:	Not regulated as a dangerous good	
IATA (Passenger)	:	Not regulated as a dangerous good	
14.5 Environmental hazards			
Not regulated as a dangerous	; go	od	

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

SECTION 15: Regulatory information

15.1 Safety, health and environ ture	ental regulations/legislation specific for the substance or mix	x-		
REACH - Restrictions on the the market and use of certain mixtures and articles (Annex	dangerous substances, lowing entries should be considered	ed: s		
REACH - Candidate List of S Concern for Authorization (A				
Regulation (EU) No 2024/590 plete the ozone layer	on substances that de- : Not applicable			
Regulation (EU) 2019/1021 c tants (recast)	Regulation (EU) 2019/1021 on persistent organic pollu- : Not applicable tants (recast)			
REACH - List of substances ((Annex XIV)	REACH - List of substances subject to authorisation : None (Annex XIV)			
Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.				
Water hazard class (Germa- ny)	: WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)			
Product code for laquers and paints / Giscode	: M-LW01 Water-based varnishes			
	: Coating materials, water-based, containing solvents			
Labeling according to Regu- lation (EU) 528/2012	: Treated article, contains a biocidal product. In-can preserva tive: CIT/MIT (3:1), BIT.	a-		
Volatile organic compounds	 Directive 2010/75/EU of 24 November 2010 on industrial and livestock rearing emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 2,97 %]		
Volatile organic compounds	: Directive 2004/42/EC < 5 % < 80 g/l			



Holzrenovier-Grund Beige

Version	Revision Date:	SDS Number:	Date of last issue: 01.10.2024
3.3	11.07.2025	6007017	Date of first issue: 15.11.2019

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301	:	Toxic if swallowed.
H302	:	Harmful if swallowed.
H310	:	Fatal in contact with skin.
H314	:	Causes severe skin burns and eye damage.
H315	:	Causes skin irritation.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H319	:	Causes serious eye irritation.
H330	:	Fatal if inhaled.
H400	:	Very toxic to aquatic life.
H410	:	Very toxic to aquatic life with long lasting effects.
EUH071	:	Corrosive to the respiratory tract.
Full text of other abbreviation	าร	
Acute Tox.	:	Acute toxicity
Aquatic Acute	:	Short-term (acute) aquatic hazard
Aquatic Chronic	:	Long-term (chronic) aquatic hazard
Eye Dam.	:	Serious eye damage
Eye Irrit.	:	Eye irritation
Skin Corr.	:	Skin corrosion
Skin Irrit.	:	Skin irritation
Skin Sens.	:	Skin sensitization
2006/15/EC	:	Europe. Indicative occupational exposure limit values
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
2006/15/EC / TWA	:	Limit Value - eight hours
2006/15/EC / STEL	:	Short term exposure limit
DE DFG MAK / MAK	:	MAK value
	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISFL - Industrial Safe y and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory to Folution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOLA)EC - Now Zealand Inventory of Chemicals; OECD - Organization; NO(A)EL - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Concentration Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of



Holzrenovier-Grund Beige

Version 3.3	Revision Date: 11.07.2025	SDS Number: 6007017	Date of last issue: 01.10.2024 Date of first issue: 15.11.2019		
Further information Other information		product accordin Communication REACH Article 3 not meet the crite	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accord- ance with Regulations 1272/2008 EC or 1999/45/EC.		
Sources of key data used to compile the Material Safety Data Sheet		gienists). 2014 T for chemical sub Exposure Indices 2014 ACGIH, Cin NIOSH - Registr ECDIN - Environ work - Joint Rese Communities SAX'S - Dangero GESTIS - Datab Arbeitsschutz de (IFA, Institute for man Social Accie	ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European		

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN