

Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

	Product identifier Trade name	:	Terrassen-ÖL Palisander
1.2 R	Relevant identified uses of th	ie s	ubstance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3 D	Details of the supplier of the	saf	ety data sheet
(Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
	Telephone Telefax		+498001238887 +4961547170632
I	Website E-mail address Responsi- ble/issuing person		www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH208

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2Hisothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Use combination filter A2/P2 and protective goggles when spraying.

Use P2 dust filter for grinding.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

CAS-No. EC-No	Classification	Concentration (% w/w)
Index-No.		(70 00/00)
Registration number		
2634-33-5 220-120-9 613-088-00-6 01-2120761540-60	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic aquatic toxicity): 1	>= 0,0025 - < 0,025
	EC-No. Index-No. Registration number 2634-33-5 220-120-9 613-088-00-6	EC-No. Index-No. Registration number Acute Tox. 4; H302 2634-33-5 Skin Irrit. 2; H315 220-120-9 Skin Irrit. 2; H315 613-088-00-6 Eye Dam. 1; H318 01-2120761540-60 Skin Sens. 1A; H317 Acute Tox. 2; H330 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute aquatic toxicity): 1 M-Factor (Chronic M-Factor (Chronic



Terrassen-ÖL Palisander

Version 2.5		DS Number: 010474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2015	
			specific concentration limit Skin Sens. 1A; H317 >= 0,036 % Acute toxicity esti- mate	
			Acute oral toxicity: 450 mg/kg Acute inhalation tox- icity (dust/mist): 0,21 mg/l	
meth	ion mass of 5-chloro-2- yl-2H-isothiazol-3-one and yl-2H-isothiazol-3-one (3:1)		Acute Tox. 3; H301 Acute Tox. 2; H330 Acute Tox. 2; H310 Skin Corr. 1C; H314 Eye Dam. 1; H318 Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 M-Factor (Acute aquatic toxicity): 100 M-Factor (Chronic aquatic toxicity): 100 specific concentration limit Skin Corr. 1C; H314 >= 0,6 % Skin Irrit. 2; H315 0,06 - < 0,6 % Eye Irrit. 2; H319 0,06 - < 0,6 % Skin Sens. 1A; H317 >= 0,0015 % Eye Dam. 1; H318 >= 0,6 %	>= 0,0002 - < 0,0015

For explanation of abbreviations see section 16.



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

SECTION 4: First aid measures

4.1 Description of first-aid measures General advice Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. If inhaled Move to fresh air. In case of skin contact Do NOT use solvents or thinners. 5 In case of contact, immediately flush skin with soap and plenty of water. If eye irritation persists: Get medical advice/ attention. In case of eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If swallowed Seek medical advice. 5 Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. Unsuitable extinguishing media None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

5.3 Advice for firefighters

Special protective equipment for fire-fighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protect	ive equipment and emergency procedures
Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions	
Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for con	tainment and cleaning up
Methods for cleaning up	: Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	: For personal protection see section 8. No special technical protective measures required.	
Hygiene measures	: Wash hands before eating, drinking, or smoking. Do not drink or smoke when using this product. Remove contam ed clothing and protective equipment before entering eat areas.	ninat-

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage	:	Perishable if frozen. To maintain product quality, do not store
areas and containers		in heat or direct sunlight. Store at room temperature in the
		original container. Containers which are opened must be care-
		fully resealed and kept upright to prevent leakage.



Terrassen-ÖL Palisander

Version 2.5	Revision Date: 21.05.2025		DS Number: 10474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
Advic	e on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline
Stora	ge class (TRGS 510)	:	12	
-	f ic end use(s) fic use(s)	:	This information i	is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
reaction mass of 5- chloro-2-methyl- 2H-isothiazol-3- one and 2-methyl- 2H-isothiazol-3- one (3:1)	55965-84-9	MAK (inhalable fraction)	0,2 mg/m3	DE DFG MAK		
	Peak-limit cat	Peak-limit category: 2; I				
		Further information: Danger of sensitization of the skin, Damage to the em- bryo or foetus is unlikely when the MAK value or the BAT value is observed				

8.2 Exposure controls

Personal protective equipme	ent	
Eye/face protection	:	DGUV Regulation 112-192 - Use of eye and face protection
		Goggles
Hand protection		
Material		Nitrile rubber
Glove thickness	÷	0,2 mm
Protective index	:	Class 3
Remarks	:	Before removing gloves clean them with soap and water.
		Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves
Skin and body protection	:	Safety shoes
		Long sleeved clothing
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
		Skin should be washed after contact.



Terrassen-ÖL Palisander

Version 2.5	Revision Date: 21.05.2025	SDS Number: 6010474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
Respi	ratory protection	quired. During spra A2/P2 comb	l respiratory protective equipment normally re- y application: Do not breathe spray dust. Use bination filter for paint spraying. ulation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	brown
Odor	:	No data available
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	8 - 9 Concentration: 100 %
Viscosity Viscosity, dynamic	:	No data available



Terrassen-ÖL Palisander

Versi 2.5		Revision Date: 21.05.2025		S Number: 10474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
\$	Solubility Wate	r(ies) r solubility	:	completely misci	ble
	Partition octanol/v	coefficient: n- vater	:	Not applicable	
N	Vapor pr	essure	:	ca. 23,4 hPa (20	°C)
F	Relative	density	:	not determined	
I	Density		:	1,0150 g/cm3	
F	Relative	vapor density	:	Not applicable	
		ormation			
E	Explosiv	es	:	Not applicable	
(Oxidizinę	g properties	:	Not applicable	
F	Flammal	oility (liquids)	:	The product is no	ot flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity							
No decomposition if stored and a	No decomposition if stored and applied as directed.						
10.2 Chemical stability							
No decomposition if stored and a	ар	plied as directed.					
10.3 Possibility of hazardous react	io	ns					
Hazardous reactions	:	No decomposition if stored and applied as directed.					
10.4 Conditions to avoid							
Conditions to avoid	:	Protect from frost, heat and sunlight.					
10.5 Incompatible materials							
Materials to avoid	:	Incompatible with acids and bases. Incompatible with oxidizing agents.					



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Components:

1,2-benzisothiazol-3(2H)-one:

Acute oral toxicity	:	Acute toxicity estimate: 450 mg/kg Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute inhalation toxicity	:	Acute toxicity estimate: 0,21 mg/l Test atmosphere: dust/mist Method: Acute toxicity estimate according to Regulation (EC) No. 1272/2008
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg/kg
(3:1):	-me	ethyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one
		LD50 (Rat): 66 mg/kg Method: OECD Test Guideline 401
(3:1):	:	LD50 (Rat): 66 mg/kg

Method: OECD Test Guideline 402

Skin corrosion/irritation

Not classified based on available information.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Components:

1,2-benzisothiazol-3(2H)-one:

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 2,2 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia): 3,27 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	EC50 (Selenastrum capricornutum (green algae)): 0,11 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic tox- icity)	:	1



Terrassen-ÖL Palisander

Version 2.5	Revision Date: 21.05.2025		DS Number: 10474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
M-Fa toxici	ctor (Chronic aquatic ty)	:	1	
react (3:1):		?-m€	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	ctor (Acute aquatic tox-	:	100	
M-Fa toxici	ctor (Chronic aquatic ty)	:	100	
	istence and degradabi ata available	lity		
12.3 Bioa	ccumulative potential			
Com	ponents:			
1.2-b	enzisothiazol-3(2H)-on	e:		
Partit	ion coefficient: n- ol/water	:	log Pow: 0,63 pH: 7	- 0,76
react (3:1):		?-m€	ethyl-2H-isothia	zol-3-one and 2-methyl-2H-isothiazol-3-one
	ion coefficient: n- ol/water	:		75 D Test Guideline 117
12.4 Mobi	lity in soil			
No da	ata available			
12.5 Resu	lts of PBT and vPvB a	sse	ssment	
Prod	uct:			
Asse	ssment	:	to be either pe	e/mixture contains no components considered rsistent, bioaccumulative and toxic (PBT), or t and very bioaccumulative (vPvB) at levels of r.
12.6 Endo	ocrine disrupting prope	ertie	es	
Prod	uct:			
Asse	ssment	:	ered to have e REACH Article	e/mixture does not contain components consid- ndocrine disrupting properties according to a 57(f) or Commission Delegated regulation 00 or Commission Regulation (EU) 2018/605 at or higher.



Terrassen-ÖL Palisander

		Revision Date: 21.05.2025	SDS Number: 6010474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
--	--	------------------------------	------------------------	---

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	:	Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.	
		Washing water must not be discharged into the sewage sys- tem or the environment.	
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.	
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*	

SECTION 14: Transport information

14.1 UN number or ID number

ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.2 UN proper shipping n	ame
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good
RID	: Not regulated as a dangerous good
IMDG	: Not regulated as a dangerous good
ΙΑΤΑ	: Not regulated as a dangerous good
14.3 Transport hazard clas	ss(es)
ADN	: Not regulated as a dangerous good
ADR	: Not regulated as a dangerous good



Terrassen-ÖL Palisander

Version 2.5	Revision Date: 21.05.2025	DS Number: 010474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019		
RID		Not regulated a	as a dangerous good		
IMDG : Not regulated as a dangerous good					
ΙΑΤΑ		: Not regulated as a dangerous good			
14.4 Packing group					
ADN		Not regulated a	as a dangerous good		
ADR		Not regulated a	as a dangerous good		
RID		Not regulated a	as a dangerous good		
IMDG		Not regulated a	as a dangerous good		
ΙΑΤΑ ((Cargo)	Not regulated a	as a dangerous good		
ΙΑΤΑ ((Passenger)	Not regulated a	as a dangerous good		
14.5 Enviro	onmental hazards				

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
Regulation (EU) No 2024/590 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
REACH - List of substances subject to authorisation (Annex XIV)	:	None



Terrassen-ÖL Palisander

Vers 2.5	sion	Revision Date: 21.05.2025		DS Number: 10474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019		
Seveso III: Directive 2012/18/E pean Parliament and of the Co control of major-accident hazar dangerous substances.			oun	cil on the	Not applicable		
	Water hazard class (Germa- ny)			WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)			
	Product code for laquers and paints / Giscode		:	M-KH01 Water-based varnishes/wood glazes			
			:	Coating materials	, water-based		
		g according to Regu- EU) 528/2012	:	Treated article, control tive: CIT/MIT (3:1)	ontains a biocidal product. In-can preserva-), BIT.		
	Volatile	organic compounds	:	livestock rearing e and control)	/EU of 24 November 2010 on industrial and emissions (integrated pollution prevention ompounds (VOC) content: 0,1 %		
	Volatile	organic compounds	:	Directive 2004/42 < 1 % < 1 g/l	/EC		

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H301 :	Toxic if swallowed.
H302 :	Harmful if swallowed.
H310 :	Fatal in contact with skin.
H314 :	Causes severe skin burns and eye damage.
H315 :	Causes skin irritation.
H317 :	May cause an allergic skin reaction.
H318 :	Causes serious eye damage.
H330 :	Fatal if inhaled.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
EUH071 :	Corrosive to the respiratory tract.

Full text of other abbreviations

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

Terrassen-ÖL Palisander

Version 2.5	Revision Date: 21.05.2025		DS Number: 010474	Date of last issue: 13.05.2025 Date of first issue: 26.11.2019
Aquati Eye D Skin C Skin Ir Skin S DE DF	ic Acute ic Chronic am. Corr. rit.	:	,	n

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Ari Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Existing Chemicals Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Carlet Mustrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration to 50% of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Ofice of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemica

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network



Terrassen-ÖL Palisander

Version	Revision Date:	SDS Number:	Date of last issue: 13.05.2025
2.5	21.05.2025	6010474	Date of first issue: 26.11.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN