according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : AP FF Lack Romantik Roségold 400ml AERO

Unique Formula Identifier

(UFI)

: C8ES-6PA4-K01U-GG1H

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Spray paint

stance/Mixture

Recommended restrictions

on use

: within adequate application - none

1.3 Details of the supplier of the safety data sheet

Company : Alpina Farben GmbH

Roßdörfer Straße 50

64372 OBER RAMSTADT

Telephone : +498001238887 Telefax : +4961547170632

Website : E-mail address Responsi- :

ble/issuing person

: www.alpina-farben.de: msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single ex-

posure, Category 3, Central nervous

system

H336: May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word : Danger

Hazard Statements : H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Supplemental Hazard

Statements

EUH066

Repeated exposure may cause skin dryness or

cracking.

Precautionary Statements

P101

If medical advice is needed, have product con-

tainer or label at hand.

P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition

source.

P251 Do not pierce or burn, even after use.

P271 Use only outdoors or in a well-ventilated area.

Storage:

P405 Store locked up.

P410 + P412 Protect from sunlight. Do not expose to tem-

peratures exceeding 50 °C/ 122 °F.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous ingredients which must be listed on the label:

acetone

n-butyl acetate

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Ensure thorough ventilation during and after application. Do not allow to enter into surface water or drains.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number		Concentration (% w/w)
acetone	67-64-1 200-662-2 606-001-00-8 01-2119471330-49	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336 EUH066	>= 30 - < 50
n-butyl acetate	123-86-4 204-658-1 607-025-00-1 01-2119485493-29	Flam. Liq. 3; H226 STOT SE 3; H336 (Central nervous system) EUH066	>= 1 - < 10
ethanol	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Eye Irrit. 2; H319 Flam. Liq. 2; H225	>= 1 - < 10
xylene	1330-20-7 215-535-7 601-022-00-9 01-2119488216-32	Flam. Liq. 3; H226 Acute Tox. 4; H332 Acute Tox. 4; H312 Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 Asp. Tox. 1; H304 STOT RE 2; H373	>= 1 - < 10
butyl glycollate	7397-62-8 230-991-7 01-2119514685-36	Eye Dam. 1; H318 Repr. 2; H361	>= 0,1 - < 1
Substances with a workplace expo	sure limit :		
propane	74-98-6 200-827-9 601-003-00-5 01-2119486944-21	Flam. Gas 1A; H220 Press. Gas Compr. Gas; H280	>= 20 - < 30
butane	106-97-8 203-448-7 601-004-00-0 01-2119474691-32	Flam. Gas 1A; H220 Press. Gas Compr. Gas; H280	>= 1 - < 10
2-methoxy-1-methylethyl acetate	108-65-6	Flam. Liq. 3; H226	>= 1 - < 10

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

	203-603-9 607-195-00-7 01-2119475791-29		
isobutane	75-28-5 200-857-2 601-004-00-0 01-2119485395-27	Flam. Gas 1A; H220 Press. Gas Compr. Gas; H280	>= 1 - < 10
aluminium powder (stabilised)	7429-90-5 231-072-3 013-002-00-1 01-2119529243-45	Flam. Sol. 1; H228	>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice : Never give anything by mouth to an unconscious person.

If you feel unwell, seek medical advice (show the label where

possible).

Move out of dangerous area. First aider needs to protect himself.

If inhaled : If symptoms persist, call a physician.

Move to fresh air.

In case of skin contact : Do NOT use solvents or thinners.

In case of contact, immediately flush skin with soap and plenty

of water

Take off all contaminated clothing immediately.

In case of eye contact : If eye irritation persists: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing.

If swallowed : Seek medical advice.

Clean mouth with water and drink afterwards plenty of water.

If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

None known.

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire

fighting

Cool closed containers exposed to fire with water spray.
 In case of fire hazardous decomposition products may be

produced such as:

Carbon monoxide, carbon dioxide and unburned hydrocar-

bons (smoke).

5.3 Advice for firefighters

Special protective equipment:

for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Standard procedure for chemical fires.

In the event of fire and/or explosion do not breathe fumes.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Do not get in eyes, on skin, or on clothing.

Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal.

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8.

Avoid exceeding the given occupational exposure limits (see

section 8).

Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against

fire and explosion

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Hygiene measures : Avoid contact with the skin and the eyes. Wash hands before

eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminated clothing and protec-

tive equipment before entering eating areas.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in accordance with the particular national regulations. Store in original container. Store between 41 and 77 °F in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510) : 2B

7.3 Specific end use(s)

Specific use(s) : This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
acetone	67-64-1	TWA	500 ppm	2000/39/EC
			1.210 mg/m3	
	Further information: Indicative			
		AGW	500 ppm	DE TRGS
			1.200 mg/m3	900
	Peak-limit category: 2;(I)			
	Further information: When there is compliance with the OEL and biological			
	tolerance values, there is no risk of harming the unborn child			
		MAK	500 ppm	DE DFG MAK

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

VersionRevision Date:SDS Number:Date of last issue: 12.01.20231.311.04.20256024496Date of first issue: 26.02.2021

			1.200 mg/m3			
	Further infor	nation: According to	currently available information	n damage to		
			xcluded after exposure to co			
		ne MAK and BAT val	ues			
propane	74-98-6	AGW	1.000 ppm	DE TRGS		
			1.800 mg/m3	900		
	Peak-limit ca	tegory: 4;(II)		•		
		MAK	1.000 ppm	DE DFG MAK		
			1.800 mg/m3			
	Further infor	nation: Either there a	are no data for an assessmer	nt of damage to		
			evelopmental neurotoxicity, o			
			or classification in one of the			
butane	106-97-8	AGW	1.000 ppm	DE TRGS		
butane	100 37 0	AOW	2.400 mg/m3	900		
	Deal, limit on	4 4 - /II)	2.400 Hg/H3	900		
	Peak-limit ca		4 000	DE DEC MAI		
		MAK	1.000 ppm	DE DFG MAK		
			2.400 mg/m3			
			are no data for an assessmer			
			evelopmental neurotoxicity, o			
	available dat	a are not sufficient fo	or classification in one of the			
2-methoxy-1-	108-65-6	STEL	100 ppm	2000/39/EC		
methylethyl ace-			550 mg/m3			
tate						
	Further infor	Further information: Identifies the possibility of significant uptake through the				
	skin, Indicative					
	Oran, maloan	TWA	50 ppm	2000/39/EC		
		1 1 1 1 1 1	275 mg/m3	2000/39/LC		
	Further information: Identifies the possibility of significant uptake through the					
			possibility of significant upta	ke ililough ille		
	skin, Indicati		T = 0	DE DEC MAI		
		MAK	50 ppm	DE DFG MAK		
			270 mg/m3			
	Further information: Damage to the embryo or foetus is unlikely when the					
	MAK value o	r the BAT value is ob				
		AGW	50 ppm	DE TRGS		
			270 mg/m3	900		
	Peak-limit ca	tegory: 1;(I)				
	Further information: When there is compliance with the OEL and biological					
			of harming the unborn child	3		
n-butyl acetate	123-86-4	STEL	150 ppm	2019/1831/E		
ii butyi acctate	123 00 4	OTEL		U		
	Further infer	Further information: Indicative				
	Futulet illion		F0	0040/4004/5		
		TWA	50 ppm	2019/1831/E		
		<u> </u>	241 mg/m3	U		
	Further infor	nation: Indicative	1	T		
		AGW	62 ppm	DE TRGS		
			300 mg/m3	900		
	Peak-limit ca	tegory: 2;(I)				
			s compliance with the OEL a	nd biological		
			of harming the unborn child	g. co		
	15.5.3.100 Val	MAK	100 ppm	DE DFG MAR		
		1417 (1)	480 mg/m3	DE DI GIVIAI		
	1		T-00 IIIg/III3	1		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

VersionRevision Date:SDS Number:Date of last issue: 12.01.20231.311.04.20256024496Date of first issue: 26.02.2021

			ne embryo or foetus is unlik	ely when the		
- tl l		the BAT value is of		DE TROC		
ethanol	64-17-5	AGW	200 ppm	DE TRGS		
	D 1 11 11	4 (11)	380 mg/m3	900		
	Peak-limit ca					
			s compliance with the OEL of harming the unborn child			
	tolerance val					
		MAK	200 ppm 380 mg/m3	DE DFG MAK		
	Curther inform	nation, Cubatanasa	that cause cancer in human	o or onimale or		
	that are cons can be derive value or the B	idered to be carcino ed, Damage to the e BAT value is observe	genic for humans and for wimbryo or foetus is unlikely ved, Germ cell mutagens or son of Category 3 A and 3B),	nich a MAK value when the MAK suspected sub-		
			that, provided the MAK and			
			netic risk for man is conside			
isobutane	75-28-5	AGW	1.000 ppm 2.400 mg/m3	DE TRGS 900		
	Peak-limit ca	tegory: 4;(II)	•			
		MAK	1.000 ppm	DE DFG MAK		
			2.400 mg/m3			
	Further inforn	nation: Either there	are no data for an assessm	ent of damage to		
		the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C				
aluminium powder (stabilised)	7429-90-5	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance val	ues, there is no risk	of harming the unborn child			
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900		
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527		
xylene	1330-20-7	TWA	50 ppm 221 mg/m3	2000/39/EC		
	Further information: Identifies the possibility of significant uptake through the skin, Indicative					
		STEL	100 ppm 442 mg/m3	2000/39/EC		
	Further information: Identifies the possibility of significant uptake through the skin, Indicative					
		AGW	50 ppm 220 mg/m3	DE TRGS 900		
	Peak-limit ca	tegory: 2;(II)				
	Further inform	nation: Skin absorpt	ion			
		MAK	50 ppm 220 mg/m3	DE DFG MAR		

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Further information: Danger of absorption through the skin, Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
acetone	67-64-1	Acetone: 50 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 50 mg/l (Urine)	Immediately after exposition or after working hours	DE DFG BAT
aluminium powder (stabilised)	7429-90-5	Aluminum: 50 μg/g creatinine (Urine)	In case of long- term exposure: after more than one shift	TRGS 903
		Aluminum: 50 μg/g creatinine (Urine)	end of shift, for long-term expo- sures after several previous shifts	DE DFG BAT
xylene	1330-20-7	methylhippuric acid (all isomers): 2.000 mg/l (Urine)	Immediately after exposure or after working hours	TRGS 903
		Methylhippuric acid (toluric acid) (all isomers): 2.000 mg/l (Urine)	Immediately after exposition or after working hours	DE DFG BAT

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo-	Potential health ef-	Value
		sure	fects	
acetone	Consumers	Inhalation	Long-term systemic effects	200,00 mg/m3
	Consumers	Ingestion	Long-term systemic effects	62,00 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	62,00 mg/kg bw/day
	Workers	Inhalation	Acute local effects	2420,00 mg/m3
	Workers	Inhalation	Long-term systemic effects	1210,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	186,00 mg/kg bw/day
2-methoxy-1- methylethyl acetate	Workers	Inhalation	Long-term systemic effects	275,00 mg/m3
	Workers	Inhalation	Acute local effects	550,00 mg/m3
	Workers	Skin contact	Long-term systemic effects	796,00 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic	33,00 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

VersionRevision Date:SDS Number:Date of last issue: 12.01.20231.311.04.20256024496Date of first issue: 26.02.2021

1	1		effects	1
	Consumers	Inhalation	Long-term local effects	33,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	320,00 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	36,00 mg/kg bw/day
n-butyl acetate	Workers	Inhalation	Long-term systemic effects	48,00 mg/m3
	Workers	Inhalation	Acute systemic ef- fects	600,00 mg/m3
	Workers	Inhalation	Long-term local ef- fects	300 mg/m3
	Workers	Inhalation	Acute local effects	600 mg/m3
	Workers	Skin contact	Long-term systemic effects	7,00 mg/kg bw/day
	Workers	Skin contact	Acute systemic ef- fects	11 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	12,00 mg/m3
	Consumers	Inhalation	Acute systemic effects	300 mg/m3
	Consumers	Inhalation	Long-term local ef- fects	35,7 mg/m3
	Consumers	Inhalation	Acute local effects	300 mg/m3
	Consumers	Skin contact	Long-term systemic effects	3,40 mg/kg bw/day
	Consumers	Skin contact	Acute systemic effects	6 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
	Consumers	Ingestion	Acute systemic effects	2 mg/kg bw/day
ethanol	Consumers	Inhalation	Acute local effects	950,00 mg/m3
	Workers	Inhalation	Acute local effects	1900,00 mg/m3
aluminium powder (stabilised)	Consumers	Ingestion	Long-term systemic effects	7,90 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	3,95 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	3,72 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,72 mg/m3
	Workers	Inhalation	Long-term local ef- fects	3,72 mg/m3
xylene	Consumers	Inhalation	Acute local effects	174,00 mg/m3
	Consumers	Skin contact	Long-term systemic effects	108,00 mg/kg bw/day
	Consumers	Inhalation	Acute systemic ef- fects	174,00 mg/m3

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Consumer	s Ingestion	Long-term systemic effects	1,60 mg/kg bw/day
Consumer	s Inhalation	Long-term systemic effects	14,80 mg/m3
Workers	Inhalation	Acute systemic ef- fects	289,00 mg/m3
Workers	Inhalation	Acute local effects	289,00 mg/m3
Workers	Inhalation	Long-term systemic effects	77,00 mg/m3
Workers	Skin contact	Long-term systemic effects	180,00 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
acetone	Fresh water sediment	30,4 mg/kg dry weight (d.w.)
	Sewage treatment plant	100 mg/l
	Sea sediment	3,04 mg/kg dry
		weight (d.w.)
	Fresh water	10,6 mg/l
	Sea water	1,06 mg/l
	Intermittent use/release	21 mg/l
	Soil	29,5 mg/kg dry
		weight (d.w.)
2-methoxy-1-methylethyl acetate	Fresh water	0,635 mg/l
	Intermittent use/release	6,35 mg/l
	Sea sediment	0,329 mg/kg dry
		weight (d.w.)
	Fresh water sediment	3,29 mg/kg dry
		weight (d.w.)
	Sewage treatment plant	100 mg/l
	Sea water	0,0635 mg/l
	Soil	0,29 mg/kg dry
		weight (d.w.)
n-butyl acetate	Fresh water sediment	0,981 mg/kg dry
		weight (d.w.)
	Soil	0,0903 mg/kg dry
		weight (d.w.)
	Sea sediment	0,0981 mg/kg dry
		weight (d.w.)
	Intermittent use/release	0,36 mg/l
	Sewage treatment plant	35,6 mg/l
	Sea water	0,018 mg/l
	Fresh water	0,18 mg/l
ethanol	Sea sediment	2,9 mg/kg dry
	<u> </u>	weight (d.w.)
	Sewage treatment plant	580 mg/l
	Fresh water sediment	3,6 mg/kg dry
		weight (d.w.)
	Sea water	0,79 mg/l
	Soil	0,63 mg/kg dry

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

		weight (d.w.)
	Intermittent use/release	2,75 mg/l
	Fresh water	0,96 mg/l
	Secondary Poisoning	0,72 g/kg food
aluminium powder (stabilised)	Sewage treatment plant	20 mg/l
	Fresh water	74,9 μg/l
xylene	Fresh water	0,327 mg/l
	Intermittent use/release	0,327 mg/l
	Soil	2,31 mg/kg dry
		weight (d.w.)
	Fresh water sediment	12,46 mg/kg dry weight (d.w.)
	Sewage treatment plant	6,58 mg/l
	Sea water	0,327 mg/l
	Sea sediment	12,46 mg/kg dry weight (d.w.)

8.2 Exposure controls

Personal protective equipment

Eye/face protection : DGUV Regulation 112-192 - Use of eye and face protection

Tightly fitting safety goggles

Hand protection

Material : Nitrile rubber Glove thickness : 0,2 mm Protective index : Class 3

Remarks : Gloves should be discarded and replaced if there is any indi-

cation of degradation or chemical breakthrough. Before removing gloves clean them with soap and water. Wear suita-

ble gloves tested to EN374.

DGUV Regulation 112-195 - Use of protective gloves

Skin and body protection : Safety shoes

Long sleeved clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Skin should be washed after contact.

During spray application: impervious clothing

Respiratory protection : DGUV Regulation 112-190 - Use of breathing equipment

During spray application: Do not breathe spray dust. Use

A2/P2 combination filter for paint spraying.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version **Revision Date:** SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state aerosol

Color yellow

Odor No data available

Odor Threshold Not relevant

Melting point/freezing point not determined

Boiling point/boiling range not determined

Flammability Sustains combustion

Upper explosion limit / Upper

flammability limit

not determined

Lower explosion limit / Lower : not determined

flammability limit

Flash point -97 °C

Autoignition temperature not determined

Decomposition temperature Not applicable

pΗ 6,95

Concentration: 10 %

Viscosity

Viscosity, dynamic No data available

Solubility(ies)

Water solubility partly miscible

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Partition coefficient: n-

octanol/water

: not determined

Vapor pressure : not determined

Relative density : not determined

Density : 0,809 g/cm3

Relative vapor density : not determined

9.2 Other information

Explosives : Not applicable

Oxidizing properties : Not applicable

Evaporation rate : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapors may form explosive mixture with air.

Hazardous decomposition products formed under fire condi-

tions.

10.4 Conditions to avoid

Conditions to avoid : Risk of bursting.

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn,

even after use.

Protect from frost, heat and sunlight.

Risk of bursting.

Pressurized container: protect from sunlight and do not ex-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

pose to temperatures exceeding 50 °C. Do not pierce or burn,

even after use.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases.

Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Product:

Acute inhalation toxicity : Acute toxicity estimate: > 20000 ppm

Exposure time: 4 h
Test atmosphere: gas
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg

Method: Calculation method

Components:

acetone:

Acute oral toxicity : LD50 Oral (Rat): 5.800 mg/kg

Acute dermal toxicity : LD50 Dermal (Rabbit): 20.000 mg/kg

n-butyl acetate:

Acute oral toxicity : LD50 Oral (Rat): 14.000 mg/kg

xylene:

Acute inhalation toxicity : LC50 (Rat): 5000 ppm

Exposure time: 4 h
Test atmosphere: gas

Skin corrosion/irritation

Repeated exposure may cause skin dryness or cracking.

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

Components:

acetone:

Partition coefficient: n-

octanol/water

log Pow: -0,24 (20 °C)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

n-butyl acetate:

Partition coefficient: n- : log Pow: 2,3 (25 °C)

octanol/water Method: OECD Test Guideline 117

ethanol:

Partition coefficient: n- : log Pow: -0,35 (24 °C)

octanol/water pH: 7,4

xylene:

Partition coefficient: n- : log Pow: ca. 3,155 (20 °C)

octanol/water pH: 7

butyl glycollate:

Partition coefficient: n-

octanol/water

log Pow: 0,38

butane:

Partition coefficient: n- : log Pow: 2,31 (20 °C)

octanol/water pH: 7

2-methoxy-1-methylethyl acetate:

Partition coefficient: n- : log Pow: 1,2 (20 °C)

octanol/water Method: OECD Test Guideline 117

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

Product:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Additional ecological infor-

mation

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Materials and all related packaging must be disposed of in a

safe way in accordance with the full requirements of the local,

regional, national and international authorities.

Must not reach sewage system or environment.

Contaminated packaging : Only completely emptied containers should be given for recy-

cling.

Waste Code : used product

080111*, waste paint and varnish containing organic solvents

or other dangerous substances

SECTION 14: Transport information

14.1 UN number or ID number

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

Class Subsidiary risks

 ADN
 : 2
 2.1

 ADR
 : 2
 2.1

 RID
 : 2
 2.1

IMDG : 2.1

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

IATA : 2.1

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

ADR

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

IATA (Passenger)

Packing instruction (passen- : 203

ger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) Conditions of restriction for the following entries should be considered: Number on list 75

If you intend to use this product as tattoo ink, please contact your ven-

dor.

REACH - Candidate List of Substances of Very High

Concern for Authorization (Article 59).

None

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

None

Regulation (EU) 2019/1148 on the marketing and use of explosives precursors

This product is regulated by Regulation (EU) 2019/1148: all suspicious transactions, and significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P3a FLAMMABLE AEROSOLS

18 Liquefied flammable gases (in-

cluding LPG) and natural gas

Water hazard class (Germa- : WGK 1 slightly water endangering

nv)

Volatile organic compounds : < 89 %

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H220 : Extremely flammable gas.

H225 : Highly flammable liquid and vapor.

H226 : Flammable liquid and vapor.

H228 : Flammable solid. H280 : Contains gas under pressure; may explode if heated.

H304 : May be fatal if swallowed and enters airways.

H312 : Harmful in contact with skin.

H315 : Causes skin irritation.

H318 : Causes serious eye damage. H319 : Causes serious eye irritation.

H332 : Harmful if inhaled.

H335 : May cause respiratory irritation.
H336 : May cause drowsiness or dizziness.

H361 : Suspected of damaging fertility or the unborn child if swal-

lowed.

H373 : May cause damage to organs through prolonged or repeated

exposure.

EUH066 : Repeated exposure may cause skin dryness or cracking.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Asp. Tox. : Aspiration hazard
Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation
Flam. Gas : Flammable gases
Flam. Liq. : Flammable liquids
Flam. Sol. : Flammable solids
Press. Gas : Gases under pressure
Repr. : Reproductive toxicity
Skin Irrit. : Skin irritation

STOT RE : Specific target organ toxicity - repeated exposure STOT SE : Specific target organ toxicity - single exposure

2000/39/EC : Europe. Commission Directive 2000/39/EC establishing a first

list of indicative occupational exposure limit values

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

2019/1831/EU : Europe. Commission Directive 2019/1831/EU establishing a

fifth list of indicative occupational exposure limit values

DE DFG BAT : Germany. MAK BAT Annex XIII
DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 527 : Germany. TRGS 527 - Activities with nanomaterials

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

2000/39/EC / TWA : Limit Value - eight hours 2000/39/EC / STEL : Short term exposure limit 2019/1831/EU / TWA : Limit Value - eight hours 2019/1831/EU / STEL : Short term exposure limit

DE DFG MAK / MAK : MAK value

DE TRGS 527 / BM : Assessment scale
DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with Yer response; ELF - Loading rate associated with Yer response; EmB - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with Yer response; EmB - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with Xer growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IG50 - Half maximal inhibitory concentration; ICAO - International Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; IECSC - Inventory of Existing Chemicals University (Median Lethal Dose) (MARPOL - International Auroparity) (Table 1000 - Lethal Dose to 50% of a test population; LDSC - Lethal Dose to 50% of a test population; LDSC - Lethal Dose to 50% of a test population; DSC - Lethal Dose to 50% of a test population (Median Lethal Dose) (MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)Ec - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; DECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution

Further information

Other information

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Material Safety Data Sheet

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH

NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European

SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP FF Lack Romantik Roségold 400ml AERO

Version Revision Date: SDS Number: Date of last issue: 12.01.2023 1.3 11.04.2025 6024496 Date of first issue: 26.02.2021

Toxnet - Toxicology Data Network

Classification of the mixture: Classification procedure:

Aerosol 1 H222, H229 Calculation method
Eye Irrit. 2 H319 Calculation method
STOT SE 3 H336 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN