

FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 | Product identifier Trade name | : | FeineFarben Held des Waldes |
|-----|---|-----|--|
| 1.2 | Relevant identified uses of th | e s | ubstance or mixture and uses advised against |
| | Use of the Sub- stance/Mixture | : | Water-borne coatings |
| | Recommended restrictions on use | : | within adequate application - none |
| 1.3 | Details of the supplier of the | saf | ety data sheet |
| | Company | : | Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT |
| | Telephone Telefax | : | +498001238887 +4961547170632 |
| | Website E-mail address Responsi- ble/issuing person | | www.alpina-farben.de msds@dr-rmi.com |

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Emulsion paint, aqueous

Components

| Chemical name | CAS-No. | Classification | Concentration |
|------------------------------|---------------------|------------------------|---------------|
| | EC-No. | | (% w/w) |
| | Index-No. | | |
| | Registration number | | |
| Silicic acid, potassium salt | 1312-76-1 | Skin Irrit. 2; H315 | >= 1 - < 10 |
| | 215-199-1 | Eye Irrit. 2; H319 | |
| | 01-2119456888-17 | STOT SE 3; H335 | |
| | | specific concentration | |
| | | Skin Irrit. 2; H315 | |
| | | >= 40 % | |
| | | Eye Irrit. 2; H319 | |
| | | >= 40 % | |
| | | STOT SE 3; H335 | |



FeineFarben Held des Waldes

| ersion 4 | Revision Date: 14.07.2025 | SDS Number: 6024761 | Date of last issue: 08.0 Date of first issue: 17.0 | • |
|-------------|---------------------------|---|---|-------------|
| | | | >= 75 % | |
| Subst | tances with a workpla | ce exposure limit : | | |
| - | um dioxide | 13463-67-7 236-675-5 01-2119489 | | >= 1 - < 10 |
| mang | janese ferrite black sp | inel 68186-94-7 269-056-3 01-2119457 | | >= 1 - < 10 |
| Kiese | lguhr, soda ash flux-c | alcined 68855-54-9 272-489-0 21-2119488 | | >= 1 - < 10 |

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

| General advice | : | Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself. |
|-------------------------|---|---|
| If inhaled | : | Move to fresh air. |
| In case of skin contact | : | Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water. |
| In case of eye contact | : | If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| If swallowed | : | Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting. |

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.



FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

SECTION 5: Firefighting measures

| 5.1 Extinguishing media | | |
|--|-----|--|
| Suitable extinguishing media | : | Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire. |
| Unsuitable extinguishing media | : | None known. |
| 5.2 Special hazards arising from | the | e substance or mixture |
| Specific hazards during fire fighting | : | In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke). |
| 5.3 Advice for firefighters | | |
| Special protective equipment for fire-fighters | : | Wear self-contained breathing apparatus for firefighting if nec- essary. |
| Further information | : | Standard procedure for chemical fires. The product itself does not burn. |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

| Personal precautions : | Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. |
|-------------------------------|---|
| 6.2 Environmental precautions | |

| Environmental precautions | : | Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform |
|---------------------------|---|--|
| | | respective authorities. Do not flush into surface water or sanitary sewer system. |

6.3 Methods and material for containment and cleaning up

| Methods for cleaning up : | | Keep in suitable, closed containers for disposal. |
|---------------------------|--|---|
| | | Soak up with inert absorbent material (e.g. sand, silica gel, |
| | | acid binder, universal binder, sawdust). |



FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

| 7.1 Precautions for safe handling | |
|--|---|
| Advice on safe handling : | For personal protection see section 8. No special technical protective measures required. |
| Hygiene measures : | Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas. |
| 7.2 Conditions for safe storage, incl | luding any incompatibilities |
| Requirements for storage : areas and containers | Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage. |
| Advice on common storage : | Keep away from oxidizing agents and strongly acid or alkaline materials. |
| Storage class (TRGS 510) : | 12 |
| 7.3 Specific end use(s) | |
| Specific use(s) | This information is not available. |

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

| Components | CAS-No. | Value type (Form of exposure) | Control parameters | Basis | | | |
|------------------|---|---|--------------------|------------|--|--|--|
| titanium dioxide | 13463-67-7 | MAK (measured as the alveolate fraction) | 0,3 mg/m3 | DE DFG MAK | | | |
| | Peak-limit cat | egory: 8; II | | | | | |
| | Further inform | Further information: Substances that cause cancer in humans or animals or | | | | | |
| | that are consi | that are considered to be carcinogenic for humans and for which a MAK value | | | | | |
| | can be derived., Damage to the embryo or foetus is unlikely when the MAK | | | | | | |
| | value or the E | value or the BAT value is observed | | | | | |
| | AGW (Inhalable 10 mg/m3 DE TR | | | | | | |
| | fraction) (Titanium dioxide) 900 | | | | | | |
| | Peak-limit category: 2;(II) | | | | | | |
| | Further information: When there is compliance with the OEL and biological | | | | | | |



FeineFarben Held des Waldes

| sion | 14.07.2025 | 602 | 4761 Da | | |
|-------|----------------------------|--|--|--|---|
| | | | | | |
| | | tolerance val | | of harming the unborn ch | |
| | | | AGW (Alveolate | 1,25 mg/m3 | DE TRGS |
| | | | fraction) | (Titanium dioxide) | 900 |
| | | Peak-limit ca | tegory: 2;(II) | | |
| | | Further inform | mation: When there is | s compliance with the OE | L and biological |
| | | tolerance val | ues, there is no risk o | of harming the unborn ch | ild |
| | | | BM (Alveolar | 0,5 mg/m3 | DE TRGS |
| | | | dust fraction) | | 527 |
| mang | anese ferrite | 68186-94-7 | AGW (Inhalable | 0,2 mg/m3 | DE TRGS |
| black | spinel | | fraction) | (Manganese) | 900 |
| | | Peak-limit ca | tegory: 8;(II) | | |
| | | | | anates an excursion fact | |
| | | | | e OEL and biological tole | rance values, the |
| | | is no risk of h | narming the unborn c | | |
| | | | AGW (Alveolate | 0,02 mg/m3 | DE TRGS |
| | | | fraction) | (Manganese) | 900 |
| | | Peak-limit ca | | | |
| | | | | anates an excursion fact | |
| | | | | e OEL and biological tole | rance values, the |
| | | is no risk of h | narming the unborn c | | |
| | | | MAK (measured | 0,02 mg/m3 | DE DFG M |
| | | | | 0,02 mg/mo | |
| | | | as the alveolate | 0,02 mg/m0 | |
| | | | as the alveolate fraction) | 0,02 mg/m0 | |
| | | Peak-limit ca | as the alveolate fraction) tegory: 8; II | | |
| | | Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob | e embryo or foetus is un served, Permanganates: | likely when the Peak limitation |
| | | Further inforr MAK value o | as the alveolate fraction) tegory: 8; II nation: Damage to th | e embryo or foetus is un | likely when the Peak limitation |
| | | Further inform MAK value o category I(1) Peak-limit ca | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II | ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 | likely when the Peak limitation DE DFG M |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr MAK value o | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th | ne embryo or foetus is un served, Permanganates: | likely when the Peak limitation DE DFG M/ |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th | ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 ne embryo or foetus is un served, Permanganates: | likely when the Peak limitation DE DFG M/ likely when the Peak limitation |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr MAK value o | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob | ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr MAK value o category I(1) | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) | ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 ne embryo or foetus is un served, Permanganates: | likely when the Peak limitation DE DFG M/ |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr MAK value o category I(1) | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative | ne embryo or foetus is un oserved, Permanganates: 0,2 mg/m3 ne embryo or foetus is un oserved, Permanganates: 0,2 mg/m3 (Manganese) | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E |
| | | Further inforr MAK value o category I(1) Peak-limit ca Further inforr MAK value o category I(1) | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) | ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 ne embryo or foetus is un served, Permanganates: 0,2 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E |
| Kiese | lauhr. soda | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E |
| | lguhr, soda ux-calcined | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E |
| | lguhr, soda ux-calcined | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of tegory: 8; II mation: Indicative | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of MAK (measured as the alveolate | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform tolerance val | as the alveolate fraction) tegory: 8; II mation: Damage to the r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to the r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of MAK (measured as the alveolate fraction) | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch 0,3 mg/m3 | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild DE DFG M/ |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform tolerance val | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of MAK (measured as the alveolate fraction) mation: Damage to th | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch 0,3 mg/m3 e embryo or foetus is un | likely when the Peak limitation DE DFG M, likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild DE DFG M, |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform tolerance val | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of MAK (measured as the alveolate fraction) mation: Damage to th r the BAT value is ob | ae embryo or foetus is un served, Permanganates: 0,2 mg/m3 be embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch 0,3 mg/m3 be embryo or foetus is un served | likely when the Peak limitation DE DFG M likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild DE DFG M likely when the |
| | | Further inform MAK value o category I(1) Peak-limit ca Further inform MAK value o category I(1) Further inform 68855-54-9 Further inform tolerance val | as the alveolate fraction) tegory: 8; II mation: Damage to th r the BAT value is ob MAK (inhalable fraction) tegory: 8; II mation: Damage to th r the BAT value is ob TWA (inhalable fraction) mation: Indicative TWA (Respirable fraction) mation: Indicative AGW (Alveolate fraction) mation: When there is ues, there is no risk of MAK (measured as the alveolate fraction) mation: Damage to th | e embryo or foetus is un served, Permanganates: 0,2 mg/m3 e embryo or foetus is un served, Permanganates: 0,2 mg/m3 (Manganese) 0,05 mg/m3 (Manganese) 0,3 mg/m3 s compliance with the OE of harming the unborn ch 0,3 mg/m3 e embryo or foetus is un | likely when the Peak limitation DE DFG M/ likely when the Peak limitation 2017/164/E 2017/164/E DE TRGS 900 EL and biological ild DE DFG M/ |



FeineFarben Held des Waldes

| Version | |
|---------|--|
| 1.4 | |

Revision Date: 14.07.2025

SDS Number: 6024761

Date of last issue: 08.08.2024 Date of first issue: 17.03.2021

Peak-limit category: 8; II Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name | End Use | Routes of expo- sure | Potential health ef- fects | Value |
|------------------------------------|-----------|-------------------------|-------------------------------|------------------------|
| titanium dioxide | Consumers | Ingestion | Long-term systemic effects | 700,00 mg/kg bw/day |
| | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 |
| manganese ferrite black spinel | Workers | Inhalation | Long-term systemic effects | 10,00 mg/m3 |
| | Workers | Inhalation | Long-term local ef- fects | 10,00 mg/m3 |
| Kieselguhr, soda ash flux-calcined | Consumers | Ingestion | Long-term systemic effects | 18,70 mg/kg bw/day |
| | Consumers | Inhalation | Long-term systemic effects | 0,05 mg/m3 |
| | Workers | Inhalation | Long-term systemic effects | 0,05 mg/m3 |
| Silicic acid, potassium salt | Consumers | Inhalation | Long-term systemic effects | 1,38 mg/m3 |
| | Consumers | Ingestion | Long-term systemic effects | 0,74 mg/kg bw/day |
| | Consumers | Skin contact | Long-term systemic effects | 0,74 mg/kg bw/day |
| | Workers | Inhalation | Long-term systemic effects | 5,61 mg/m3 |
| | Workers | Skin contact | Long-term systemic effects | 1,49 mg/kg bw/day |

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name | Environmental Compartment | Value |
|--|---------------------------|---------------------------------|
| titanium dioxide | Sewage treatment plant | 100 mg/l |
| | Fresh water | 0,184 mg/l |
| | Soil | 100 mg/kg dry weight (d.w.) |
| | Sea water | 0,0184 mg/l |
| | Fresh water sediment | 1000 mg/kg dry weight (d.w.) |
| | Sea sediment | 100 mg/kg dry weight (d.w.) |
| | Intermittent use/release | 0,193 mg/l |
| Kieselguhr, soda ash flux- calcined | Sewage treatment plant | 100 mg/l |
| Silicic acid, potassium salt | Sea water | 1 mg/l |
| | Intermittent use/release | 7,5 mg/l |
| | Fresh water | 7,5 mg/l |
| | Sewage treatment plant | 348 mg/l |



FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

8.2 Exposure controls

| Personal protective equipme | ent | |
|--|-----|---|
| Eye/face protection | : | not required Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. |
| | | DGUV Regulation 112-192 - Use of eye and face protection |
| Hand protection Material Glove thickness Protective index | | Nitrile rubber 0,2 mm Class 3 |
| Remarks | : | Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves |
| Skin and body protection | : | Safety shoes Long sleeved clothing |
| | | Choose body protection according to the amount and con- centration of the dangerous substance at the work place. |
| | | Skin should be washed after contact. |
| Respiratory protection | : | No personal respiratory protective equipment normally re- quired. |
| | | When spraying, use face mask with particle filter P2 against spray dust. |
| | | DGUV Regulation 112-190 - Use of breathing equipment |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| Physical state | : liquid |
|------------------------------|------------------|
| Color | : pigmented |
| Odor | : characteristic |
| Melting point/freezing point | : ca. 0 °C |



FeineFarben Held des Waldes

| Vers 1.4 | sion | Revision Date: 14.07.2025 | | S Number: 24761 | Date of last issue: 08.08.2024 Date of first issue: 17.03.2021 |
|-------------|---------------------|---|---|---|---|
| | Boiling | point/boiling range | : | ca. 100 °C | |
| | | explosion limit / Upper bility limit | : | not determined | |
| | | explosion limit / Lower bility limit | : | not determined | |
| | Flash p | oint | : | Not applicable | |
| | Autoigr | nition temperature | : | not determined | |
| | Decom | position temperature | : | Not applicable | |
| | рН | | : | > 11,4 (20 °C) Concentration: 10 Method: DIN EN | 00 % ISO 19396-1:2020-05 |
| | Viscosi Visc | ty cosity, dynamic | : | > 100 mPa.s (20 Method: ISO 321 | |
| | Visc | cosity, kinematic | : | not determined | |
| | Flow tir | ne | : | not determined | |
| | Solubili Wat | ty(ies) er solubility | : | completely miscil | ble |
| | Partitio octanol | n coefficient: n- /water | : | not determined | |
| | Vapor p | pressure | : | ca. 23,4 hPa (20 | °C) |
| | Density | / | : | 1,17 g/cm3 (20 °(Method: DIN EN | |
| | Bulk de | ensity | : | Not applicable | |



FeineFarben Held des Waldes

| SDS Number: 6024761 | Date of last issue: 08.08.2024 Date of first issue: 17.03.2021 |
|------------------------|---|
| : not determined | |
| : Not applicable | |
| : Not applicable | |
| : The product is n | ot flammable. |
| | 6024761 : not determined : Not applicable : Not applicable |

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

| Hazardous reactions | : No decomposition if stored and applied as directed | ed. |
|---------------------|--|-----|
|---------------------|--|-----|

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant.

Information given is based on tests on products of similar



FeineFarben Held des Waldes

| Version | Revisi |
|---------|--------|
| 1.4 | 14.07. |

on Date: SDS Number: 2025 6024761

composition.

Date of last issue: 08.08.2024 Date of first issue: 17.03.2021

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential

No data available



FeineFarben Held des Waldes

| VersionRevision Date:SDS Number:Date of last issue: 08.08.20241.414.07.20256024761Date of first issue: 17.03.2021 | | | | |
|---|--|--|--|--|
|---|--|--|--|--|

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

|--|

| Assessment | : | The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. |
|------------|---|---|
| | | |

12.7 Other adverse effects

| Additional ecological infor- | : | An environmental hazard cannot be excluded in the event of |
|------------------------------|---|--|
| mation | | unprofessional handling or disposal. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

| Product | : | Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities. |
|------------------------|---|--|
| | | Washing water must not be discharged into the sewage sys- tem or the environment. |
| Contaminated packaging | : | Only completely emptied containers should be given for recy- cling. |
| Waste Code | : | used product 080112, waste paint and varnish other than those mentioned in 08 01 11* |

SECTION 14: Transport information

14.1 UN number or ID number

ADN

: Not regulated as a dangerous good



FeineFarben Held des Waldes

| Version 1.4 | Revision Date: 14.07.2025 | SDS Number: 6024761 | Date of last issue: 08.08.2024 Date of first issue: 17.03.2021 |
|----------------|------------------------------|------------------------------|---|
| ADR | | : Not regulated | l as a dangerous good |
| RID | | : Not regulated | l as a dangerous good |
| IMDG | | : Not regulated | l as a dangerous good |
| ΙΑΤΑ | | : Not regulated | l as a dangerous good |
| 14.2 UN pi | roper shipping name | • | |
| ADN | | : Not regulated | l as a dangerous good |
| ADR | | : Not regulated | l as a dangerous good |
| RID | | : Not regulated | l as a dangerous good |
| IMDG | | : Not regulated | l as a dangerous good |
| ΙΑΤΑ | | : Not regulated | as a dangerous good |
| 14.3 Trans | sport hazard class(e | s) | |
| ADN | | : Not regulated | l as a dangerous good |
| ADR | | - | l as a dangerous good |
| RID | | - | l as a dangerous good |
| IMDG | | - | l as a dangerous good |
| ΙΑΤΑ | | - | l as a dangerous good |
| 14.4 Packi | ing group | - | |
| ADN | | : Not regulated | l as a dangerous good |
| ADR | | - | l as a dangerous good |
| RID | | - | l as a dangerous good |
| IMDG | | U U | l as a dangerous good |
| ΙΑΤΑ | (Cargo) | - | l as a dangerous good |
| | (Passenger) | 0 | l as a dangerous good |
| 14.5 Envir | onmental hazards | | |
| 14.6 Speci | ial precautions for u | ser | |
| Rema | ırks | : Not classified lations. | as dangerous in the meaning of transport regu |

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



FeineFarben Held des Waldes

| Versi 1.4 | ion | Revision Date: 14.07.2025 | | 9S Number: 24761 | | | f last issue: 08.08.2024 f first issue: 17.03.2021 |
|--------------|--|--|------|--|------|--------|---|
| t | the mar | I - Restrictions on the r ket and use of certain s and articles (Annex > | dan | gerous substances | | : | Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor. |
| | REACH - Candidate List of Substances of Very High : None Concern for Authorization (Article 59) (SVHC). | | | | | | None |
| | | tion (EU) No 2024/590 e ozone layer | on | substances that de | !- | : | Not applicable |
| | Regulat tants (re | tion (EU) 2019/1021 or ecast) | n pe | rsistent organic po | llu- | : | Not applicable |
| | REACH (Annex | I - List of substances s XIV) | ubje | ect to authorisation | | : | None |
| | pean Pa control | III: Directive 2012/18/I arliament and of the Co of major-accident haza ous substances. | oune | cil on the | | Not | t applicable |
| | Water h ny) | azard class (Germa- | : | WGK 1 slightly wa Classification acco | | | angering o AwSV, Annex 1 (5.2) |
| | | | : | Coating materials, | , Wa | ater-b | based, low preservative content |
| , | Volatile | organic compounds | : | livestock rearing e and control) | emi | ssion | 4 November 2010 on industrial and s (integrated pollution prevention ds (VOC) content: 0,03 % |
| , | Volatile | organic compounds | : | Directive 2004/42, < 0.1 % < 1 g/l | /EC |) | |

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.





FeineFarben Held des Waldes

| Version | Revision Date: | SDS Number: | Date of last issue: 08.08.2024 |
|---------|----------------|-------------|---------------------------------|
| 1.4 | 14.07.2025 | 6024761 | Date of first issue: 17.03.2021 |

SECTION 16: Other information

| Full text of H-Statements | | |
|---------------------------------|----|--|
| H315 H319 | : | Causes skin irritation. Causes serious eye irritation. |
| H335 | ÷ | May cause respiratory irritation. |
| Full text of other abbreviation | าร | |
| Eye Irrit. | : | Eye irritation |
| Skin Irrit. | : | Skin irritation |
| STOT SE | : | Specific target organ toxicity - single exposure |
| 2017/164/EU | : | Europe. Commission Directive 2017/164/EU establishing a fourth list of indicative occupational exposure limit values |
| DE DFG MAK | : | Germany. MAK BAT Annex IIa |
| DE TRGS 527 | : | Germany. TRGS 527 - Activities with nanomaterials |
| DE TRGS 900 | : | Germany. TRGS 900 - Occupational exposure limit values. |
| 2017/164/EU / TWA | : | Limit Value - eight hours |
| DE DFG MAK / MAK | : | MAK value |
| DE TRGS 527 / BM | : | Assessment scale |
| DE TRGS 900 / AGW | : | Time Weighted Average |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil Viatiation Organization; IECSC - Inventry of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of Sold of a test population; LDS0 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS

Further information

| Other information | : | No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC. |
|--|---|--|
| Sources of key data used to compile the Material Safety Data Sheet | : | ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- |



FeineFarben Held des Waldes

| Version | Revision Date: 14.07.2025 | SDS Number: | Date of last issue: 08.08.2024 |
|---------|---------------------------|--|--|
| 1.4 | | 6024761 | Date of first issue: 17.03.2021 |
| | | Communities SAX'S - Dang GESTIS - Dat Arbeitsschutz (IFA, Institute man Social Ac | esearch Centre, Commission of the European erous properties of industrial materials abase on hazardous substances - Institut für der Deutschen Gesetzlichen Unfallversicherung for Occupational Safety and Health of the Ger- ccident Insurance) cology Data Network |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN