

# **AP PF Beigegelb**

| Version | Revision Date: | SDS Number: | Date of last issue: 22.05.2024  |
|---------|----------------|-------------|---------------------------------|
| 1.2     | 14.07.2025     | 6028267     | Date of first issue: 22.11.2022 |

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

| 1.1 Product identifier<br>Trade name                      | :    | AP PF Beigegelb  |
|---|------|--|
| 1.2 Relevant identified uses of t                         | he s | ubstance or mixture and uses advised against                     |
| Use of the Sub-<br>stance/Mixture                         | :    | Water-borne coatings   |
| Recommended restrictions on use                           | :    | within adequate application - none                               |
| 1.3 Details of the supplier of the                        | saf  | ety data sheet   |
| Company   | :    | Alpina Farben GmbH<br>Roßdörfer Straße 50<br>64372 OBER RAMSTADT |
| Telephone   | :    | +498001238887  |
| Telefax   | :    | +4961547170632   |
| Website<br>E-mail address Responsi-<br>ble/issuing person | :    | www.alpina-farben.de<br>msds@dr-rmi.com                          |
|   |      |  |

### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



# **AP PF Beigegelb**

| Version | Revision Date: | SDS Number: | Date of last issue: 22.05.2024  |
|---------|----------------|-------------|---------------------------------|
| 1.2     | 14.07.2025     | 6028267     | Date of first issue: 22.11.2022 |

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

### Components

| Chemical name                | CAS-No.             | Classification   | Concentration |
|------------------------------|---------------------|--|---------------|
|                              | EC-No.              |  | (% w/w)       |
|                              | Index-No.           |  |               |
|                              | Registration number |  |               |
| Silicic acid, potassium salt | 1312-76-1           | Skin Irrit. 2; H315  | >= 1 - < 10   |
|                              | 215-199-1           | Eye Irrit. 2; H319   |               |
|                              | 01-2119456888-17    | STOT SE 3; H335  |               |
|                              |                     | specific concentration<br>limit<br>Skin Irrit. 2; H315<br>>= 40 %<br>Eye Irrit. 2; H319<br>>= 40 %<br>STOT SE 3; H335<br>>= 75 % |               |

SDS Number:

6028267



I

DE / EN

# **AP PF Beigegelb**

| Version | Rev  |
|---------|------|
| 12      | 14 0 |

Revision Date: 14.07.2025

Date of last issue: 22.05.2024 Date of first issue: 22.11.2022

Substances with a workplace exposure limit :

| Substances with a workplace expos  |                  |              |
|------------------------------------|------------------|--------------|
| Talc (Mg3H2(SiO3)4)                | 14807-96-6       | >= 10 - < 20 |
|                                    | 238-877-9        |              |
|                                    | 01-2120140278-58 |              |
| titanium dioxide                   | 13463-67-7       | >= 1 - < 10  |
|                                    | 236-675-5        |              |
|                                    | 01-2119489379-17 |              |
| Kieselguhr, soda ash flux-calcined | 68855-54-9       | >= 1 - < 10  |
|                                    | 272-489-0        |              |
|                                    | 21-2119488518-22 |              |

For explanation of abbreviations see section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

| General advice          | : | Never give anything by mouth to an unconscious person.<br>If you feel unwell, seek medical advice (show the label where<br>possible).<br>Move out of dangerous area.<br>First aider needs to protect himself. |
|-------------------------|---|---|
| If inhaled              | : | Move to fresh air.  |
| In case of skin contact | : | Do NOT use solvents or thinners.<br>In case of contact, immediately flush skin with soap and plenty<br>of water.  |
| In case of eye contact  | : | If eye irritation persists: Get medical advice/ attention.<br>IF IN EYES: Rinse cautiously with water for several minutes.<br>Remove contact lenses, if present and easy to do. Continue<br>rinsing.          |
| If swallowed            | : | Seek medical advice.<br>Clean mouth with water and drink afterwards plenty of water.<br>If swallowed, DO NOT induce vomiting.   |

#### 4.2 Most important symptoms and effects, both acute and delayed

None known.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.



# **AP PF Beigegelb**

| Versio<br>1.2 | n Revision Date:<br>14.07.2025                  |       | DS Number:<br>028267                   | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022  |
|---------------|---|-------|--|--|
|               |   |       | cumstances and                         | g measures that are appropriate to local cir-<br>the surrounding environment.<br>d water stream as it may scatter and spread |
|               | nsuitable extinguishing<br>nedia                | :     | None known.                            |  |
| 5.2 Sp        | ecial hazards arising from                      | n the | e substance or mi                      | xture  |
|               | pecific hazards during fire<br>ghting           | :     | produced such as                       | zardous decomposition products may be<br>s:<br>e, carbon dioxide and unburned hydrocar-                                      |
| 5.3 Ac        | lvice for firefighters                          |       |  |  |
|               | pecial protective equipment<br>or fire-fighters | :     | Wear self-contain essary.              | ed breathing apparatus for firefighting if nec-  |
| F             | urther information                              | :     | Standard procedu<br>The product itself | ure for chemical fires.<br>does not burn.  |

### **SECTION 6: Accidental release measures**

| 6.1 Personal precautions, protec | ctive | e equipment and emergency procedures   |
|----------------------------------|-------|--|
| Personal precautions             | :     | Use protective shoes or boots with rough rubber sole.<br>Material can create slippery conditions.<br>Do not get in eyes, on skin, or on clothing.  |
| 6.2 Environmental precautions    |       |  |
| Environmental precautions        | :     | Prevent further leakage or spillage if safe to do so.<br>If the product contaminates rivers and lakes or drains inform<br>respective authorities.<br>Do not flush into surface water or sanitary sewer system. |
| 6.3 Methods and material for cor | ntaiı | nment and cleaning up  |
| Methods for cleaning up          | :     | Keep in suitable, closed containers for disposal.<br>Soak up with inert absorbent material (e.g. sand, silica gel,<br>acid binder, universal binder, sawdust).   |
| 6.4 Reference to other sections  |       |  |

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling



# **AP PF Beigegelb**

| Ver<br>1.2                                    | sion    | Revision Date:<br>14.07.2025    |  | DS Number:<br>28267       | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022  |
|---|---------|---------------------------------|--|---------------------------|--|
|   | Advice  | on safe handling                | :  |                           | ection see section 8.<br>cal protective measures required.   |
|   | Hygien  | e measures                      | :  | drink or smoke w          | re eating, drinking, or smoking. Do not eat,<br>hen using this product. Remove contaminat-<br>rotective equipment before entering eating |
| 7.2   | Conditi | ons for safe storage,           | inc  | luding any incom          | patibilities   |
| Requirements for storage areas and containers |         | :                               | Perishable if frozen. To maintain product quality, do not stor<br>in heat or direct sunlight. Store at room temperature in the<br>original container. Containers which are opened must be can<br>fully resealed and kept upright to prevent leakage. |                           |  |
|   | Advice  | on common storage               | :  | Keep away from materials. | oxidizing agents and strongly acid or alkaline   |
|   | Storag  | e class (TRGS 510)              | :  | 12                        |  |
| 7.3   | -       | <b>c end use(s)</b><br>c use(s) | :  | This information i        | s not available.   |

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

#### **Occupational Exposure Limits**

| ·                |  |                                  |                                |               |  |  |
|------------------|--|----------------------------------|--------------------------------|---------------|--|--|
| Components       | CAS-No.  | Value type (Form<br>of exposure) | Control parameters             | Basis         |  |  |
| Talc             | 14807-96-6   | AGW (Inhalable                   | 10 mg/m3                       | DE TRGS       |  |  |
| (Mg3H2(SiO3)4)   |  | fraction)                        | - <b>3</b>                     | 900           |  |  |
|                  | Peak-limit cat   | egory: 2;(II)                    |                                |               |  |  |
|                  | Further inform   | nation: When there is            | s compliance with the OEL ar   | nd biological |  |  |
|                  | tolerance valu   | ies, there is no risk c          | of harming the unborn child    |               |  |  |
|                  |  | AGW (Alveolate                   | 1,25 mg/m3                     | DE TRGS       |  |  |
|                  |  | fraction)                        |                                | 900           |  |  |
|                  | Peak-limit cat   | egory: 2;(II)                    |                                |               |  |  |
|                  |  |                                  | s compliance with the OEL ar   | nd biological |  |  |
|                  | tolerance valu   | ies, there is no risk c          | of harming the unborn child    |               |  |  |
| titanium dioxide | 13463-67-7   | MAK (measured                    | 0,3 mg/m3                      | DE DFG MAK    |  |  |
|                  |  | as the alveolate                 |                                |               |  |  |
|                  |  | fraction)                        |                                |               |  |  |
|                  | Peak-limit cat   | egory: 8; II                     |                                |               |  |  |
|                  | Further inform   | nation: Substances th            | nat cause cancer in humans     | or animals or |  |  |
|                  | that are considered to be carcinogenic for humans and for which a MAK va |                                  |                                |               |  |  |
|                  | can be derive  | d., Damage to the er             | nbryo or foetus is unlikely wh | nen the MAK   |  |  |
|                  | value or the B   | AT value is observe              | d                              |               |  |  |
|                  |  | AGW (Inhalable                   | 10 mg/m3                       | DE TRGS       |  |  |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# **AP PF Beigegelb**

| ersion<br>2 | Revision Date 14.07.2025 | e: SDS<br>6028   |                  | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022 |            |  |  |  |
|-------------|--------------------------|--|------------------|---|------------|--|--|--|
|             |                          |  |                  |   |            |  |  |  |
|             |                          |  | fraction)        | (Titanium dioxide)  | 900        |  |  |  |
|             |                          | Peak-limit cate  | egory: 2;(II)    |   |            |  |  |  |
|             |                          | Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child |                  |   |            |  |  |  |
|             |                          |  |                  |   |            |  |  |  |
|             |                          |  | AGW (Alveolate   | 1,25 mg/m3  | DE TRGS    |  |  |  |
|             |                          |  | fraction)        | (Titanium dioxide)  | 900        |  |  |  |
|             |                          | Peak-limit cate  | egory: 2;(II)    |   |            |  |  |  |
|             |                          | Further information: When there is compliance with the OEL and biological  |                  |   |            |  |  |  |
|             | 1                        | tolerance values, there is no risk of harming the unborn child   |                  |   |            |  |  |  |
|             |                          |  | BM (Alveolar     | 0,5 mg/m3   | DE TRGS    |  |  |  |
|             |                          |  | dust fraction)   |   | 527        |  |  |  |
|             |                          | 68855-54-9   | AGW (Alveolate   | 0,3 mg/m3   | DE TRGS    |  |  |  |
| ash fl      | ux-calcined              |  | fraction)        |   | 900        |  |  |  |
|             |                          | Further information: When there is compliance with the OEL and biological  |                  |   |            |  |  |  |
|             | 1                        | tolerance values, there is no risk of harming the unborn child   |                  |   |            |  |  |  |
|             |                          |  | MAK (measured    | 0,3 mg/m3   | DE DFG MA  |  |  |  |
|             |                          |  | as the alveolate |   |            |  |  |  |
|             |                          |  | fraction)        |   |            |  |  |  |
|             |                          |  |                  | the embryo or foetus is unlikel                                   | y when the |  |  |  |
|             |                          | MAK value or   | the BAT value is |   |            |  |  |  |
|             |                          |  | MAK (measured    | 0,02 mg/m3  | DE DFG MA  |  |  |  |
|             |                          |  | as the alveolate |   |            |  |  |  |
|             |                          | <b></b>  | fraction)        |   |            |  |  |  |
|             |                          | Peak-limit cat   |                  |   |            |  |  |  |
|             |                          | Further information: Damage to the embryo or foetus is unlikely when the   |                  |   |            |  |  |  |
|             |                          | MAK value or   | the BAT value is | observed  |            |  |  |  |

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

| Substance name                        | End Use   | Routes of expo-<br>sure | Potential health ef-<br>fects | Value                  |
|---------------------------------------|-----------|-------------------------|-------------------------------|------------------------|
| titanium dioxide                      | Consumers | Ingestion               | Long-term systemic<br>effects | 700,00 mg/kg<br>bw/day |
|                                       | Workers   | Inhalation              | Long-term local ef-<br>fects  | 10,00 mg/m3            |
| Kieselguhr, soda ash<br>flux-calcined | Consumers | Ingestion               | Long-term systemic<br>effects | 18,70 mg/kg<br>bw/day  |
|                                       | Consumers | Inhalation              | Long-term systemic<br>effects | 0,05 mg/m3             |
|                                       | Workers   | Inhalation              | Long-term systemic<br>effects | 0,05 mg/m3             |
| Silicic acid, aluminum sodium salt    | Workers   | Inhalation              | Long-term local ef-<br>fects  | 4,00 mg/m3             |
| Silicic acid, potassium salt          | Consumers | Inhalation              | Long-term systemic<br>effects | 1,38 mg/m3             |
|                                       | Consumers | Ingestion               | Long-term systemic<br>effects | 0,74 mg/kg<br>bw/day   |
|                                       | Consumers | Skin contact            | Long-term systemic<br>effects | 0,74 mg/kg<br>bw/day   |
|                                       | Workers   | Inhalation              | Long-term systemic<br>effects | 5,61 mg/m3             |
|                                       | Workers   | Skin contact            | Long-term systemic            | 1,49 mg/kg             |

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

# **AP PF Beigegelb**

| Version |  |
|---------|--|
| 1.2     |  |

Revision Date: 14.07.2025

```
SDS Number: 6028267
```

Date of last issue: 22.05.2024 Date of first issue: 22.11.2022

effects bw/day

### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

| Substance name                         | Environmental Compartment | Value                           |
|--|---------------------------|---------------------------------|
| titanium dioxide                       | Sewage treatment plant    | 100 mg/l                        |
|  | Fresh water               | 0,184 mg/l                      |
|  | Soil                      | 100 mg/kg dry<br>weight (d.w.)  |
|  | Sea water                 | 0,0184 mg/l                     |
|  | Fresh water sediment      | 1000 mg/kg dry<br>weight (d.w.) |
|  | Sea sediment              | 100 mg/kg dry<br>weight (d.w.)  |
|  | Intermittent use/release  | 0,193 mg/l                      |
| Kieselguhr, soda ash flux-<br>calcined | Sewage treatment plant    | 100 mg/l                        |
| Silicic acid, potassium salt           | Sea water                 | 1 mg/l                          |
|  | Intermittent use/release  | 7,5 mg/l                        |
|  | Fresh water               | 7,5 mg/l                        |
|  | Sewage treatment plant    | 348 mg/l                        |

#### 8.2 Exposure controls

| Personal protective equipment |   |  |  |  |
|-------------------------------|---|--|--|--|
| Eye/face protection :         | not required<br>Always wear eye protection when the potential for inadvertent<br>eye contact with the product cannot be excluded.                     |  |  |  |
|                               | DGUV Regulation 112-192 - Use of eye and face protection  |  |  |  |
| Glove thickness :             | Nitrile rubber<br>0,2 mm<br>Class 3   |  |  |  |
| Remarks :                     | Before removing gloves clean them with soap and water.<br>Wear suitable gloves tested to EN374.<br>DGUV Regulation 112-195 - Use of protective gloves |  |  |  |
| Skin and body protection :    | Safety shoes<br>Long sleeved clothing   |  |  |  |
|                               | Choose body protection according to the amount and con-<br>centration of the dangerous substance at the work place.                                   |  |  |  |
|                               | Skin should be washed after contact.  |  |  |  |
| Respiratory protection :      | No personal respiratory protective equipment normally re-<br>quired.  |  |  |  |
|                               | When spraying, use face mask with particle filter P2 against  |  |  |  |



# **AP PF Beigegelb**

| Version<br>1.2 | Revision Date:<br>14.07.2025 | SDS Number:<br>6028267 | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022 |
|----------------|------------------------------|------------------------|---|
|                |                              | spray dust.            |   |
|                |                              | DGUV Regula            | ation 112-190 - Use of breathing equipment                        |
| SECTION        | N 9: Physical and c          | hemical properties     | 5   |
| 9.1 Inform     | nation on basic phys         | ical and chemical pr   | operties  |
| Physi          | ical state                   | : liquid               |   |
| Color          |                              | : yellow               |   |
| Odor           |                              | : No data avail        | able  |
| Meltir         | ng point/freezing point      | : ca. 0 °C             |   |

| Boiling point/boiling range | : ca. 100 °C |
|-----------------------------|--------------|
|                             |              |

- Upper explosion limit / Upper : not determined flammability limit
- Lower explosion limit / Lower : not determined flammability limit
- Flash point : Not applicable
- Autoignition temperature : not determined
- Decomposition temperature : Not applicable
- pH : 11,4 Concentration: 100 % Viscosity Viscosity, dynamic : No data available
- Solubility(ies) Water solubility : completely miscible



# **AP PF Beigegelb**

| Ve<br>1.2 | rsion               | Revision Date:<br>14.07.2025 |   | S Number:<br>28267 | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022 |
|-----------|---------------------|------------------------------|---|--------------------|---|
|           | Partitio<br>octano  | n coefficient: n-<br>l/water | : | not determined     |   |
|           | Vapor               | pressure                     | : | ca. 23,4 hPa (20   | °C)   |
|           | Density             | /                            | : | 1,4100 g/cm3       |   |
|           | Relativ             | e vapor density              | : | not determined     |   |
| 9.2       | Other ir<br>Explosi | nformation<br>ives           | : | Not applicable     |   |
|           | Oxidizi             | ng properties                | : | Not applicable     |   |
|           | Flamm               | ability (liquids)            | : | The product is no  | ot flammable.   |
|           |                     |                              |   |                    |   |

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

| Hazardous reactions | : | No decomposition if stored and applied as directed. |
|---------------------|---|---|
|                     |   |   |

### 10.4 Conditions to avoid

| Conditions to avoid | : | Protect from frost, heat and sunlight. |
|---------------------|---|--|
|---------------------|---|--|

#### 10.5 Incompatible materials

Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

# **AP PF Beigegelb**

| Version | Revision Date: | SDS Number: | Date of last issue: 22.05.2024  |
|---------|----------------|-------------|---------------------------------|
| 1.2     | 14.07.2025     | 6028267     | Date of first issue: 22.11.2022 |

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

#### Serious eye damage/eye irritation

Not classified based on available information.

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### **Endocrine disrupting properties**

Not classified based on available information.

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation





# **AP PF Beigegelb**

| Version | Revision Date: 14.07.2025 | SDS Number: | Date of last issue: 22.05.2024  |
|---------|---------------------------|-------------|---------------------------------|
| 1.2     |                           | 6028267     | Date of first issue: 22.11.2022 |
|         |                           |             |                                 |

(EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

No data available

#### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Endocrine disrupting properties

#### Product:

| Assessment | <ul> <li>The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or bisher</li> </ul> |
|------------|--|
|            | levels of 0.1% or higher.  |

#### 12.7 Other adverse effects

#### Product:

| Additional ecological infor- | : | An environmental hazard cannot be excluded in the event of |
|------------------------------|---|--|
| mation                       |   | unprofessional handling or disposal.                       |

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product

: Materials and all related packaging must be disposed of in a safe way in accordance with the full requirements of the local, regional, national and international authorities.

Washing water must not be discharged into the sewage system or the environment.



# **AP PF Beigegelb**

| Version<br>1.2 | Revision Date: 14.07.2025 | SDS Number:<br>6028267                          | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022 |  |
|----------------|---------------------------|---|---|--|
| Conta          | minated packaging         | : Only complete cling.                          | ely emptied containers should be given for recy-                  |  |
| Waste Code     |                           | : used product<br>080112, waste<br>in 08 01 11* | 080112, waste paint and varnish other than those mentioned        |  |

# **SECTION 14: Transport information**

### 14.1 UN number or ID number

|      | ADN                          |   | Not regulated as a dangerous good |
|------|------------------------------|---|-----------------------------------|
|      | ADR                          |   | Not regulated as a dangerous good |
|      |                              | • | <b>0 0 0</b>                      |
|      | RID                          | - | Not regulated as a dangerous good |
|      | IMDG                         | : | Not regulated as a dangerous good |
|      | ΙΑΤΑ                         | : | Not regulated as a dangerous good |
| 14.2 | 2 UN proper shipping name    |   |                                   |
|      | ADN                          | : | Not regulated as a dangerous good |
|      | ADR                          | : | Not regulated as a dangerous good |
|      | RID                          | : | Not regulated as a dangerous good |
|      | IMDG                         | : | Not regulated as a dangerous good |
|      | ΙΑΤΑ                         | : | Not regulated as a dangerous good |
| 14.3 | 3 Transport hazard class(es) |   |                                   |
|      | ADN                          | : | Not regulated as a dangerous good |
|      | ADR                          | : | Not regulated as a dangerous good |
|      | RID                          | : | Not regulated as a dangerous good |
|      | IMDG                         | : | Not regulated as a dangerous good |
|      | ΙΑΤΑ                         | : | Not regulated as a dangerous good |
| 14.4 | Packing group                |   |                                   |
|      | ADN                          | : | Not regulated as a dangerous good |
|      | ADR                          | : | Not regulated as a dangerous good |
|      | RID                          | : | Not regulated as a dangerous good |
|      | IMDG                         | : | Not regulated as a dangerous good |
|      | IATA (Cargo)                 | : | Not regulated as a dangerous good |
|      | IATA (Passenger)             | : | Not regulated as a dangerous good |
|      |                              |   |                                   |



# **AP PF Beigegelb**

|  | Version<br>1.2 | Revision Date: 14.07.2025 | SDS Number:<br>6028267 | Date of last issue: 22.05.2024<br>Date of first issue: 22.11.2022 |
|--|----------------|---------------------------|------------------------|---|
|--|----------------|---------------------------|------------------------|---|

### 14.5 Environmental hazards

Remarks

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Not classified as dangerous in the meaning of transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

:

Not applicable for product as supplied.

### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| REACH - Restrictions on the<br>the market and use of certain<br>mixtures and articles (Annex 2   | : Not applicable   |  |  |  |
|--|--|--|--|--|
| REACH - Candidate List of Su<br>Concern for Authorization (Art   | : None   |  |  |  |
| Regulation (EU) No 2024/590 plete the ozone layer  | Regulation (EU) No 2024/590 on substances that deplete the ozone layer |  |  |  |
| Regulation (EU) 2019/1021 or<br>tants (recast)   | : Not applicable   |  |  |  |
| REACH - List of substances subject to authorisation : None<br>(Annex XIV)  |  |  |  |  |
| Seveso III: Directive 2012/18/EU of the Euro-<br>pean Parliament and of the Council on the<br>control of major-accident hazards involving<br>dangerous substances. |  |  |  |  |
| Water hazard class (Germa-<br>ny)  | : WGK 1 slightly water<br>Classification according                     | endangering<br>ng to AwSV, Annex 1 (5.2)   |  |  |
|  | : Coating materials, wa  | ter-based, low preservative content  |  |  |
| Volatile organic compounds   | livestock rearing emis<br>and control)                                 | of 24 November 2010 on industrial and<br>sions (integrated pollution prevention<br>ounds (VOC) content: < 0,01 % |  |  |
| Volatile organic compounds   | : Directive 2004/42/EC<br>< 0.1 %<br>< 1 g/l                           |  |  |  |

# **AP PF Beigegelb**

| Version | Revision Date: | SDS Number: | Date of last issue: 22.05.2024  |
|---------|----------------|-------------|---------------------------------|
| 1.2     | 14.07.2025     | 6028267     | Date of first issue: 22.11.2022 |

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

pina

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

| •  | Causes skin irritation.<br>Causes serious eye irritation. |
|----|---|
| :  | May cause respiratory irritation.                         |
| ns |   |
| :  | Eye irritation  |
| :  | Skin irritation   |
| :  | Specific target organ toxicity - single exposure          |
| :  | Germany. MAK BAT Annex IIa                                |
| :  | Germany. TRGS 527 - Activities with nanomaterials         |
| :  | Germany. TRGS 900 - Occupational exposure limit values.   |
| :  | MAK value   |
| :  | Assessment scale  |
| :  | Time Weighted Average                                     |
|    | ns  |

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% orgowner the response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IICC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Maritime Organization; ISCC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISCA - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; OECD - Organization; (ECS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation,

#### **Further information**

Other information

: No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Alpina

DE / EN

# **AP PF Beigegelb**

| Version | Revision Date: 14.07.2025                                 | SDS Number:   | Date of last issue: 22.05.2024  |
|---------|---|---|---|
| 1.2     |   | 6028267   | Date of first issue: 22.11.2022   |
|         | es of key data used to<br>le the Material Safety<br>Sheet | gienists). 2014 T<br>for chemical sub<br>Exposure Indices<br>2014 ACGIH, Cir<br>NIOSH - Registr<br>ECDIN - Environ<br>work - Joint Res<br>Communities<br>SAX'S - Dangero<br>GESTIS - Datab<br>Arbeitsschutz de<br>(IFA, Institute for<br>man Social Accie | y of toxic effects of chemical substances<br>mental Chemicals Data and Information Net-<br>earch Centre, Commission of the European<br>ous properties of industrial materials<br>ase on hazardous substances - Institut für<br>er Deutschen Gesetzlichen Unfallversicherung<br>Occupational Safety and Health of the Ger- |

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN