

AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	AP PF Beigegelb
1.2 Relevant identified uses of the	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com
4.4. Emerana and talank and		

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.



AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children. Use combination filter A2/P2 and protective goggles when spraying. Ensure thorough ventilation during application and drying. Avoid eating, drinking and smoking while using the paint. In case of contact with eyes or skin, rinse immediately with plenty of water. Do not allow to enter drains, waterways or soil. Clean tools immediately after use with soap and water. For further technical information and advice for allergy sufferers, call If the base color or a wall color is tinted with a pigment paste or tinting paste that does not conform to the requirements of the Blue Angel, the tinted color no longer meets the criteria of the Blue Angel.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤	CAS-No. EC-No. Index-No. Registration number 13463-67-7 236-675-5 022-006-00-2	Classification Carc. 2; H351	Concentration (% w/w) >= 1 - < 10	
10 μm] Silicic acid, potassium salt	01-2119489379-17 1312-76-1 215-199-1 01-2119456888-17	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 	>= 1 - < 10	
Substances with a workplace exposure limit :				
Talc (Mg3H2(SiO3)4)	14807-96-6 238-877-9 01-2120140278-58		>= 10 - < 20	
Kieselguhr, soda ash flux-calcined	68855-54-9		>= 1 - < 10	



AP PF Beigegelb

Version 1.1	Revision Date: 22.05.2024	SDS Number: 6028267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022	
		272-489-0 21-211948851	18-22	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing media	:	None known.

AP PF Beigegelb



Vers 1.1	sion	Revision Date: 22.05.2024		9S Number: 28267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022
5.2	Special	hazards arising from	the	substance or mix	xture
	Specific fighting	c hazards during fire	:	produced such as	ardous decomposition products may be : , carbon dioxide and unburned hydrocar-
5.3	Advice	for firefighters			
	Special for fire-	protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further	information	:	Standard procedu The product itself	re for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

• •	
Personal precautions	: Use protective shoes or boots with rough rubber sole.
	Material can create slippery conditions.
	Do not get in eyes, on skin, or on clothing.

6.2 Environmental precautions

. If re	event further leakage or spillage if safe to do so. the product contaminates rivers and lakes or drains inform spective authorities. o not flush into surface water or sanitary sewer system.
------------	--

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet.

, For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.
	Please follow the technical information.
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating

AP PF Beigegelb



Version 1.1	Revision Date: 22.05.2024	SDS Number: 6028267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022	

areas.

7.2 Conditions for safe storage, including any incompatibilities

· · · · · · · · · · · · · · · · · · ·	-	
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12
7.3 Specific end use(s) Specific use(s)	:	This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Talc (Mg3H2(SiO3)4)	14807-96-6	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900			
	Peak-limit cat	egory: 2;(II)		•			
	Further inform	ation: When there is	compliance with the OEL ar	nd biological			
	tolerance valu	es, there is no risk c	f harming the unborn child	-			
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)		900			
	Peak-limit cat	egory: 2;(II)					
	Further inform	ation: When there is	compliance with the OEL ar	nd biological			
	tolerance valu	es, there is no risk c	f harming the unborn child	-			
titanium dioxide; [in	13463-67-7	MAK (measured	0,3 mg/m3	DE DFG MAK			
powder form con-		as the alveolate					
taining 1 % or		fraction)					
more of particles							
with aerodynamic							
diameter ≤ 10 µm]							
			hat cause cancer in humans				
			enic for humans and for which				
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the BAT value is observed AGW (Inhalable 10 mg/m3 DE TRGS						
		· · · · · · · · · · · · · · · · · · ·					
	fraction) (Titanium dioxide) 900						
	Peak-limit category: 2;(II)						
	Further information: When there is compliance with the OEL and biological						
	tolerance values, there is no risk of harming the unborn child						

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP PF Beigegelb

Version	Revision Date			Date of last issue: 22.11.2022		
1.1	22.05.2024	6028	267 [Date of first issue: 22.11.2022		
			AGW (Alveolate fraction)	1,25 mg/m3 (Titanium dioxide)	DE TRGS 900	
		Peak-limit cat	egory: 2;(II)		•	
				is compliance with the OEL ar	nd biological	
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527	
	lguhr, soda ux-calcined	68855-54-9	AGW (Alveolate fraction)	0,3 mg/m3	DE TRGS 900	
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child				
			MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MA	
			nation: Damage to the BAT value is c	the embryo or foetus is unlikel bserved	y when the	
			MAK (measured as the alveolate fraction)	0,02 mg/m3	DE DFG MAP	
			nation: Damage to the BAT value is c	the embryo or foetus is unlikely bserved	y when the	

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	. ,	<u> </u>	(LC) NO. 1907/2000.	
Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter \leq 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day



AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l

8.2 Exposure controls

Personal protective equipment						
Eye/face protection :	not required Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.					
	DGUV Regulation 112-192 - Use of eye and face protection					
Glove thickness :	Nitrile rubber 0,2 mm Class 3					
Remarks :	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves					
Skin and body protection :	Safety shoes Long sleeved clothing					
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.					
	Skin should be washed after contact.					
Respiratory protection :	No personal respiratory protective equipment normally re- quired.					



AP PF Beigegelb

Version 1.1	Revision Date: 22.05.2024		S Number: 28267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022
			When spraying, u spray dust.	se face mask with particle filter P2 against
			DGUV Regulatior	n 112-190 - Use of breathing equipment
SECTION	N 9: Physical and che	emic	al properties	
9.1 Inform	nation on basic physica	al an	d chemical prop	erties
Physi	cal state	:	liquid	
Color		:	yellow	
Odor		:	No data available	e
Meltir	ng point/freezing point	:	ca. 0 °C	
Boilin	g point/boiling range	:	ca. 100 °C	
	r explosion limit / Upper nability limit	:	not determined	
	r explosion limit / Lower nability limit	:	not determined	
Flash	Flash point		Not applicable	
Autoi	Autoignition temperature		not determined	
Deco	Decomposition temperature		Not applicable	

рН	: 11,4 Concentr	ation: 100 %
Viscosity Viscosity, dynamic	: No data a	available
Solubility(ies)		

Solubility(ies)		
Water solubility	:	completely miscible



AP PF Beigegelb

Versio 1.1	n Revision Date: 22.05.2024	SDS 60282	Number: 267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022
-	artition coefficient: n- ctanol/water	: n	ot determined	
V	apor pressure	: c	a. 23,4 hPa (20	°C)
D	ensity	: 1	,4100 g/cm3	
R	elative vapor density	: n	ot determined	
	her information xplosives	: N	lot applicable	
0	Oxidizing properties		lot applicable	
FI	ammability (liquids)	: Т	he product is no	t flammable.

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions	:	No decomposition if stored and applied as directed.

10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

10.5 Incompatible materials

 Materials to avoid
 : Incompatible with acids and bases.

 Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

pina

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks	:	Information given is based on tests on products of similar composition. Based on OECD test 431 this product is not classified as skin corrosive/skin irritant.
Remarks	:	Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

ina

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.





AP PF Beigegelb

Version	Revision Date:	SDS Number:	Date of last issue: 22.11.2022
1.1	22.05.2024	6028267	Date of first issue: 22.11.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

-			
	Product	:	
			Waste should not be disposed of via wastewater.
	Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
	Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

SECTION 14: Transport information

14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.4 Packing group		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
		10/15



AP PF Beigegelb

Version 1.1	Revision Date: 22.05.2024	SDS Number: 6028267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022		
IMDO	3	: Not regulat	ed as a dangerous good		
ΙΑΤΑ	IATA (Cargo)		Not regulated as a dangerous good		
ΙΑΤΑ	(Passenger)	: Not regulat	ed as a dangerous good		
14.5 Envi	ronmental hazards				
Not regulated as a dangerous go		is good			
14.6 Spec	cial precautions for us	er			
Rem	arks	: Not classifi lations.	ed as dangerous in the meaning of transport regu-		

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

•	REACH - Restrictions on the ma the market and use of certain da mixtures and articles (Annex XVI	ngerous substances,	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Subs Concern for Authorization (Article	, ,	:	None
	Regulation (EC) No 1005/2009 o plete the ozone layer	on substances that de-	:	Not applicable
	Regulation (EU) 2019/1021 on petants (recast)	ersistent organic pollu-	:	Not applicable
	REACH - List of substances subj (Annex XIV)	ject to authorisation	:	None
	Seveso III: Directive 2012/18/EU pean Parliament and of the Cour control of major-accident hazards dangerous substances.	ncil on the	Not	applicable
	Water hazard class (Germa- : ny)	WGK 1 slightly water of Classification according		
	. :	BSW10 Coating mater content	rials,	water-based, low preservative



AP PF Beigegelb

Version 1.1	Revision Date: 22.05.2024	SDS Number: 6028267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022
Volatile	e organic compounds	emissions (integ	5/EU of 24 November 2010 on industrial rated pollution prevention and control) compounds (VOC) content: < 0,01 %
Volatile	e organic compounds	: Directive 2004/4 < 0.1 % < 1 g/l	2/EC

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer if inhaled.
Full text of other abbreviatio	ns	
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DE DFG MAK	:	Germany. MAK BAT Annex Ila
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	:	MAK value
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AlIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; (EQ) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EMS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ETCX - Concentration associated with x% growth rate response; (ENS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IESC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention of 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Observable Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization (FCC) No 1907/2006 of the European Parliament and Other Concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RD - Negulations concerning the International Carriage of Dangerous Goods by Rai; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Tha

AP PF Beigegelb



Version 1.1	Revision Date: 22.05.2024	SDS Number: 6028267	Date of last issue: 22.11.2022 Date of first issue: 22.11.2022	
Further information Other information		product according Communication o REACH Article 31 not meet the crite	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.	
Sources of key data used to compile the Material Safety Data Sheet		gienists). 2014 TL for chemical subs Exposure Indices 2014 ACGIH, Cin- NIOSH - Registry ECDIN - Environn work - Joint Rese Communities SAX'S - Dangerou GESTIS - Databa Arbeitsschutz der (IFA, Institute for o man Social Accide	ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN