

AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	AP PF Mandelbeige
1.2 Relevant identified uses of t	he s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

Additional Labeling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.





AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children. Use combination filter A2/P2 and protective goggles when spraying. Ensure thorough ventilation during application and drying. Avoid eating, drinking and smoking while using the paint. In case of contact with eyes or skin, rinse immediately with plenty of water. Do not allow to enter drains, waterways or soil. Clean tools immediately after use with soap and water. For further technical information and advice for allergy sufferers, call If the base color or a wall color is tinted with a pigment paste or tinting paste that does not conform to the requirements of the Blue Angel, the tinted color no longer meets the criteria of the Blue Angel.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Emulsion paint, aqueous

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	13463-67-7 236-675-5 022-006-00-2 01-2119489379-17	Carc. 2; H351	>= 1 - < 10
Silicic acid, potassium salt	1312-76-1 215-199-1 01-2119456888-17	Skin Irrit. 2; H315 Eye Irrit. 2; H319 STOT SE 3; H335 	>= 1 - < 10
Substances with a workplace expos	sure limit :		
Talc (Mg3H2(SiO3)4)	14807-96-6 238-877-9		>= 10 - < 20



AP PF Mandelbeige

		S Number: 3292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022	
Kieselguhr, s	oda ash flux-calcined	01-2120140278- 68855-54-9 272-489-0 21-2119488518-		>= 1 - < 10

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread fire.
Unsuitable extinguishing	:	None known.



AP PF Mandelbeige

Versior 1.1	n Revision Date: 29.05.2024		DS Number:)28292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022
m	edia			
5.2 Sp	ecial hazards arising from	n the	e substance or mi	xture
Specific hazards during fire fighting		:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).	
5.3 Ad	vice for firefighters			
•	ecial protective equipment fire-fighters	:	Wear self-contair essary.	ed breathing apparatus for firefighting if nec-
Fu	irther information	:	Standard procedu The product itself	ure for chemical fires. does not burn.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	:	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.
6.2 Environmental precautions		
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling					
Advice on safe handling :	For personal protection see section 8. No special technical protective measures required.				
	Please follow the technical information.				
Hygiene measures :	Wash hands before eating, drinking, or smoking. Do not eat,				





Versio 1.1	n Revision Date: 29.05.2024		S Number: 8292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022
		(hen using this product. Remove contaminat- rotective equipment before entering eating
7.2 Co	nditions for safe storage,	inclu	iding any incom	patibilities
	equirements for storage eas and containers	i	in heat or direct s original container	en. To maintain product quality, do not store unlight. Store at room temperature in the . Containers which are opened must be care- d kept upright to prevent leakage.
A	dvice on common storage		Keep away from materials.	oxidizing agents and strongly acid or alkaline
St	orage class (TRGS 510)	: '	12	
•	ecific end use(s) becific use(s)	: -	This information i	s not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis			
Components	0.00-110.	of exposure)	Control parameters	Dasis			
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS			
(Mg3H2(SiO3)4)		fraction)		900			
	Peak-limit cat	egory: 2;(II)					
	Further inform	nation: When there is	compliance with the OEL ar	nd biological			
	tolerance valu	ies, there is no risk c	of harming the unborn child	-			
		AGW (Alveolate	1,25 mg/m3	DE TRGS			
		fraction)	_	900			
	Peak-limit cat	egory: 2;(II)					
	Further inform	Further information: When there is compliance with the OEL and biological					
	tolerance valu	ies, there is no risk c	of harming the unborn child	-			
titanium dioxide; [in	13463-67-7	DE DFG MAK					
powder form con-		as the alveolate					
taining 1 % or		fraction)					
more of particles							
with aerodynamic							
diameter ≤ 10 µm]							
			hat cause cancer in humans				
	that are considered to be carcinogenic for humans and for which a MAK value						
	can be derived., Damage to the embryo or foetus is unlikely when the MAK						
	value or the B	AT value is observe	d	•			
		AGW (Inhalable	10 mg/m3	DE TRGS			
		fraction) (Titanium dioxide) 900					
	Peak-limit category: 2;(II)						

Commission Regulation (EU) 2020/878

Alpina O

DE / EN

AP PF Mandelbeige

Version 1.1	Revision Date 29.05.2024	e: SDS 6028		Date of last issue: 23.11.2022 Date of first issue: 23.11.2022				
				e is compliance with the OEL ar	nd biological			
			AGW (Alveolate	1,25 mg/m3	DE TRGS			
			fraction)	(Titanium dioxide)	900			
		Peak-limit cate	egory: 2;(II)					
		Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child						
			BM (Alveolar dust fraction)	0,5 mg/m3	DE TRGS 527			
	lguhr, soda ux-calcined	68855-54-9	AGW (Alveolate fraction)	0,3 mg/m3	DE TRGS 900			
			Further information: When there is compliance with the OEL and biological olderance values, there is no risk of harming the unborn child					
			MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK			
		Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed						
			MAK (measured as the alveolate fraction)	0,02 mg/m3	DE DFG MAK			
			ation: Damage to the BAT value is o	the embryo or foetus is unlikely	y when the			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Kieselguhr, soda ash flux-calcined	Consumers	Ingestion	Long-term systemic effects	18,70 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	0,05 mg/m3
	Workers	Inhalation	Long-term systemic effects	0,05 mg/m3
Silicic acid, aluminum sodium salt	Workers	Inhalation	Long-term local ef- fects	4,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3



AP PF Mandelbeige

Version 1.1	Revision Date:SDS No29.05.2024602829		nber: Date of last issue: 23.11.2022 Date of first issue: 23.11.2022		
		Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Kieselguhr, soda ash flux- calcined	Sewage treatment plant	100 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l

8.2 Exposure controls

Personal protective equipment				
Eye/face protection	:	not required Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.		
		DGUV Regulation 112-192 - Use of eye and face protection		
Hand protection Material Glove thickness Protective index	:	Nitrile rubber 0,2 mm Class 3		
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. DGUV Regulation 112-195 - Use of protective gloves		
Skin and body protection	:	Safety shoes Long sleeved clothing		
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.		
		Skin should be washed after contact.		



AP PF Mandelbeige

Version 1.1	Revision Date: 29.05.2024	SDS Number: 6028292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022
Respi	ratory protection	: No personal r quired.	respiratory protective equipment normally re-
		When sprayir spray dust.	ng, use face mask with particle filter P2 against
		DGUV Regula	ation 112-190 - Use of breathing equipment

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	beige
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Flash point	:	Not applicable
Autoignition temperature	:	not determined
Decomposition temperature	:	Not applicable
рН	:	11,0 - 11,4 (20 °C) Method: DIN EN ISO 19396-1:2020-05
Viscosity Viscosity, dynamic	:	1 - 1.000 mPa.s (20 °C) Method: ISO 3219
Viscosity, kinematic	:	not determined
		8 / 16



AP PF Mandelbeige

Versio 1.1	n Revision Date: 29.05.2024	SDS Number 6028292	: Date of last issue: 23.11.2022 Date of first issue: 23.11.2022	
FI	ow time	: not deter	mined	
S	blubility(ies) Water solubility	: complete	ly miscible	
	artition coefficient: n- tanol/water	: not deter	mined	
Va	apor pressure	: ca. 23,4	hPa (20 °C)	
D	ensity	: 1,41 g/cr Method:	n3 (20 °C) DIN EN ISO 2811-1	
В	ulk density	: Not appli	cable	
R	elative vapor density	: not deter	mined	
	n er information oplosives	: Not appli	cable	
0	xidizing properties	: Not appli	cable	
FI	ammability (liquids)	: The prod	luct is not flammable.	

SECTION 10: Stability and reactivity

10.1 Reactivity

No decomposition if stored and applied as directed.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : N	No decomposition if stored and applied as directed.
-------------------------	---

10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--



AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022

10.5 Incompatible materials

Materials to avoid

: Incompatible with acids and bases. Incompatible with oxidizing agents.

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks	:	Information given is based on tests on products of similar composition. Based on OECD test 431 this product is not classified as skin corrosive/skin irritant.
Remarks	:	Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

Serious eye damage/eye irritation

Not classified based on available information.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

Not classified based on available information.



AP PF Mandelbeige

Version	Revision Date:	SDS Number:
1.1	29.05.2024	6028292

Date of last issue: 23.11.2022 Date of first issue: 23.11.2022

STOT-repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Not classified based on available information.

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.



AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022	
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022	
12.7 Othe	r adverse effects			

Product:

Additional ecological infor-	:	An environmental hazard cannot be excluded in the event of
mation		unprofessional handling or disposal.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		
	Waste should not be disposed of via	wastewater.
Contaminated packaging	Only completely emptied containers s	should be given for recy-
Waste Code	used product 080112, waste paint and varnish othe in 08 01 11*	er than those mentioned

SECTION 14: Transport information

14.1 UN number or ID number

	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	2 UN proper shipping name		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good
	ΙΑΤΑ	:	Not regulated as a dangerous good
14.	3 Transport hazard class(es)		
	ADN	:	Not regulated as a dangerous good
	ADR	:	Not regulated as a dangerous good
	RID	:	Not regulated as a dangerous good
	IMDG	:	Not regulated as a dangerous good



AP PF Mandelbeige

Version 1.1	Revision Date: 29.05.2024		DS Number: 028292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022	
IAT/	A king group	:	Not regulated as	a dangerous good	
ADN ADF	1	:	0	a dangerous good	
RID	-	:	 Not regulated as a dangerous good Not regulated as a dangerous good Not regulated as a dangerous good 		
ΙΑΤ	A (Cargo) A (Passenger)	:	 Not regulated as a dangerous good Not regulated as a dangerous good 		
14.5 Env	rironmental hazards	us go	C C		
14.6 Spe	cial precautions for us	ser			
Rem	narks	:	Not classified as lations.	dangerous in the meaning of transport regu-	

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

ii e	F Contraction of the second		
	REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)	:	Conditions of restriction for the fol- lowing entries should be considered: Number on list 75 If you intend to use this product as tattoo ink, please contact your ven- dor.
	REACH - Candidate List of Substances of Very High Concern for Authorization (Article 59).	:	None
	Regulation (EC) on substances that deplete the ozone layer	:	Not applicable
	Regulation (EU) 2019/1021 on persistent organic pollutants (recast)	:	Not applicable
	REACH - List of substances subject to authorisation (Annex XIV)	:	None
	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving	Not	applicable



AP PF Mandelbeige

Version 1.1	Revision Date: 29.05.2024		DS Number: 028292	Date of last issue: 23.11.2022 Date of first issue: 23.11.2022	
dange	erous substances.				
Water hazard class (Germa- ny)		:	: WGK 1 slightly water endangering Classification according to AwSV, Annex 1 (5.2)		
		:	BSW10 Coating r content	materials, water-based, low preservative	
Volatil	e organic compounds	:	emissions (integr	5/EU of 24 November 2010 on industrial ated pollution prevention and control) compounds (VOC) content: < 0,01 %	
Volatil	e organic compounds	:	Directive 2004/42 < 0.1 % < 1 g/l	2/EC	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this mixture.

SECTION 16: Other information

Full text of H-Statements

H315	:	Causes skin irritation.
H319	:	Causes serious eye irritation.
H335	:	May cause respiratory irritation.
H351	:	Suspected of causing cancer if inhaled.
Full text of other abbreviatio	ns	
Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	:	MAK value
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Prac-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



DE / EN

AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022

tice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISL1 - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Counced sourcerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



AP PF Mandelbeige

Version	Revision Date:	SDS Number:	Date of last issue: 23.11.2022
1.1	29.05.2024	6028292	Date of first issue: 23.11.2022

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN