

## Silikat Wohnweiß

Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2023
2.1	14.10.2024	6030262	Date of first issue: 25.09.2023

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Silikat Wohnweiß
1.2 Relevant identified uses of the	e s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the s	afe	ety data sheet
Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 OBER RAMSTADT
Telephone	:	+498001238887
Telefax	:	+4961547170632
Website E-mail address Responsi- ble/issuing person	:	www.alpina-farben.de msds@dr-rmi.com

### 1.4 Emergency telephone

Emergency telephone 1 : +49613284463 GBK GmbH

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

#### **Additional Labeling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.





# Silikat Wohnweiß

Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2023
2.1	14.10.2024	6030262	Date of first issue: 25.09.2023

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Keep out of reach of children.

Wear safety goggles.

During spray application: Do not breathe spray dust. Use A2/P2 combination filter for paint spraying.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Only completely emptied containers should be given for recycling.

Dispose of liquid material residues at the collection point for old paints/varnishes, dispose of dried material residues as construction and demolition waste or as municipal waste or household waste.

If the base paint or a wall paint is toned using a pigment paste or toning paste that does not conform to the requirements of the Blue Angel, the toned paint no longer complies with the criteria for the Blue Angel

For further technical information and advice for allergy sufferers, call +49 (0) 800/1238887.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

: Silicate paint based on potassium silicate solution, aqueous, solvent-free, preservative-free

#### Components

Chemical nature

Chemical name	CAS-No. EC-No.	Classification	
	Index-No.		(% w/w)
	Registration number		
titanium dioxide; [in powder form	13463-67-7	Carc. 2; H351	>= 1 - < 10
containing 1 % or more of parti-	236-675-5		
cles with aerodynamic diameter ≤	022-006-00-2		
10 µm]	01-2119489379-17		
Silicic acid, potassium salt	1312-76-1	Skin Irrit. 2; H315	>= 1 - < 10
	215-199-1	Eye Irrit. 2; H319	
	01-2119456888-17	STOT SE 3; H335	
		specific concentration	
		limit	



# Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024	SDS Number: 6030262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023	
			Skin Irrit. 2; H315 >= 40 % Eye Irrit. 2; H319 >= 40 % STOT SE 3; H335 >= 75 %	

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first-aid measures

General advice	:	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	:	Move to fresh air.
In case of skin contact	:	Do NOT use solvents or thinners. In case of contact, immediately flush skin with soap and plenty of water.
In case of eye contact	:	If eye irritation persists: Get medical advice/ attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If swallowed	:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed** None known.

#### **4.3 Indication of any immediate medical attention and special treatment needed** Treatment : No information available.

#### **SECTION 5: Firefighting measures**

5.1 Extinguishing media		
Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or car- bon dioxide. Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment. Do not use a solid water stream as it may scatter and spread



# Silikat Wohnweiß

Ver 2.1	sion	Revision Date: 14.10.2024		OS Number: 30262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023
				fire.	
	Unsuita media	able extinguishing	:	None known.	
5.2	Special	hazards arising from	the	e substance or mi	xture
Specific hazards during fire : fighting		:	produced such as	ardous decomposition products may be :: a, carbon dioxide and unburned hydrocar-	
5.3	Advice	for firefighters			
	•	l protective equipment fighters	:	Wear self-contain essary.	ed breathing apparatus for firefighting if nec-
	Further	information	:	Standard procedu The product itself	re for chemical fires. does not burn.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing.				
6.2 Environmental precautions					
Environmental precautions :	Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system.				
6.3 Methods and material for contai	nment and cleaning up				
Methods for cleaning up :	Keep in suitable, closed containers for disposal. Soak up with inert absorbent material (e.g. sand, silica gel,				

acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. , For personal protection see section 8., For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8.
		No special technical protective measures required.



# Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024		DS Number: )30262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023		
			Please follow the	technical information.		
Hygiene measures			Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product. Remove contaminat- ed clothing and protective equipment before entering eating areas.			
7.2 Cond	itions for safe storage,	inc	luding any incom	patibilities		
Requirements for storage areas and containers		:	in heat or direct s original container	shable if frozen. To maintain product quality, do not store eat or direct sunlight. Store at room temperature in the nal container. Containers which are opened must be care- resealed and kept upright to prevent leakage.		
Advi	ce on common storage	:	Keep away from materials.	oxidizing agents and strongly acid or alkaline		
Stora	age class (TRGS 510)	:	12			
7.3 Spec	ific end use(s)					
Spec	cific use(s)	:	This information i	s not available.		

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
titanium dioxide; [in powder form con- taining 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	13463-67-7	MAK (measured as the alveolate fraction)	0,3 mg/m3	DE DFG MAK		
	Peak-limit cat	egory: 8; II				
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed					
	AGW (Inhalable 10 mg/m3 DE TRGS fraction) (Titanium dioxide) 900					
	Peak-limit cat	egory: 2;(II)	· · · · · ·			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate 1,25 mg/m3 DE TRGS fraction) (Titanium dioxide) 900				
	Peak-limit category: 2;(II)					
	Further information: When there is compliance with the OEL and biological					



# Silikat Wohnweiß

Version	
2.1	

Revision Date: 14.10.2024

SDS Number: 6030262

Date of last issue: 20.12.2023 Date of first issue: 25.09.2023

	tolerance values, there is no risk of harming the unborn child					
		BM (Alveolar	0,5 mg/m3	DE TRGS		
		dust fraction)		527		

### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Routes of expo- sure	Potential health ef- fects	Value
titanium dioxide; [in powder form contain- ing 1 % or more of particles with aerody- namic diameter ≤ 10 µm]	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Silicic acid, potassium salt	Consumers	Inhalation	Long-term systemic effects	1,38 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,74 mg/kg bw/day
	Consumers	Skin contact	Long-term systemic effects	0,74 mg/kg bw/day
	Workers	Inhalation	Long-term systemic effects	5,61 mg/m3
	Workers	Skin contact	Long-term systemic effects	1,49 mg/kg bw/day

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
titanium dioxide; [in powder form containing 1 % or more of parti- cles with aerodynamic diameter ≤ 10 µm]	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l
	Soil	100 mg/kg dry weight (d.w.)
	Sea water	0,0184 mg/l
	Fresh water sediment	1000 mg/kg dry weight (d.w.)
	Sea sediment	100 mg/kg dry weight (d.w.)
	Intermittent use/release	0,193 mg/l
Silicic acid, potassium salt	Sea water	1 mg/l
	Intermittent use/release	7,5 mg/l
	Fresh water	7,5 mg/l
	Sewage treatment plant	348 mg/l

#### 8.2 Exposure controls

#### Personal protective equipment

Eye/face protection

not required

:

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.



# Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024	SDS Number: 6030262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023
		DGUV Regula	tion 112-192 - Use of eye and face protection
M G	l protection aterial love thickness rotective index	: Nitrile rubber : 0,2 mm : Class 3	
R	emarks	Wear suitable	ng gloves clean them with soap and water. gloves tested to EN374. tion 112-195 - Use of protective gloves
Skin	and body protection	: Safety shoes Long sleeved	clothing
			protection according to the amount and con- he dangerous substance at the work place.
		Skin should be	e washed after contact.
Resp	iratory protection	: No personal ro quired.	espiratory protective equipment normally re-
		When sprayin spray dust.	g, use face mask with particle filter P2 against
		DGUV Regula	tion 112-190 - Use of breathing equipment

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	:	liquid
Color	:	white
Odor	:	characteristic
Melting point/freezing point	:	ca. 0 °C
Boiling point/boiling range	:	ca. 100 °C
Upper explosion limit / Upper flammability limit	:	not determined



# Silikat Wohnweiß

Vers 2.1	sion	Revision Date: 14.10.2024	-	S Number: 0262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023
		explosion limit / Lower bility limit	:	not determined	
	Flash p	oint	:	Not applicable	
	Autoign	ition temperature	:	not determined	
	Decom	position temperature	:	Not applicable	
	рН		:	Concentration: 10	C) 00 % ISO 19396-1:2020-05
	Viscosit Visc	ty osity, dynamic	:	> 100 mPa.s (20 Method: ISO 321	
	Visc	osity, kinematic	:	not determined	
	Flow tin	ne	:	not determined	
	Solubili Wat	ty(ies) er solubility	:	completely miscit	ble
	Partition octanol	n coefficient: n- /water	:	not determined	
	Vapor p	pressure	:	ca. 23,4 hPa (20	°C)
	Density		:	1,52 g/cm3 (20 °( Method: DIN EN	
	Bulk de	nsity	:	Not applicable	
	Relative	e vapor density	:	not determined	
9.2	Other in	formation			
	Explosi	ves	:	Not applicable	



## Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024	SDS Number: 6030262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023	
Oxidi	zing properties	: Not applicable	9	
Flam	mability (liquids)	: The product is	s not flammable.	
SECTION	N 10: Stability and	reactivity		
<b>10.1 Reac</b> No de	•	and applied as directed	ed.	
10.2 Cher	nical stability			

No decomposition if stored and applied as directed.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions	: No decomposition if stored and applied as directed.
---------------------	---

#### 10.4 Conditions to avoid

Conditions to avoid	:	Protect from frost, heat and sunlight.
---------------------	---	--

#### 10.5 Incompatible materials

Materials to avoid : Inc

Incompatible with acids and bases. Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Product:

Remarks

: Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition.

#### Serious eye damage/eye irritation

Not classified based on available information.



## Silikat Wohnweiß

Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2023
2.1	14.10.2024	6030262	Date of first issue: 25.09.2023

#### Respiratory or skin sensitization

#### Skin sensitization

Not classified based on available information.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information.

#### Reproductive toxicity

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Not classified based on available information.

#### Aspiration toxicity

Not classified based on available information.

#### 11.2 Information on other hazards

#### Endocrine disrupting properties

Not classified based on available information.

:

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

#### 12.2 Persistence and degradability

No data available

## 12.3 Bioaccumulative potential

# No data available

## 12.4 Mobility in soil

No data available



# Silikat Wohnweiß

Vers 2.1	sion	Revision Date: 14.10.2024		DS Number: )30262	Date of last issue: 20.12.2023 Date of first issue: 25.09.2023		
12.5	12.5 Results of PBT and vPvB assessment						
Product:							
Assessment			:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.			
12.6	12.6 Endocrine disrupting properties						
	<u>Produ</u>	<u>ct:</u>					
	Asses	sment	:	ered to have ende REACH Article 57	ixture does not contain components consid- ocrine disrupting properties according to 7(f) or Commission Delegated regulation or Commission Regulation (EU) 2018/605 at higher.		
12.7	Other	adverse effects					
	Produ Additic matior	onal ecological infor-	:		hazard cannot be excluded in the event of Indling or disposal.		
SEC	CTION	13: Disposal consi	der	ations			
13 1	Waste	e treatment methods					
	Produc		:	old paints/varnish	material residues at the collection point for es, dispose of dried material residues as demolition waste or as municipal waste or		
				Waste should not	be disposed of via wastewater.		
	Contai	minated packaging	:	Only completely e cling.	emptied containers should be given for recy-		
	Waste	Code	:	used product 080112, waste pa in 08 01 11*	int and varnish other than those mentioned		

## **SECTION 14: Transport information**

### 14.1 UN number or ID number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good



## Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024	SDS Number:Date of last issue: 20.12.20236030262Date of first issue: 25.09.2023			
IMDO	3	: Not regulated as a dangerous good			
IATA	-	: Not regulated as a dangerous good			
	broper shipping name	. Not regulated as a dangerous good			
ADN		: Not regulated as a dangerous good			
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ	L .	: Not regulated as a dangerous good			
14.3 Transport hazard class(es)					
ADN		: Not regulated as a dangerous good			
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	3	: Not regulated as a dangerous good			
ΙΑΤΑ	L .	: Not regulated as a dangerous good			
14.4 Pack	king group				
ADN		: Not regulated as a dangerous good			
ADR		: Not regulated as a dangerous good			
RID		: Not regulated as a dangerous good			
IMDO	G	: Not regulated as a dangerous good			
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good			
	(Passenger)	: Not regulated as a dangerous good			
	ronmental hazards				
	Not regulated as a dangerous good				
	cial precautions for us	•			
Rem	•	: Not classified as dangerous in the meaning of tra lations.	ansport regu-		

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances,



# Silikat Wohnweiß

Version 2.1	Revision Date: 14.10.2024		)S Number: 30262			last issue: 20.12.2023 first issue: 25.09.2023	
mix	mixtures and articles (Annex XVII)						
	REACH - Candidate List of Substances of Very High : None Concern for Authorization (Article 59).						
Reg laye	gulation (EC) on substance er	es th	nat deplete the ozor	ne	:	Not applicable	
	gulation (EU) 2019/1021 or s (recast)	n pe	ersistent organic po	ollu	- :	Not applicable	
	ACH - List of substances s nex XIV)	ubje	ect to authorisation	I	:	None	
pea con	Seveso III: Directive 2012/18/EU of the Euro- pean Parliament and of the Council on the control of major-accident hazards involving dangerous substances.						
Wa ny)	ter hazard class (Germa-	:	WGK 1 slightly wa Classification acco			ngering AwSV, Annex 1 (5.2)	
	duct code for laquers and hts / Giscode	:	M-SK01 1-K silica	ate	paints		
		:	BSW10 Coating m content	nat	terials,	water-based, low preservative	
Vola	atile organic compounds	:	emissions (integra	ate	ed pollu	November 2010 on industrial tion prevention and control) s (VOC) content: 0,02 %	
Vola	atile organic compounds	:	Directive 2004/42/ < 0.1 % < 1 g/l	2/E0	С		

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this mixture.

### **SECTION 16: Other information**

#### Full text of H-Statements

H315 :	Causes skin irritation.
H319 :	Causes serious eye irritation.
H335 :	May cause respiratory irritation.
H351 :	Suspected of causing cancer if inhaled.

## Silikat Wohnweiß



Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2023
2.1	14.10.2024	6030262	Date of first issue: 25.09.2023

#### Full text of other abbreviations

Carc.	:	Carcinogenicity
Eye Irrit.	:	Eye irritation
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DE DFG MAK	:	Germany. MAK BAT Annex IIa
DE TRGS 527	:	Germany. TRGS 527 - Activities with nanomaterials
DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE DFG MAK / MAK	:	MAK value
DE TRGS 527 / BM	:	Assessment scale
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECX - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCX - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Coil de for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; ICS0 - Half maximal inhibitory concentration; ICAO - International Contentration; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LCS0 - Lethal Concentration of Doserved (Adverse) Effect Loading Rate; NZIGC - New Zealand Inventory of Chemicals; CECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning t

#### Further information

Other information	:	No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC. Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.
Sources of key data used to compile the Material Safety Data Sheet	:	ECHA WebSite ACGIH (American Conference of Government Industrial Hy- gienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances ECDIN - Environmental Chemicals Data and Information Net- work - Joint Research Centre, Commission of the European Communities SAX'S - Dangerous properties of industrial materials GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the Ger- man Social Accident Insurance) Toxnet - Toxicology Data Network



# Silikat Wohnweiß

Version	Revision Date:	SDS Number:	Date of last issue: 20.12.2023
2.1	14.10.2024	6030262	Date of first issue: 25.09.2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments.

Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN