

Version	Revision Date:	Print Date	Date of last issue: 04.06.2020
2.0	03.12.2020	04.12.2020	Date of first issue: 12.11.2019

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier Trade name	:	Altweiß
1.2 Relevant identified uses of th	e s	ubstance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Water-borne coatings
Recommended restrictions on use	:	within adequate application - none
1.3 Details of the supplier of the	saf	ety data sheet
Company		Alpina Farben GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
Telephone		+496154710
Telefax		+4961547170632
E-mail address Responsi- ble/issuing person	:	msds@dr-rmi.com
1.4 Emergency telephone numbe	er	
Emergency telephone num- ber 1	:	+49613284463 GBK GmbH
SECTION 2: Hazards identification	atio	on
2.1 Classification of the substand	ce d	or mixture
Classification (REGULATION Not a hazardous substance or	•	
2.2 Label elements		
Labelling (REGULATION (EC Not a hazardous substance or	•	
Precautionary statements :		<ul><li>P101 If medical advice is needed, have product container or label at hand.</li><li>P102 Keep out of reach of children.</li></ul>

#### **Additional Labelling**

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not



Version	Revision Date:	Print Date	Date of last issue: 04.06.2020
2.0	03.12.2020	04.12.2020	Date of first issue: 12.11.2019

#### breathe spray or mist.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Use P2 dust filter for grinding.

Do not breathe spray dust. Use A2/P2 combination filter and goggles for paint spraying.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

#### Components

_components				
Chemical name	CAS-No.	Classification	Concentration	
	EC-No.		(% w/w)	
	Index-No.			
	Registration number			
titanium dioxide	13463-67-7	Carc. 2; H351	>= 1 - < 10	
	236-675-5			
	022-006-00-2			
	01-2119489379-17			
Substances with a workplace	exposure limit :			
Talc (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10	
	238-877-9			
	01-2120140278-58			

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	Never give anything by mouth to an un If you feel unwell, seek medical advice possible). Move out of dangerous area. First aider needs to protect himself.	
If inhaled	Move to fresh air.	
In case of skin contact	Do NOT use solvents or thinners. In case of contact, immediately flush sk	n with soap and plenty



media

/	J				
Version 2.0	Revision Date: 03.12.2020		int Date 1.12.2020	Date of last issue: 04.06.2020 Date of first issue: 12.11.2019	
			of water.		
In cas	se of eye contact	:	IF IN EYES:	n persists: Get medical advice/ attention. Rinse cautiously with water for several minutes. act lenses, if present and easy to do. Continue	
If swallowed		:	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
	mportant symptoms an known.	nd	effects, both a	cute and delayed	
4.3 Indica	tion of any immediate	me	dical attention	and special treatment needed	
Treat	ment	:	No informatio	n available.	
SECTION	V 5: Firefighting mea	sur	es		
5.1 Exting	juishing media				
Suital	ble extinguishing media	:	bon dioxide. Use extinguis	ray, alcohol-resistant foam, dry chemical or car- shing measures that are appropriate to local cir- and the surrounding environment.	
Unsu	itable extinguishing	:	None known.		

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	<ul> <li>In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).</li> </ul>
5.3 Advice for firefighters	

# Special protective equipment<br/>for firefighters:Wear self-contained breathing apparatus for firefighting if nec-<br/>essary.Further information:Standard procedure for chemical fires.<br/>The product itself does not burn.



VersionRevision Date:Print DateDate of last issue: 02.003.12.202004.12.2020Date of first issue: 1	
---	--

#### **SECTION 6:** Accidental release measures

Personal precautions	<ul> <li>Use protective shoes or boots with rough rubber sole.</li> <li>Material can create slippery conditions.</li> <li>Do not get in eyes, on skin, or on clothing.</li> </ul>			
6.2 Environmental precautions				
Environmental precautions	<ul> <li>Prevent further leakage or spillage if safe to do so.</li> <li>If the product contaminates rivers and lakes or drains inform respective authorities.</li> <li>Do not flush into surface water or sanitary sewer system.</li> </ul>			
6.3 Methods and material for containment and cleaning up				

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

#### 6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

#### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling				
Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.		
		Please follow the technical information.		
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.		
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities		
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.		
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.		
Storage class (TRGS 510)	:	12, Non Combustible Liquids		



 Revision Date:	Print Date	Date of last issue: 04.06.2020
03.12.2020	04.12.2020	Date of first issue: 12.11.2019

#### 7.3 Specific end use(s)

Specific use(s)

: This information is not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

· · ·						
Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis		
Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS		
(Mg3H2(SiO3)4)		fraction)	, i i i i i i i i i i i i i i i i i i i	900		
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)			
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.					
		AGW (Alveolate 1,25 mg/m3 DE TRGS				
		fraction) 900				
	Peak-limit: excursion factor (category): 2;(II)					
	Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values.					
titanium dioxide	13463-67-7	AGW (Inhalable	10 mg/m3	DE TRGS		
		fraction)	(Titanium dioxide)	900		
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)			
		AGW (Alveolate	1,25 mg/m3	DE TRGS		
		fraction) (Titanium dioxide) 900				
	Peak-limit: excursion factor (category): 2;(II)					

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
Kaolin, calcined	Workers	Inhalation	Acute systemic ef-	3,00 mg/m3
			fects	, 3
	Workers	Inhalation	Acute local effects	3,00 mg/m3
	Workers	Inhalation	Long-term systemic	3,00 mg/m3
			effects	, C
	Workers	Inhalation	Long-term local ef-	3,00 mg/m3
			fects	-
titanium dioxide	Consumers	Ingestion	Long-term systemic	700,00 mg/kg
		0	effects	bw/day



Version 2.0	Revision Date: 03.12.2020	Print Date 04.12.202			
		Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3
Predi	icted No Effect Co	oncentration (Pl	NEC) according to	Regulation (EC) No.	1907/2006:
Subst	tance name	Envi	ronmental Compar	tment	Value
Kaolir	n, calcined	Inter	mittent use/release		25 mg/l
			h water		4,1 mg/l
		Mari	ne water		0,41 mg/l
			age treatment plan	1400 mg/l	
titaniu	um dioxide	Sew	age treatment plan	t	100 mg/l
			h water	0,184 mg/l	
				100 mg/kg dry weight (d.w.)	
		Mari	ne water	0,0184 mg/l	
			Fresh water sediment		1000 mg/kg dry weight (d.w.)
		Mari	ne sediment		100 mg/kg dry weight (d.w.)
		Inter	mittent use/release		0,193 mg/l

#### 8.2 Exposure controls

Personal protective equipme	ent	Personal protective equipment					
Eye protection :		Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. not required					
		German trade association rules - BGR 192 Eye protection					
		Goggles					
Hand protection Material Glove thickness Protective index	÷	Nitrile rubber 0,2 mm Class 3					
Remarks	:	Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706)					
Skin and body protection	:	Safety shoes Long sleeved clothing					
		Choose body protection according to the amount and con- centration of the dangerous substance at the work place.					
		Skin should be washed after contact.					
Respiratory protection	:	No personal respiratory protective equipment normally re-					



Version 2.0	Revision Date: 03.12.2020	Print Date 04.12.2020	Date of last issue: 04.06.2020 Date of first issue: 12.11.2019			
quired.						
	German trade association rules - BGR 190 Breathing prote tion					
	When spraying, use face mask with particle filter P2 agains spray dust.					

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	No data available
Odour	:	No data available
Odour Threshold	:	Not relevant
рН	:	11,4 Concentration: 100 %
Melting point/range	:	not determined
Boiling point/boiling range	:	not determined
Flash point	:	Not applicable
Evaporation rate	:	Not applicable
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	not determined
Relative vapour density	:	not determined
Density	:	1,4500 g/cm3
Solubility(ies) Water solubility	:	completely miscible
Partition coefficient: n- octanol/water	:	not determined



Version 2.0	Revision Date: 03.12.2020	Print Date 04.12.2020	Date of last issue: 04.06.2020 Date of first issue: 12.11.2019	
Auto-ignition temperature		: not determine	ed	
Deco	mposition temperature	: Not applicable	e	
Viscosity Viscosity, dynamic		: No data avail	able	
Explo	sive properties	: Not applicabl	e	
Oxidiz	zing properties	: Not applicable	e	
	<b>information</b> mability (liquids)	: The product i	s not flammable.	

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No decomposition if stored and applied as directed.

#### 10.2 Chemical stability

No decomposition if stored and applied as directed.

0.3 Possibility of hazardous reactions					
Hazardous reactions	:	No decomposition if stored and applied as directed.			

#### 10.4 Conditions to avoid

Conditions to avoid : Protect from frost, heat and sunlight.

#### 10.5 Incompatible materials

Materials to avoid	: Incompatible with acids and bases.
	Incompatible with oxidizing agents.

#### **10.6 Hazardous decomposition products**

No decomposition if stored and applied as directed.

#### **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

#### Product:

Acute oral toxicity

: Remarks: Based on available data, the classification criteria are not met.



Altweil	7			
Version	S Revision Date:	Pr	int Date	Date of last issue: 04.06.2020
2.0	03.12.2020	04	.12.2020	Date of first issue: 12.11.2019
Acute	e inhalation toxicity	:	Remarks: Base are not met.	d on available data, the classification criteria
Acute	e dermal toxicity	:	Remarks: Base are not met.	d on available data, the classification criteria
Skin	corrosion/irritation			
<u>Prod</u>	uct:			
Rema	arks	:		D test 431 this product is not classified as skir
			corrosive/skin irritant. Information given is based on tests on products of similar composition.	
Serio	ous eye damage/eye irri	itati	on	
Prod	uct:			
Remarks :		:		e classification criteria of the European Union, ot considered as being an eye irritant.
Resp	iratory or skin sensitis	atic	on	
Prod	uct:			
Rema	arks	:	No data availab	le
SECTION	N 12: Ecological infor	rma	ition	
2.1 Toxic	city			
Prod	uct:			
Toxic	ity to fish	:	Remarks: No da	ata available
	ity to daphnia and other tic invertebrates	:	Remarks: No da	ata available
	<b>istence and degradabil</b> ata available	ity		
	ccumulative potential ata available			

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

#### Product:



mation

Version 2.0	Revision Date: 03.12.2020		t Date 12.2020	Date of last issue: 04.06.2020 Date of first issue: 12.11.2019
Assessment			This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.	
12.6 Othe	r adverse effects			
<u>Prod</u> Additi	u <u>ct:</u> ional ecological infor-	: .	An environmenta	I hazard cannot be excluded in the event of

unprofessional handling or disposal.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product	:	
		Waste should not be disposed of via wastewater.
Contaminated packaging	:	Only completely emptied containers should be given for recy- cling.
Waste Code	:	used product 080112, waste paint and varnish other than those mentioned in 08 01 11*

#### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

#### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

#### 14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.



## AltweißVersion<br/>2.0Revision Date:<br/>03.12.2020Print Date<br/>04.12.2020Date of last issue: 04.06.2020<br/>Date of first issue: 12.11.2019

#### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)	:	Not applicable
REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
REACH - List of substances subject to authorisation (Annex XIV)	:	None

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Water contaminating class (Germany)	:	2 significantly water endangering Classification according to AwSV, Annex 1 (5.2)
Product code for laquers and paints / Giscode	:	M-DF01 Water-based paints, solvent-free
	:	BSW10 Coating materials, water-based, low preservative content
Volatile organic compounds	:	Directive 2004/42/EC < 0.1 % < 1 g/l

#### Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.



Version	Revision Date:	Print Date	Date of last issue: 04.06.2020	
2.0	03.12.2020	04.12.2020	Date of first issue: 12.11.2019	

#### **SECTION 16: Other information**

Full text of H-Statements			
H351	:	Suspected of causing cancer if inhaled.	
Full text of other abbreviations			
Carc. DE TRGS 900 DE TRGS 900 / AGW	:	Carcinogenicity Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GLS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention tration to 50 % of a test population; LDSO - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; GECD - Organization; Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxis substance; PICCS - Philippines Inventory of Chemicals Oconcering the Registration, Evaluation, Authorisation and Restr

#### Further information

#### Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

#### Sources of key data used to compile the Safety Data Sheet:

#### ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network



Version	Revision Date:	Print Date	Date of last issue: 04.06.2020	
2.0	03.12.2020	04.12.2020	Date of first issue: 12.11.2019	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

#### **REACH Information**

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN