

	Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 31.10.2019 Date of first issue: 31.10.2019
--	----------------	---------------------------	--------------------------	---

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	Product identifier Trade name	:	Maler-Weiß
1.2	Relevant identified uses of the	ne s	substance or mixture and uses advised against
	Use of the Sub- stance/Mixture	:	Water-borne coatings
	Recommended restrictions on use	:	within adequate application - none
1.3	Details of the supplier of the	saf	ety data sheet
	Company	:	Alpina Farben GmbH Roßdörfer Straße 50 64372 Ober-Ramstadt
	Telephone		+496154710
	Telefax E-mail address Responsi- ble/issuing person		+4961547170632 msds@dr-rmi.com
1.4	Emergency telephone number	er	
	Emergency telephone num- ber 1	:	+49613284463 GBK GmbH
SE	CTION 2: Hazards identific	atio	on
2.1	Classification of the substan	се	or mixture
	Classification (REGULATIO Not a hazardous substance o	-	
2.2	Label elements		
	Labelling (REGULATION (E Not a hazardous substance o	-	-
	Precautionary statements	:	P101 If medical advice is needed, have product container or label at hand.

Additional Labelling

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

P102 Keep out of reach of children.



Version	Revision Date: 30.11.2020	Print Date	Date of last issue: 31.10.2019
2.0		02.12.2020	Date of first issue: 31.10.2019

breathe spray or mist.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ensure good ventilation during use and drying. Do not eat, drink or smoke while using the product. In case of contact with eyes or skin, immediately and thoroughly rinse with water. Do not allow product to enter drains, waterways or soil. Clean utensils immediately after use with soap and water.

Use P2 dust filter for grinding.

Do not breathe spray dust. Use A2/P2 combination filter and goggles for paint spraying.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

components			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No.		
	Registration number		
titanium dioxide	13463-67-7	Carc. 2; H351	>= 1 - < 10
	236-675-5		
	022-006-00-2		
	01-2119489379-17		
Substances with a workplace	exposure limit :		
Talc (Mg3H2(SiO3)4)	14807-96-6		>= 1 - < 10
	238-877-9		
	01-2120140278-58		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice	r I	Never give anything by mouth to an unconscious person. f you feel unwell, seek medical advice (show the label where possible). Move out of dangerous area. First aider needs to protect himself.
If inhaled	: 1	Move to fresh air.
In case of skin contact		Do NOT use solvents or thinners. n case of contact, immediately flush skin with soap and plenty



Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 31.10.2019 Date of first issue: 31.10.2019		
		of water.			
In cas	se of eye contact	IF IN EYES	tion persists: Get medical advice/ attention. S: Rinse cautiously with water for several minutes. ontact lenses, if present and easy to do. Continue		
If swallowed		Clean mou	Seek medical advice. Clean mouth with water and drink afterwards plenty of water. If swallowed, DO NOT induce vomiting.		
	mportant symptoms a known.	nd effects, both	n acute and delayed		
4.3 Indica	tion of any immediate	medical attenti	on and special treatment needed		
Treat	ment	: No informa	tion available.		
SECTION	N 5: Firefighting mea	sures			
5.1 Extino	uishing media				
-	ble extinguishing media	: Use water bon dioxide	spray, alcohol-resistant foam, dry chemical or car- e.		

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing : None known. media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- fighting	:	In case of fire hazardous decomposition products may be produced such as: Carbon monoxide, carbon dioxide and unburned hydrocar- bons (smoke).

5.3 Advice for firefighters

Special protective equipment for firefighters	:	Wear self-contained breathing apparatus for firefighting if nec- essary.
Further information	:	Standard procedure for chemical fires. The product itself does not burn.



Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 31.10.2019 Date of first issue: 31.10.2019	
----------------	---------------------------	--------------------------	---	--

SECTION 6: Accidental release measures

Personal precautions	 Use protective shoes or boots with rough rubber sole. Material can create slippery conditions. Do not get in eyes, on skin, or on clothing. 			
6.2 Environmental precautions				
Environmental precautions	 Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. Do not flush into surface water or sanitary sewer system. 			
6.3 Methods and material for conta	ainment and cleaning up			

Methods for cleaning up	:	Keep in suitable, closed containers for disposal.
		Soak up with inert absorbent material (e.g. sand, silica gel,
		acid binder, universal binder, sawdust).

6.4 Reference to other sections

For further information see Section 7 of the safety data sheet. ,For personal protection see section 8.,For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling		
Advice on safe handling	:	For personal protection see section 8. No special technical protective measures required.
		Please follow the technical information.
Hygiene measures	:	Wash hands before eating, drinking, or smoking. Do not eat, drink or smoke when using this product.
7.2 Conditions for safe storage, in	ncl	uding any incompatibilities
Requirements for storage areas and containers	:	Perishable if frozen. To maintain product quality, do not store in heat or direct sunlight. Store at room temperature in the original container. Containers which are opened must be care- fully resealed and kept upright to prevent leakage.
Advice on common storage	:	Keep away from oxidizing agents and strongly acid or alkaline materials.
Storage class (TRGS 510)	:	12, Non Combustible Liquids



Version	Revision Date:	Print Date	Date of last issue: 31.10.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 31.10.2019

7.3 Specific end use(s)

Specific use(s)

: This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

ComponentsCAS-No.Value type (Form of exposure)Control parametersBasisTalc (Mg3H2(SiO3)4)14807-96-6AGW (Inhalable fraction)10 mg/m3DE TRGS 900Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.Peak-limit: excursion factor (category): 2;(II)Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific fraction)Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7 fraction)AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)1,25 mg/m3 (Titanium dioxide)DE TRGS 900							
(Mg3H2(SiO3)4) fraction) 900 Peak-limit: excursion factor (category): 2;(II) Peak-limit: excursion factor (category): 2;(II) Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. AGW (Alveolate fraction) 1,25 mg/m3 DE TRGS 900 Peak-limit: excursion factor (category): 2;(II) 900 Peak-limit: excursion factor (category): 2;(II) Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. titanium dioxide 13463-67-7 AGW (Inhalable fraction) 10 mg/m3 (Titanium dioxide) DE TRGS 900 Peak-limit: excursion factor (category): 2;(II) Peak-limit: excursion factor (category): 2;(II) DE TRGS 900	Components	CAS-No.		Control parameters	Basis		
Peak-limit: excursion factor (category): 2;(II) Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. AGW (Alveolate fraction) 1,25 mg/m3 DE TRGS 900 Peak-limit: excursion factor (category): 2;(II) Europeace dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet fraction) Peak-limit: excursion factor (category): 2;(II) Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. titanium dioxide 13463-67-7 AGW (Inhalable fraction) 10 mg/m3 (Titanium dioxide) DE TRGS 900 Peak-limit: excursion factor (category): 2;(II) AGW (Alveolate fraction) 1,25 mg/m3 (Titanium dioxide) DE TRGS 900	Talc	14807-96-6	AGW (Inhalable	10 mg/m3	DE TRGS		
Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.AGW (Alveolate fraction)1,25 mg/m3DE TRGS 900Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)1,25 mg/m3 (Titanium dioxide)DE TRGS 900	(Mg3H2(SiO3)4)		fraction)	0	900		
work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.AGW (Alveolate fraction)1,25 mg/m3DE TRGS 900Peak-limit: excursion factor (category): 2;(II)Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900		Peak-limit: ex	cursion factor (categ	ory): 2;(II)			
fraction)900Peak-limit: excursion factor (category): 2;(II)Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)1,25 mg/m3 (Titanium dioxide)DE TRGS 900		work place da dangerous su occupational e have informat	ngerous for the heal bstances, General d exposure limit value ion regarding unspe	th (MAK-commission)., Com ust value. For this substance is established, since the AGS	mission for no specific S does not yet		
Peak-limit: excursion factor (category): 2;(II) Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in excess of the normal values. titanium dioxide 13463-67-7 AGW (Inhalable fraction) 10 mg/m3 (Titanium dioxide) DE TRGS 900 Peak-limit: excursion factor (category): 2;(II) AGW (Alveolate fraction) 1,25 mg/m3 (DE TRGS 900			AGW (Alveolate	1,25 mg/m3	DE TRGS		
Further information: Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7 rection)AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)1,25 mg/m3 (Titanium dioxide)DE TRGS 900			fraction)	-	900		
work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex- cess of the normal values.titanium dioxide13463-67-7AGW (Inhalable fraction)10 mg/m3 (Titanium dioxide)DE TRGS 900Peak-limit: excursion factor (category): 2;(II)AGW (Alveolate fraction)1,25 mg/m3 (Titanium dioxide)DE TRGS 900		Peak-limit: ex	Peak-limit: excursion factor (category): 2;(II)				
fraction (Titanium dioxide) 900 Peak-limit: excursion factor (category): 2;(II) AGW (Alveolate fraction) 1,25 mg/m3 (Titanium dioxide) fraction) (Titanium dioxide) 900		work place dangerous for the health (MAK-commission)., Commission for dangerous substances, General dust value. For this substance no specific occupational exposure limit value is established, since the AGS does not yet have information regarding unspecific action on the respiratory organs in ex-					
Peak-limit: excursion factor (category): 2;(II) AGW (Alveolate fraction) 1,25 mg/m3 DE TRGS 1,25 mg/m3 00	titanium dioxide	13463-67-7	AGW (Inhalable		DE TRGS		
AGW (Alveolate1,25 mg/m3DE TRGSfraction)(Titanium dioxide)900			fraction)	(Titanium dioxide)	900		
fraction) (Titanium dioxide) 900		Peak-limit: ex	cursion factor (categ	ory): 2;(II)			
			AGW (Alveolate	1,25 mg/m3	DE TRGS		
Peak-limit: excursion factor (category): 2;(II)			fraction)	(Titanium dioxide)	900		
		Peak-limit: ex	cursion factor (categ	ory): 2;(II)			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef-	Value
			fects	
titanium dioxide	Consumers	Ingestion	Long-term systemic effects	700,00 mg/kg bw/day
	Workers	Inhalation	Long-term local ef- fects	10,00 mg/m3

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment Value	
titanium dioxide	Sewage treatment plant	100 mg/l
	Fresh water	0,184 mg/l



rsion	Revision Date:	Print Date	Date of last issue: 31		
)	30.11.2020	02.12.2020	Date of first issue: 37	1.10.2019	
		Soil		100 mg/kg dry weight (d.w.)	
		Marine wate	<u>ə</u> r	0,0184 mg/l	
		Fresh water		1000 mg/kg dry weight (d.w.)	
		Marine sedi	ment	100 mg/kg dry weight (d.w.)	
		Intermittent	use/release	0,193 mg/l	
2 Expos	sure controls				
Perso	onal protective equi	oment			
Eye p	protection		eye protection when the p vith the product cannot be		
		German trade	e association rules - BGR	192 Eye protection	
		Goggles			
Ma Gl	protection aterial ove thickness otective index	: Nitrile rubber : 0,2 mm : Class 3			
Re	emarks	: Before remov	 Before removing gloves clean them with soap and water. Wear suitable gloves tested to EN374. German trade association leaflet: Carry gloves (ZH 1/706) 		

	German trade association leanet. Carry gloves (ZIT 1/100)
Skin and body protection :	Safety shoes Long sleeved clothing
	Choose body protection according to the amount and con- centration of the dangerous substance at the work place.
	Skin should be washed after contact.
Respiratory protection :	No personal respiratory protective equipment normally re- quired.
	German trade association rules - BGR 190 Breathing protec- tion

When spraying, use face mask with particle filter P2 against spray dust.



VersionRevision Date:Print DateDate of last issue: 31.10.20192.030.11.202002.12.2020Date of first issue: 31.10.2019					
---	--	--	--	--	--

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Appearance liquid 2 Colour No data available · Odour No data available **Odour Threshold** ÷ Not relevant pН ÷ 11,4 Concentration: 100 % Melting point/range not determined 2 Boiling point/boiling range not determined : Flash point 1 Not applicable Evaporation rate Not applicable ÷ Upper explosion limit / Upper : not determined flammability limit Lower explosion limit / Lower : not determined flammability limit not determined Vapour pressure 2 Relative vapour density not determined ÷ Density : 1,5100 g/cm3 Solubility(ies) Water solubility ÷ completely miscible Partition coefficient: nnot determined ÷ octanol/water Auto-ignition temperature : not determined Decomposition temperature Not applicable 2 Viscosity Viscosity, dynamic 2 No data available Explosive properties Not applicable :



Maler-	Maler-Weiß						
Version 2.0	Revision Date: 30.11.2020	Print Date 02.12.2020	Date of last issue: 31.10.2019 Date of first issue: 31.10.2019				
Oxidiz	zing properties	: Not applicat	ble				
9.2 Other	information						
Flamr	mability (liquids)	: The product	is not flammable.				
SECTION	10: Stability and r	eactivity					
10.1 Reac	tivity						
No de	ecomposition if stored	and applied as direc	sted.				
10.2 Chen	nical stability						
No de	ecomposition if stored	and applied as direc	sted.				
10.3 Poss	ibility of hazardous r	eactions					
Hazai	Hazardous reactions : No decomposition if stored and applied as directed.						
10.4 Cond	litions to avoid						
Cond	itions to avoid	: Protect from	frost, heat and sunlight.				
10.5 Incor	npatible materials						
Mater	Materials to avoid : Incompatible with acids and bases. Incompatible with oxidizing agents.						
	10.6 Hazardous decomposition products No decomposition if stored and applied as directed.						
SECTION	SECTION 11: Toxicological information						
11.1 Infor	11.1 Information on toxicological effects						
Acute	e toxicity						
Produ	uct:						

Product:		
Acute oral toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Remarks: Based on available data, the classification criteria are not met.



Maler-Weiß Version Revision Date: Print Date Date of last issue: 31.10.2019 2.0 30.11.2020 02.12.2020 Date of first issue: 31.10.2019 Skin corrosion/irritation Product: Remarks : Based on OECD test 431 this product is not classified as skin corrosive/skin irritant. Information given is based on tests on products of similar composition. Serious eye damage/eye irritation Product: Remarks According to the classification criteria of the European Union, 1 the product is not considered as being an eye irritant. Respiratory or skin sensitisation Product: Remarks : No data available **SECTION 12: Ecological information** 12.1 Toxicity Product: Toxicity to fish Remarks: No data available : Toxicity to daphnia and other : Remarks: No data available aquatic invertebrates 12.2 Persistence and degradability No data available 12.3 Bioaccumulative potential No data available 12.4 Mobility in soil No data available 12.5 Results of PBT and vPvB assessment Product: Assessment This substance/mixture contains no components considered 2 to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..



Maler-Weiß Version Revision Date: Print Date Date of last issue: 31.10.2019 2.0 30.11.2020 02.12.2020 Date of first issue: 31.10.2019 12.6 Other adverse effects Product: Additional ecological infor-: An environmental hazard cannot be excluded in the event of mation unprofessional handling or disposal. **SECTION 13: Disposal considerations** 13.1 Waste treatment methods Product : . Waste should not be disposed of via wastewater. Contaminated packaging : Only completely emptied containers should be given for recycling. Waste Code used product : 080112, waste paint and varnish other than those mentioned

in 08 01 11*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks

: Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.



		Print Date 02.12.2020	Date of last issue: 31.10.2019 Date of first issue: 31.10.2019
--	--	--------------------------	---

SECTION 15: Regulatory information

15.1 Safety, health and e ture	nvironmental regulation	ns/legislation s	pecific for the substance or mix-
	on the manufacture, pla certain dangerous subst les (Annex XVII)		Not applicable
REACH - Candidate L Concern for Authorisa	ist of Substances of Ver tion (Article 59).	((This product is a mixture and does not contain Substances of Very High Concern (SVHC) equal or above 0.1%. Therefore no advised uses have to be defined and no chemical safety assessment has to be gener- ated.
REACH - List of subst (Annex XIV)	ances subject to authoris	sation : I	None
	012/18/EU of the Europe Is involving dangerous so Not applicat	ubstances.	and of the Council on the control of
Water contaminating ((Germany)		ntly water endan n according to A	gering wSV, Annex 1 (5.2)
Product code for laque paints / Giscode	ers and : M-DF01 Wa	ter-based paints	s, solvent-free
	: BSW10 Coa content	ting materials, v	vater-based, low preservative
Volatile organic comp	ounds : Directive 20 < 0.1 % < 1 g/l	04/42/EC	

Other regulations:

Take note of Law on the protection of mothers at work, in education and in studies (Maternity Protection Act - MuSchG).

15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.



Version	Revision Date:	Print Date	Date of last issue: 31.10.2019
2.0	30.11.2020	02.12.2020	Date of first issue: 31.10.2019

SECTION 16: Other information

Full text of H-Statements					
H351	:	Suspected of causing cancer if inhaled.			
Full text of other abbreviations					
Carc. DE TRGS 900 DE TRGS 900 / AGW	:	Carcinogenicity Germany. TRGS 900 - Occupational exposure limit values. Time Weighted Average			

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELX - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Coil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IIMDG - International Maritime Dangerous Goods; IMO - International Convention for the Prevention tration to 50 % of a test population; LDSO - Lethal Dose to 50% of a test population; KECI - Korea Existing Chemicals Inventory; LCSO - Lethal Concentration to 50 % of a test population; LDSO - Lethal Dose to 50% of a test population; Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxis substance; PICCS - Philippines Inventory of Chemicals Of Chemicals Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisati

Further information

Other information:

No exposure scenario communication is required for this product according to REACH Regulation No. 1907/2006 EC.

Communication of Uses is not required in accordance with REACH Article 31(1)(a) - registered substances / mixtures do not meet the criteria for classification as hazardous in accordance with Regulations 1272/2008 EC or 1999/45/EC.

Sources of key data used to compile the Safety Data Sheet:

ECHA WebSite

ACGIH (American Conference of Government Industrial Hygienists). 2014 TLVs and BEIs. Threshold Limit Values (TLVs) for chemical substances and physical agents and Biological Exposure Indices (BEIs) with Seventh Edition documentation. 2014 ACGIH, Cincinnati OH NIOSH - Registry of toxic effects of chemical substances

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX'S - Dangerous properties of industrial materials

GESTIS - Database on hazardous substances - Institut für Arbeitsschutz der Deutschen Gesetzlichen Unfallversicherung (IFA, Institute for Occupational Safety and Health of the German Social Accident Insurance)

Toxnet - Toxicology Data Network



Version	Revision Date: 30.11.2020	Print Date	Date of last issue: 31.10.2019
2.0		02.12.2020	Date of first issue: 31.10.2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REACH Information

According to our legal obligation we implement the Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH). We will adjust and update our safety data sheets on a regular base in accordance with the information of our upstream-suppliers. As usual we will inform you about the adjustments. Regarding to the REACH regulation we would like to point out that DAW as a downstream user will not register on behalf of our company. We will rely on information from our suppliers. As soon as new information is available our safety data sheets will be amended accordingly.

DE / EN